




BODY HARDWARE & MIRRORS





BODY HARDWARE & MIRRORS

E3 Gudgeons / Taildoor Catch

E4 Rope Hooks / Lashing Rings

E5 Lashing Rings

E6 Catches, Pins Lashing Rings

E7 Two Way Tail Door Kits / Hinge Kits

CAB & BODY FITTINGS

E8 - E10 Telescopic Lid Stay / Overcentre Fasteners

E11 Steps / Bonnet Fasteners

E12 Ventilators

E13 Rubber Buffers / Bonnet Catches / Vents

HINGES

E14 Coach Hinges

E15 Pressed & Lift Off Hinges

E16 Pressed Hinges

E17 Pressed Hinges / Rear Van Door Hinges

E18 Centaflex-Continuous Hinges

LOCKS & HANDLES

E19 Slam Locks

E20 Paddle Locks

E21 Luggage Locks

E22 Rod Lock / 'T' Key / Escutcheon

E23 Budget Locks / Sliding Door Locks

E24 Compartment Locks / Lever Handles

E25 Lever Handles / Dish Handles

E26 Pull & Dish Handles

E27 Pull Handle / Rod Latches / Spring Bolts

DOOR & WINDOW FITTINGS

E28 - E29 Door Retainers

E30 Door Gear

E31 Door Seal

PASTORE & LOMBARDI

E32 Rear Door Hinges & Brackets

E33 External Door Lock / Lever

E34 Components

MIRRORS

E35 BRITAX Electric Mirrors

E36 - E37 BRITAX Plastic Body Mirror Heads

E38 BRITAX Steel Mirror Heads & Accessories


E39 BRITAX Mirror Arms & Brackets

E40 Assorted Mirrors

BOLT ON GUDGEONS

Self Colour Steel

	A	B	C	D	E	F	G	H
AJ1016/001	Self-Colour Steel					Weight 190g/6.7oz		
Metric (mm)	18	12.5	48	8.5	38	NA	NA	NA
Imperial (in)	0.71	0.50	1.89	0.34	1.5	NA	NA	NA




Left to Right: AJ1016/003, AJ1016/001

WELD ON GUDGEONS

Self Colour Steel

	A	B	C	D	E	F	G	H
AJ1037/010						Weight 140g/4.9oz		
Metric (mm)	17.5	12.5	52	46	28	NA	NA	NA
Imperial (in)	0.69	0.50	2.05	1.81	1.10	NA	NA	NA
AJ1037/003						Weight 200g/7.1oz		
Metric (mm)	20	16	60	48	30	NA	NA	NA
Imperial (in)	0.79	0.63	2.36	1.89	1.18	NA	NA	NA




Left to Right: AJ1037/003, AJ1037/010

LIGHTWEIGHT TAILDOOR CATCH

Spring loaded, overcentre action. Zinc Plated Finish


	A	B	C	D	E	F	G	H
AJ5482/011						Weight 1kg/2.3lb		
Metric (mm)	260	29	58	75	49	70	8.5	NA
Imperial (in)	10.2	1.14	2.28	2.95	1.93	2.76	0.34	NA



ROPE HOOK

Bolt on.


	A	B	C	D	E	F	G	H
AJ2125/002	Zinc Plated					Weight 210g/7.4oz		
Metric (mm)	138	74	13	8	8.5	48	23	94
Imperial (in)	5.43	2.91	0.51	0.32	0.33	1.89	0.91	3.70



ROPE HOOK

Screw fixing. Half-round, self colour mild steel.


	A	B	C	D	E	F	G	H
AJ1021/001						Weight 170g/6oz		
Metric (mm)	89	40	20	5	7	32	NA	NA
Imperial (in)	3.50	1.58	0.79	0.20	0.28	1.26	NA	NA



LASHING RING

Pressed, mild-steel, pan with zinc plated, forged steel ring. 500kg S.W.L..


	A	B	C	D	E	F	G	H
AJ1057/001						Weight 370g/13.1oz		
Metric (mm)	95	101	22	73	79	63	70	7
Imperial (in)	3.74	3.98	0.87	2.87	3.11	2.48	2.76	0.28



LASHING RING

Pressed, mild-steel, pan and a forged steel ring, both with a galvanised finish. 500kg S.W.L. Conforms to DIN 75410.


	A	B	C	D	E	F	G	H
AJ1057/011						Weight 470g/1.04lb		
Metric (mm)	41	6.8	21	3	105	85	11	49
Imperial (in)	1.62	0.27	0.83	0.12	4.13	3.35	0.43	1.93



HEAVY DUTY LASHING RING

Self-colour, mild-steel cleat with a galvanised, forged steel D-ring.
5 tonne S.W.L.

	A	B	C	D	E	F	G	H
AJ1060/001						Weight 1.5kg/3.3lb		
Metric (mm)	140	115	20	20	120	50	NA	NA
Imperial (in)	5.51	4.53	0.79	0.79	4.72	1.97	NA	NA




FERRY LASHING RING

Self colour, mild steel cleat with a forged steel, galvanised triangular ring.
Conforms to EN29367 (ISO9367). 12 tonne S.W.L.

	A	B	C	D	E	F	G	H
AJ1060/002						Weight 2.95kg/6.5lb		
Metric (mm)	151	176	25	28	70	100	12	NA
Imperial (in)	5.95	6.93	1.00	1.10	2.76	3.94	0.47	NA

- Meets all Maritime NZ requirements
- ISO9367-1 Exceeds 80mm inside diameter
- Weld-on for permanent fixture
- Galvanised ring for long life



LOAD ANCHORS

Stronger, safer, Faster! Easy to install, Armour load anchors are flush mounted, self-cleaning, and certified.


Part No.	Description	Capacity
2.5T	Suits light trucks and trailers. Including backing plate and screws. 105 x 108 x 26 (mm).	LC2,500 kg
6T	Top seller. Used on all types of truck decks and trailers. 104 x 130 x 37 (mm) .	LC6,000 kg
12T	Heavy-duty flip-over model. Multi-dimensional pull. 120 x 140 x 140 (mm).	LC12,000 kg



TIE DOWN RING

Zinc plated ring and cleat with a black, polypropylene circular base.
362kg S.W.L.

	A	B	C	D	E	F	G	H
AJ5589/515						Weight 100g/73.5oz		
Metric (mm)	104	73	12.7	6.5	11	NA	NA	NA
Imperial (in)	4.10	2.87	0.50	0.26	0.43	NA	NA	NA




DOUBLE OPENING SIDE BOARD CATCHES

Self-Colour Steel.


	A	B	C	D	E	F	G	H
020542	30mm							
Metric (mm)	78	44	93	136	122	71	52	31
Imperial (in)	3.07	1.73	3.66	5.35	4.80	2.80	2.05	1.22

020546	40mm							
Metric (mm)	98	50	108	168	140	82	60	40
Imperial (in)	3.86	1.97	4.25	6.60	5.51	3.23	2.36	1.57

020683	20mm							
Metric (mm)	50	35	76	74	85	50	41	21
Imperial (in)	1.97	1.38	2.99	2.91	3.35	1.97	1.61	0.83



020542




DOUBLE OPENING SIDE BOARD PINS

Self-Colour Steel.


	A	B	C	D	E	F	G	H
020544	30mm							
Metric (mm)	187	130	35	100	12	45	41	30
Imperial (in)	7.36	5.12	1.38	3.94	0.47	1.77	1.61	1.18

020547	40mm							
Metric (mm)	208	135	32	102	14	55	52	40
Imperial (in)	8.19	5.31	1.26	4.00	0.55	2.17	2.00	1.57

020682	20mm							
Metric (mm)	134	91	25	60	10	32	30	20
Imperial (in)	5.28	3.58	1	2.36	0.39	1.26	1.18	0.79




020544



TWO-WAY TAIL DOOR KITS

Zinc plated steel.


1952	20mm Catch
1953	30mm Catch
1954	40mm Catch
1955	50mm Catch



REAR HINGE KITS

Quality NZ manufactured Hinge Gear kits in 3 common sizes. Kit includes the required bar. A range of spares is available.

PART NO.	Description
HK1	32 mm Rear Hinge Kit complete
HK2	35 mm Rear Hinge Kit Complete
HK3	45 mm Rear Hinge Kit Complete



HK1 SPARE PARTS

PART NO.	Description	Qty per kit
HG32-1	32mm Hinge Bar	1
HG32-2	32mm Shaft Collar	2
HG32-3	32mm Body Bracket	2
HG32-4	32mm Chassis Bracket	2



HK2 SPARE PARTS

PART NO.	Description	Qty per kit
HG35-1	35mm Hinge Bar	1
HG35-2	35mm Shaft Collar	2
HG35-3	35mm Body Bracket	4
HG35-4	35mm Chassis Bracket	2


HK3 SPARE PARTS

PART NO.	Description	Qty per kit
HG45-1	45 mm Hinge Bar	1
HG45-2	45mm Shaft Collar	2
HG45-3	45mm Body Bracket	4
HG45-4	45mm Chassis Bracket	2

TELESCOPIC LID STAY

Pressed, mild-steel, zinc plated & yellow passivated. Centres 'M' = 285mm (11.2") closed. 490mm (19.3") open.


	A	B	C	D	E	F	G	H
AJ2522/001						Weight 300g/10.6oz		
Metric (mm)	13	35	15	9	29	287	6.4	8.5
Imperial (in)	0.51	1.38	0.59	0.35	1.14	11.3	0.25	0.34



TELESCOPIC LID STAY

Pressed, mild-steel, zinc plated & yellow passivated. Centres 'M' = 410mm (16.25") closed. 710mm (28") open.

	A	B	C	D	E	F	G	H
AJ2522/101S						Weight 300g/10.6oz		
Metric (mm)	13	35	15	9	29	405	6.4	8.5
Imperial (in)	0.51	1.38	0.59	0.35	1.14	16	0.25	0.34




701 SERIES OVERCENTRE FASTENERS

Recommended Maximum Load: 100kg / 220lbs


AJ9100/701LC	Zinc Plated, Locking	Weight 40g / 1.3oz
AJ9100/30C	Zinc Plated, Triangular	Weight ?




All Dimensions in mm



701 Fastener



L Plate




30 Hook

702 SERIES OVERCENTRE FASTENERS



Recommended Maximum Load: 300kg / 660lbs

AJ9100/702LC	Zinc Plated, Locking	Weight 80g / 2.8oz
AJ9100/31C	Zinc Plated, Triangular	Weight 10g / 0.3oz

All Dimensions in mm



702 Fastener




31 Hook

703 SERIES OVERCENTRE FASTENERS



Recommended Maximum Load: 500kg / 1100lbs

AJ9100/703RC	Zinc Plated, Non-locking	Weight 210g / 7.2oz
AJ9100/703RLC	Zinc Plated, Locking	Weight 200g / 7oz
AJ9100/41C	Zinc Plated, Triangular	Weight 30g / 1oz

All Dimensions in mm



703 Fastener




41 Hook

OVERCENTRE TOGGLE FASTENER

C/W Hook. Chrome plated (dimension A=fixed length).


	A	B	C	D	E	F	G	H
AJ2695/003						Weight 60g/2.10Z		
Metric (mm)	90	34	15	2.5	22	4	10	NA
Imperial (in)	3.54	1.34	0.59	0.1	0.87	0.16	0.39	NA



OVERCENTRE TOGGLE FASTENER

Pressed steel with various finishes. 1338 = small toggles. 2676 = short toggles. 2665 = long toggles

	A	B	C	D	E	F	G	H
AJ1338/003	Locking Chrome Plated					Weight 50g/1.8oz		
Metric (mm)	52	15	18	68	27	4	8	4
Imperial (in)	2.10	0.59	0.71	2.68	1.06	0.16	0.32	0.16
AJ2676/003	Locking Chrome Plated					Weight 90g/3.2oz		
Metric (mm)	62	22	25.4	94	35	4	11	5.5
Imperial (in)	2.44	0.87	1.00	3.70	1.38	0.22	0.45	0.22
AJ2665/001	Locking Powder Coated					Weight 140g/4.5oz		
AJ2665/002	Non-locking Powder Coated							
Metric (mm)	129	27	25.4	170	35	5.5	11.5	5.5
Imperial (in)	5.10	1.06	1.00	6.70	1.38	0.22	0.45	0.22




Top left - 2676/004
Top right - 2676/003
Bottom left - 2665/001
Bottom right - 2665/003

HOOK

Pressed mild steel.


	A	B	C	D	E	F	G	H
AJ1338/004	Chrome Plated					Weight 10g/0.4oz		
Metric (mm)	44.5	13	11	2	31.5	3.7	15	19
Imperial (in)	1.75	0.51	0.43	0.08	1.24	0.15	0.59	0.75
AJ2676/004	Chrome Plated					Weight 30g/1.1oz		
Metric (mm)	59	22	12	2	36.5	5.5	26	23
Imperial (in)	2.32	0.87	0.47	0.08	1.44	0.22	1.02	0.91



HOOK

Pressed mild steel.


	A	B	C	D	E	F	G	H
AJ2665/003	Black Powder Coated					Weight 30g/1.1oz		
Metric (mm)	66	26	12	2	35	5	NA	NA
Imperial (in)	2.60	1.02	0.42	0.08	1.38	0.2	NA	NA



RUBBER BONNET FASTENER - LARGE

Rubber hook with zinc plated bracket & clip. Maximum extension from relaxed to tension should be 10%. Hence, the distance between centres should be between 28 - 34 mm.

	A	B	C	D	E	F	G	H
AJ5300/001	Complete Assembly					Weight 100g/3.5oz		
Metric (mm)	112	25	34	34	4	57	15	18
Imperial (in)	4.41	1.00	1.34	1.34	0.16	2.25	0.59	0.71




AJ5300/001 complete

RUBBER BONNET FASTENER - SMALL

Rubber hook with steel bracket & clip. Maximum extension from relaxed to tension should be 10%. The distance between centres should be between 16 - 19mm.


	A	B	C	D	E	F	G	H
AJ5301/001	Zinc Plated					Weight 150g/1.8oz		
Metric (mm)	54.5	21	23	20	5	39	10	NA
Imperial (in)	2.15	0.83	0.91	0.80	0.20	1.54	0.40	NA



SOLID TOP VENTILATOR

Self-colour diecast frame with black polycoated, spring hinged top.

	A	B	C	D	E	F	G	H
AJ0623/001	Complete Assembly					Weight 870g/1.9lb		
Metric (mm)	264	213	219	167	23	4.5	NA	NA
Imperial (in)	10.4	8.4	8.62	6.58	0.91	0.18	NA	NA
AJ0623/002	Complete Assembly					Weight 1.21kg/2.7lb		
Metric (mm)	337	261	280	203	23	4.5	NA	NA
Imperial (in)	13.3	10.3	11.02	8.00	0.91	0.18	NA	NA
AJ0623/003	Complete Assembly					Weight 590g/1.3lb		
Metric (mm)	238	147	193	102	23	5	NA	NA
Imperial (in)	9.4	5.8	7.60	4.00	0.91	0.20	NA	NA




AJ0623/001

“FLOWMATIC” VENTILATOR

Black primed finish. Ø76mm (3”) twin aperture.

	A	B	C	D	E	F	G	H
AJ4468/001						Weight 920g/2.03lb		
Metric (mm)	275	205	239	169	56	2	4.5	NA
Imperial (in)	10.8	8.1	9.4	6.65	2.21	0.08	0.18	NA




AJ4468/001

ROOF LIGHT & VENTILATOR

Cream plastic base with opalescent plastic top projection: open = 127mm (5”)
Closed (shown) = Dim C. Cut out = 360mm (14.2”) x 320mm (12.6”).

	A	B	C	D	E	F	G	H
AJ0638/004						Weight 1.31kg/2.9lb		
Metric (mm)	420	380	76	NA	NA	NA	NA	NA
Imperial (in)	16.5	15	3	NA	NA	NA	NA	NA
AJ0638/005	Fly screen							



AJ0638/001

ROTARY VENT

White Plastic.


RV11W	Plastic							
Speed (MPH)	10	20	30	40	50	60	70	NA
Disp CFM	45	44	78	106	140	165	192	NA



TAILBOARD BUFFERS

Black synthetic rubber.

	A	B	C	D	E	F	G	H
AJ2500/002							Weight 180g/6.4oz	
Metric (mm)	125	47	40	65	8	18.5	NA	NA
Imperial (in)	4.92	1.85	1.58	2.56	0.32	0.73	NA	NA
20065	2 Bolt holes							
Metric (mm)	200	43	65	130	10	24	NA	NA
Imperial (in)	8	1.69	2.5	5.1	0.39	0.94	NA	NA




20065

SQUARE SECTION BUFFERS

Black synthetic rubber.


	A	B	C	D	E	F	G	H
AJ2503/001	2 Bolt holes						Weight 510g/1.1lb	
Metric (mm)	195	50.8	50.8	115	10	30	NA	NA
Imperial (in)	7.68	2.00	2.00	4.53	0.40	1.18	NA	NA
AJ2503/002	2 Bolt holes						Weight 310g/11oz	
Metric (mm)	149	50.8	50.8	74	11	30	NA	NA
Imperial (in)	5.87	2.00	2.00	2.91	0.43	1.18	NA	NA



AJ2503/001

RUBBER DOCK BUFFER

PART NO. 082819534B




COACH HINGES

Self colour steel.

	A	B	C	D	E	F	G	H
AJ0430/001	260° opening					Weight 330g/11.7oz		
Metric (mm)	80	50	5	12	NA	NA	NA	NA
Imperial (in)	3.15	1.97	0.2	0.47	NA	NA	NA	NA
AJ0430/002	260° opening					Weight 590g/1.3lb		
Metric (mm)	120	50	6	15	NA	NA	NA	NA
Imperial (in)	4.72	1.97	0.24	0.60	NA	NA	NA	NA
AJ0991/001	280° opening					Weight 240g/8.5oz		
Metric (mm)	70	51	3.5	14	NA	NA	NA	NA
Imperial (in)	2.75	2.00	0.14	0.55	NA	NA	NA	NA
AJ0991/002	280° opening					Weight 170g/8.5oz		
Metric (mm)	50	50	3.5	14	NA	NA	NA	NA
Imperial (in)	1.97	1.97	0.14	0.55	NA	NA	NA	NA


* Pressed steel with rolled joint.



LIFT - OFF HINGES

Weld - on. Carbon steel = rounded ends & brass washer. Stainless steel = flat ends & stainless washer.


	A	B	C	D	E	F	G	H
AJ2217/003	Carbon Steel					Weight 40g/1.1oz		
Metric (mm)	60	10	12	6	NA	NA	NA	NA
Imperial (in)	2.36	0.4	0.47	0.24	NA	NA	NA	NA
AJ2217/005	Carbon Steel					Weight 170g/6oz		
Metric (mm)	100	16	20	10	NA	NA	NA	NA
Imperial (in)	3.94	0.63	0.8	0.4	NA	NA	NA	NA
AJ2217/026	Stainless Steel					Weight 200g/7.1oz		
Metric (mm)	120	16	20	11	NA	NA	NA	NA
Imperial (in)	4.72	0.63	0.8	0.3	NA	NA	NA	NA
AJ2219/006	Carbon Steel					Weight 190g/6.7oz		
Metric (mm)	120	16	20	11	10	NA	NA	NA
Imperial (in)	4.12	0.63	0.8	0.43	0.4	NA	NA	NA



CANOPY HINGE

Pressed steel c/w nylon bush & stainless steel pin. 300° opening. 002, 003 - bracket holes are countersunk.

AJ0948/002	Zinc plated					Weight 200g/7.1oz		
Metric (mm)	51	96	16	3	28	6	34	88
Imperial (in)	2	3.78	0.63	0.12	1.10	0.24	1.34	3.47



MAINTENANCE FREE HINGES

Zinc plated solid drawn steel. 260° opening. 'Metoplast' bush gives a smooth operation & requires no lubrication.

	A	B	C	D	E	F	G	H
AJ2218/001	Long - long flaps					Weight 170g/6oz		
Metric (mm)	50	3.5	13	6	6	35	35	NA
Imperial (in)	1.97	0.14	0.51	0.24	0.24	1.38	1.38	NA
AJ2218/002	Long - short flaps					Weight 150g/5.3oz		
Metric (mm)	50	3.5	13	6	6	35	35	NA
Imperial (in)	1.97	0.14	0.51	0.24	0.24	1.38	1.38	NA
AJ2218/003	Short - short flaps					Weight 130g/4.6oz		
Metric (mm)	50	3.5	13	6	6	35	NA	NA
Imperial (in)	1.97	0.14	0.51	0.24	0.24	1.38	NA	NA

HINGE

Pressed steel. 270° opening. c/w grease nipple (Grade 316 stainless steel where applicable).

	A	B	C	D	E	F	G	H
AJ2216/004	Stainless Steel					Weight 380g/13.4oz		
Metric (mm)	65	116	16	4	8	6.7	30	40
Imperial (in)	2.56	4.57	0.63	0.16	0.32	0.26	1.18	1.58

Long - medium flaps



AJ2216/005	Stainless Steel					Weight 310g/11oz		
Metric (mm)	65	116	16	4	8	6.7	30	NA
Imperial (in)	2.56	4.57	0.63	0.16	0.32	0.26	1.18	NA

Long - short flaps


HINGE

316 Stainless steel, polished.

	A	B	C	D	E	F	G	H
AJ9820/1151	Round Holes					Weight 240g / 8.5oz		
Metric (mm)	116	35	17	4	68	58	30	8
Imperial (in)	4.60	1.38	0.70	0.16	2.70	2.28	1.18	0.32




316^{GRADE} stainless



DOOR HINGE

Pressed steel. 180° opening.

	A	B	C	D	E	F	G	H
AJ9820/1061	316 Stainless steel					Weight 210g/7.4oz		
AJ9820/1062	Zinc plated					Weight 200g/7.1oz		
Metric (mm)	106	31	17	4	60	55	25	8
Imperial (in)	4.17	1.22	0.67	0.16	2.36	2.17	0.98	0.32




316^{GRADE}
stainless

DOOR HINGE

Pressed steel. 180° opening. c/w grease nipple.

	A	B	C	D	E	F	G	H
AJ9820/1181	316 Stainless steel					Weight 800g/1.94lb		
AJ9820/1182	Zinc plated					Weight 870g/1.92lb		
Metric (mm)	181	56	21.5	5	105	100	68	10
Imperial (in)	7.13	2.21	0.85	0.20	4.13	3.93	2.68	0.39





316^{GRADE}
stainless

REAR VAN DOOR HINGES

Complete, 'Pre-packed' assemblies.

AJ2052/300	Zinc-plated	Weight 970g/2.1lb
Complete with bolt-on bracket.		
AJ2052/311	Zinc plated	Weight 970g/2.1lb
Complete with weld-on bracket.		





‘CENTAFLEX’

Continuous hinge. Black PVC profiles fused together with a flexible membrane.

	A	B	C	D	E	F	G	H
AJ2231/025	2.5m Lengths					Weight 575g/ 1.27oz		
AJ2231/030	3m Lengths					Weight 690g/ 1.5lb		
Metric (mm)	28	23	16	4	NA	NA	NA	NA
Imperial (in)	1.10	0.91	0.63	0.16	NA	NA	NA	NA



165° opening, 28mm face



23MM HINGE

Centaflex hinges are designed for HORIZONTAL, maintenance-free use, so the use of lubricants/grease is not necessary. In fact, they can be detrimental to the hinge membrane.

Painting of the PVC blades is possible, but care must be taken, as contact between any solvents and the membrane can seriously impair the hinge's performance.




165° OPENING

PLANT-ON SLAM LOCK

Zinc plated pressed steel case with plastic back plate and nylon tongue.
Plastic dip-coated handle. (Type B shown).


	A	B	C	D	E	F	G	H
AJ2410/001	Type A - with handle					Weight 280g/ 10oz		
AJ2410/002	Type B - with handle							
Metric (mm)	92	65	27	46	17	90	8	8
Imperial (in)	3.62	2.6	1.06	1.81	0.67	3.54	0.32	0.32



PLANT-ON SLAM LOCK

Pressed steel case and handle. Malleable iron tongue.


	A	B	C	D	E	F	G	H
AJ2121/002	Self colour, non locking					Weight 310g/ 11oz		
Metric (mm)	51	84	20	38	10	104	19	5
Imperial (in)	2	3.31	0.8	1.5	0.39	4.1	0.75	0.2



PLANT-ON SLAM LOCK

Pressed steel case with malleable iron tongue and PVC dip-coated handle.
(Left hand shown).


	A	B	C	D	E	F	G	H
AJ2115/001	Zinc plated, left hand					Weight 370g/ 13.1oz		
AJ2115/002	Zinc plated, right hand							
Metric (mm)	70	87	16	42	16	80	7	5
Imperial (in)	2.76	3.43	0.63	1.65	0.63	3.15	0.28	0.2



PADDLE LOCKS

Flush fitting pressed steel body and mechanism. Fixing = Ø4mm holes or M5 x 20mm studs (see descriptions).

	A	B	C	D	E	F	G	H
AJ0907	FOR PART NUMBERS SEE BELOW							
Metric (mm)	140	89	22	16	23	110	42	60
Imperial (in)	5.51	3.5	0.87	0.63	0.91	4.33	1.65	2.36



PART NO.	Finish	Locking Release	Internal	Fixing	Weight
AJ0907/001	Zinc Plated	No	No	Blank	350g/12.4oz
AJ0907/510	Black & Stainless	Keyed in pairs	No	Blank	420g/14.8oz
AJ0907/511	Black & Stainless	Keyed 64001	No	Blank	420g/14.8oz
AJ0907/514	Black & Stainless	Keyed in pairs	Yes	Blank	460g/1.02lb


N.B.All paddle locks are supplied with zinc plated, pressed steel tongues.



PADDLE LOCKS

Flush fitting pressed steel body and mechanism. Fixing = Ø4mm holes or M5 x 20mm studs (see descriptions) Clamp plate is zinc plated, mild steel.

	A	B	C	D	E	F	G	H
AJ0910	FOR PART NUMBERS SEE BELOW							
Metric (mm)	140	108	22	16	23	110	42	78
Imperial (in)	5.51	4.25	0.87	0.63	0.91	4.33	1.65	3.07




PART NO.	Finish	Locking Release	Internal	Fixing	Clamp Plate	Weight
AJ0910/410	Stainless steel	Keyed in pairs	No	Holes	No	460g/1.01lb
AJ0910/411	Stainless steel	Keyed 64001	No	Holes	No	460g/1.01lb
AJ0910/415	Stainless steel	Keyed in pairs	Yes	Holes	No	460g/1.01lb



LUGGAGE COMPARTMENT LOCKS


To suit 1235 mm door width. Use with AJ2477/001 end slam.

	A	B	C	D	E	F	G	H
AJ0881/510	Centre lock only. Black & stainless (locking)							
Metric (mm)	140	89	20	20	20	110	NA	NA
Imperial (in)	5.51	3.5	0.8	0.8	0.8	4.33	NA	NA



END SLAM


	A	B	C	D	E	F	G	H
AJ2477/001	Zinc Plated					Weight 140g/5oz		
Metric (mm)	67	54	17	19	14	33	45	5
Imperial (in)	2.64	2.13	0.67	0.75	0.55	1.3	1.77	0.2



3-WAY ROD LOCK

C/w recessed drop 'T' handle & zinc plated, mild steel rod & guides. Throw = 25mm (1") Tip to tip dim. (engaged) = 2340mm (92"). Adjustable for left or right hand operation.


	A	B	C	D	E	F	G	H
AJ5589/610	Stainless steel					Weight 1.5kg/3.3lb		
AJ5589/612	Zinc Plated (Locking, keyed alike)							
Metric (mm)	27	30	40	52	70	5	NA	NA
Imperial (in)	1.06	1.18	1.58	2.05	2.76	0.2	NA	NA



'T' KEY

Zinc plated, steel. For use with budget locks.


	A	B	C	D	E	F	G	H
AJ2257/004	Zinc Plated					Weight 120g/4.2oz		
Metric (mm)	27.6	12.7	3.18	20	3.6	4	NA	NA
Imperial (in)	1.09	0.5	0.13	0.79	0.14	0.16	NA	NA



SPRING LIDDED ESCUTCHEON

Die cast body.


	A	B	C	D	E	F	G	H
AJ0130/001						Weight 20g/.7oz		
Metric (mm)	125	45	9	6	70	NA	NA	NA
Imperial (in)	4.92	1.77	0.35	0.24	2.76	NA	NA	NA



BUDGET LOCKS

Left hand shown. All operated by 'T'-key or 8mm square drive.


	A	B	C	D	E	F	G	H
AJ0748/001	Universal					Weight 60g/2.1oz		
Metric (mm)	85	22	66	17	9.5	56	6.5	29
Imperial (in)	3.35	0.87	2.3	0.67	0.37	2.2	0.26	1.14
AJ0750/002	Universal (zinc plated case & pressed steel tongue)					Weight 140g/5oz		
Metric (mm)	126	27	101	20	13.5	75	5	50.5
Imperial (in)	4.96	1.06	3.98	0.79	0.53	2.95	0.2	1.99



SLIDING DOOR LOCK

Zinc plated and gold passivated.


	A	B	C	D	E	F	G	H
AJ2092/005	Locking					Weight 310g/11oz		
AJ2092/006	Non-Locking					Weight 300g/10.6oz		
Metric (mm)	106	52	34.5	92	6.5	70	21	31
Imperial (in)	4.17	2	1.36	3.62	0.26	2.76	0.83	1.22



STRIKER

Zinc plated and gold passivated.


	A	B	C	D	E	F	G	H
AJ2092/003	Left Hand (shown)					Weight 110g/3.9oz		
Metric (mm)	77	40	20	55	5.5	16	3	24
Imperial (in)	3.03	1.58	0.79	2.17	0.22	0.63	0.12	0.95



COMPARTMENT LOCK

Chrome plated. c/w 2 keys and fixing nut. Straight cam.


	A	B	C	D	E	F	G	H
AJ2244/102	Keyed alike					Weight 60g/2.1oz		
Metric (mm)	26	33	20	15	19	16	NA	NA
Imperial (in)	1.02	1.30	0.79	0.60	0.75	0.63	NA	NA



COMPARTMENT LOCK

Chrome plated. c/w spiked washer, fixing nut and 2 keys. Packed in pairs. Cranked cam.


	A	B	C	D	E	F	G	H
AJ2245/101	keyed in pairs					Weight 75g/2.7oz		
AJ2245/102	Keyed alike							
Metric (mm)	25	34	36	12	19	16	NA	NA
Imperial (in)	1	1.34	1.42	0.47	0.75	0.63	NA	NA



COMPARTMENT LOCK

Twist-action. Black plastic grip and striker with a die-cast body. c/w lock-nut. Max. panel = 2 mm. Striker retraction = 5mm max.


	A	B	C	D	E	F	G	H
AJ2246/201	Locking					Weight 80g/2.8oz		
Metric (mm)	31	40	19.5	21	16	17.5	14	11
Imperial (in)	1.22	1.58	0.78	0.83	0.63	0.69	0.55	0.43



LEVER HANDLE

360° rotation, no stops and not spring loaded.


	A	B	C	D	E	F	G	H
AJ4222	Descriptions below					Weight 240g/8.5oz		
Metric (mm)	100	45	113	9	15	NA	NA	NA
Imperial (in)	3.94	1.77	4.45	0.35	0.59	NA	NA	NA
PART NO.	Finish		Hole Centres		Keyed			
AJ4222/404	Chrome Plate		44.5mm (1.75")		No			
AJ4222/505	Chrome Plate		44.5mm (1.75")		Random			
AJ4222/707	Chrome Plate		44.5mm (1.75")		Alike			



'T' HANDLE

360° rotation.


	A	B	C	D	E	F	G	H
AJ5224/	For full description					Weight 250g/8.8oz		
Metric (mm)	45	100	15	9	101	5	NA	NA
Imperial (in)	1.77	3.94	0.59	0.35	3.98	0.2	NA	NA
PART NO.	Finish		Hole Centres			Keyed		
AJ5224/001	Chrome		44.5mm (1.75")			Random		
AJ5224/002	Chrome		44.5mm (1.75")			Alike		



RECESSED DROP-'T' HANDLE

Dimension X is variable from 42mm to 58mm.


	A	B	C	D	E	F	G	H
AJ5589/548	Zinc plated					Weight 730g/1.6lb		
	Locking, Keyed Random							
Metric (mm)	120	125	95	69	68	30	40	7.51
Imperial (in)	4.72	7.92	3.74	2.72	2.68	1.18	1.58	0.30



RECESSED COMPARTMENT LOCK

Black plastic case, die cast cam. c/w inside cover plate, sponge seal and 2 keys.


	A	B	C	D	E	F	G	H
AJ1199/001	Locking					Weight 140g/5oz		
Metric (mm)	44	3	61	19	24	80	80	NA
Imperial (in)	1.73	0.12	2.4	0.75	0.95	3.15	3.15	NA



RECESSED 'T' HANDLE

Die cast chrome plated handle with black powder coated finish.


	A	B	C	D	E	F	G	H
AJ5589/576	Locking, random					Weight 520g/ 1.2lb		
AJ5589/378	Locking, alike							
Metric (mm)	124	101	89	106.5	15	32	101	5
Imperial (in)	4.25	1.34	0.51	1.72	1.78	2.71	4	0.2



DISH HANDLES

Chrome plated handle with black powder coated dish. 8mm spindle. Fixing holes in flange. Universal (not handed). Locking versions c/w 2 keys. Cut-out details available on request.


	A	B	C	D	E	F	G	H
AJ4212/002	Locking (Random keyed)					Weight 460g/ 1lb		
AJ4212/707	Locking (Keyed alike)							
Metric (mm)	165	165	145	41	15	20	27	4.7
Imperial (in)	6.5	6.5	5.71	1.61	0.59	0.79	1.06	0.19



PULL HANDLE

Rigid black plastic.


	A	B	C	D	E	F	G	H
AJ0790/001	Locking (Random keyed)					Weight 50g/ 1.8oz		
Metric (mm)	246	28	155	203	6.5	41	24	NA
Imperial (in)	9.70	1.10	6.1	8	0.26	1.61	0.95	NA



PULL HANDLE

Black polypropylene with clip-on hole covers.


	A	B	C	D	E	F	G	H
AJ0847/001						Weight 40g/ 1.4oz		
Metric (mm)	170	32	105	137	5	40	28	NA
Imperial (in)	6.70	1.26	4.13	5.40	0.2	1.58	1.10	NA



PULL HANDLE


Moulded black, glass-filled nylon, textured finish.

	A	B	C	D	E	F	G	H
AJ5596/400								
Metric (mm)	133	21	60	41	114	95	45	6
Imperial (in)	5.24	0.83	2.36	1.61	4.49	3.74	1.77	0.24




TWO WAY ROD LATCH

	A	B	C	D	E	F	G	H
3/18794								
Metric (mm)	33	38	57	25.5	22	14	1092	4.5



SPRING BOLTS


PART NO.	Material	Finish	Pin Diameter (mm)	Body Size (mm)	Mounting holes	Overall length (mm)	Throw (mm)
AJ837NZ	Mild Steel	Zinc Plated	12	75 L x 40 W x 5 Thick	4 @ 6.5mm	150	26
AJ840NZ	Stainless Steel	Mill	12	75 L x 40 W x 3 Thick	4 @ 6.5mm	150	28
AJ841NZ	Mild Steel	Zinc Plated	12	119 L x 40 W x 5 Thick	4 @ 6 mm	160	45
AJ863NZ	Mild Steel	Zinc Plated	16	102 L x 50 W x 5 thick	4 @ 6.5mm	195	33



SERIES 500 FEMALE DOOR RETAINER

Polished stainless steel face-plate with a stainless steel release catch and spring encased by black, nylon 66 moulded body.


	A	B	C	D	E	F	G	H
AJ0500/004	Ext. & Int. release					Weight 120g/4.2oz		
Metric (mm)	63	18	5	26	40	6	7	35
Imperial (in)	2.50	0.71	0.20	1.02	1.58	0.24	0.28	1.38



SERIES 500 MALE DOOR RETAINER

Spring loaded striker pin encased in black nitrile bellows. Black nylon 66 impact washer.

	A	B	C	D	E	F	G	H
AJ0500/003	Ext. & Int. release					Weight 50g/1.8oz		
Metric (mm)	45	38	12.5	23	6	NA	NA	NA
Imperial (in)	1.77	1.5	0.5	0.91	.24	NA	NA	NA



PLASTIC DOOR HOLDER

PART NO.	Description
AJ555NZB	65mm long x 25mm wide x 42mm high – Black
AJ555NZW	65 mm long x 25mm wide x 42mm high – White



RUBBER DOOR HOLDER

Female	Moulded-in steel fixing plate with plain or tapped M6 hole.
Male	Polypropylene with recessed hexagon to take M6 bolt.
Dims	Female = 35mm (1.38") x Ø40mm (1.57") Male = 27mm (1.06") x Ø25mm (1")




The figures given below are for guidance only, as large variations occur due to ambient conditions and applications.

PART NO.	Male/Female	Rubber Type	Minimum Load	Typical Load
AJ0666/001	Female	Hard (black)	20kg	25kg
AJ0666/002	Male	Polypropylene		

DOOR RETAINER

304 Stainless Steel.


	A	B	C	D	E	F	G	H
AJ2132/1000	Complete					Weight 80g/2.8oz		
Metric (mm)	64	19	40	29	5	4.30	NA	NA
Imperial (in)	2.52	0.75	1.58	1.14	0.20	0.17	NA	NA



DOOR RETAINER

Zinc-plated, pressed steel. For use with 0550/001 & 0553/001.


	A	B	C	D	E	F	G	H
AJ0554/001	Without Spring					Weight 80g/2.8oz		
AJ0551/001	With Spring							
Metric (mm)	18	45	77	59	25.4	5.5	NA	NA
Imperial (in)	0.71	1.77	3.03	2.32	1.00	0.22	NA	NA



DOOR HOOK


Zinc-plated, cast, malleable iron hook with a zinc plated, pressed steel back-plate.

	A	B	C	D	E	F	G	H
AJ0550/001						Weight 160g/5.7oz		
Metric (mm)	105	45	77	59	25.4	5.5	NA	NA
Imperial (in)	4.13	1.77	3.03	2.32	1.00	0.22	NA	NA
AJ0553/001						Weight 200g/7.1oz		
Metric (mm)	155	45	77	59	25.4	5.5	NA	NA
Imperial (in)	6.10	1.77	3.03	2.32	1.00	0.22	NA	NA



CENTAUR LIGHTWEIGHT, DOOR GEAR


AJ15/001	Left hand, complete kit	Weight 1.8kg/4lb
	For Ø15mm tubing with I.D. = Ø21.2mm (not supplied)	
AJ15/002	Right hand, complete kit	Weight 1.8kg/4lb
	Zinc Plated	
Kit Comprised of:	1/ 2 x universal keepers 2/ 1 x right hand cam 3/ 3 x outer tube guide supports 4/ 2 x anti-rack collars 5/ 1 x retainer plate 6/ 1 x bush 7/ 1 x swivel catch 8/ 1 x rivet 9/ 1 x lever mount 10/ 1 x lever handle (left or right hand) 11/ 1 x left hand cam 12/ 3 x inner tube guide supports	



UNIVERSAL BE 2000 DOOR GEAR

For Ø27mm tubing with I.D. = Ø20mm (not supplied)


AJ2000/2000	Left hand, complete kit	Weight 1.8kg/4lb
	Stainless steel with 'D' grip handle (with moulded grip).	
Kit Comprised of:	1.2 x universal keepers 2.2 x universal cams 3.2 x large outer bearing brackets 4.2 x large inner bearing brackets 5.2 x small outer bearing brackets 6.2 x small inner bearing brackets 7 or 13.1 x swivel catch 8 or 14.1 x bush 9 or 15.1 x retainer plate 10 or 16.1 x handle (ie. 10 = forged, 16 = 'D' grip) 11 or 17.1 x rivet 12 or 18.1 x lever mount	



CONTAINER DOOR SEAL

P.V.C., rigid carrier with flexible lips

	A	B	C	D	E	F	G	H
AJ0535/019	Complete assembly					Weight 1.4kg/3.1lb		
Metric (mm)	19	25.4	10	18	3	NA	NA	NA
Imperial (in)	0.75	1.00	0.40	0.71	0.12	NA	NA	NA




DOOR SEAL

PART NO.	Description	Length
58R-12-12	3/4 DOOR SEAL 3657MM	3657 mm
58R-12-9	3/4 DOOR SEAL 2946MM	2946 mm
58R-16-9	1 inch DOOR SEAL 2946MM	2946 mm
58T2	CORNER TAB (inide)	9/16 inch
58T3	CORNER TAB OUTSIDE 2-1/2 LONG	2-1/2 inch
B15210	CORNER TAB 92MM 3-1/2 LONG	3-1/2 inch




PART NO. 072021421A

- PVC Grey
- 2.7 metre length
- 1.15 kg



PART NO. 0720 22343

- Grey PVC joint for angular connections
- hardness profiles
- 4 grams




REAR DOOR HINGES & BRACKETS

PART NO. 070215127

REAR DOOR HINGE

- Zinc Plated
- Hinge assembly
- 270 degree rotation
- 1.475 kg

Heavy-duty hinge with 5 mm thick plate. Comes mounted complete with bracket to weld, pin and nut. Very suitable for vans in sheet metal or refrigerated vans with rear metal panel.




PART NO. 070120776

REAR DOOR HINGE

- Stainless Steel
- Heavy Duty hinge blade
- 1.1 kg

Large-sized hinge suitable for doors over 2.30 m in height (semi-trailers, large tractors). The reduced overhang of the neck (33 mm) makes this hinge suitable for recessing into rear profiles.




PART NO. 070322207

REAR DOOR BRACKET

- Bracket to weld on with pin and nut to suit 070120776
- 0.306 kg


For body sides with 30-100 mm thickness. Can be used for radial body sides by turning 180°.



EXTERNAL DOOR LEVER - Ø 16MM TUBE

PART NO. 071322176


- Zinc Plated
- Lever stay and clamp kit



DOOR RETAINERS

PART NO. 072321891

- Stainless Steel
- Door retainer with stainless steel spring
- 1.14 kg



PART NO. 072325818

- Zinc Plated
- Under chassis door retainer with square and bezinal protected spring
- 2.13 kg

PART NO. 072310944

- Stainless Steel
- Male part of door stay
- 104mm - 0.03 kg




PART NO. 072322748

- Stainless Steel
- Flush female part
- 0.042 kg




PART NO. 072310946

- Zinc Plated
- Male part of door stay
- 104mm - 0.05 kg



PART NO. 072322749


- Zinc Plated
- Flush female part
- 0.042 kg



COMPONENTS - CAMS / KEEPERS


PART NO. 071921024

- Stainless steel
- Cam to suit 021921024
- 0.33 kg




PART NO. 071922382

- Zinc plated
- Cam to suit 071322189B
- 0.0532 kg
- 27mm dia



PART NO. 071922383


- Zinc Plated
- Keeper to suit 071322189B
- 0.5 kg
- 27mm dia



COMPONENTS - TUBE CLAMPS & BUSHES

PART NO. 071924131 Ø 22MM & 27MM TUBE

- Nylon bush to suit 071222188A, 071322189B
- 2 grams



PART NO. 071924341 Ø 22MM & 27MM TUBE

- Zinc Plated
- Tube clamp to suit 071322189B
- 6.75mm holes
- 0.28 kg

