

Contents

Braking Friction	Sec.	Page
Disc Pads > Sauer	C3	2
Brake Linings > Fras-Le	C3	4

Copyright © TWL. The illustrations, information and specifications contained within this catalogue remain the property of TWL. No part of this catalogue may be reproduced in whole or in part without prior approval. While all care has been taken in the production of this catalogue, no responsibility for errors, omissions or variations will be accepted. Photography, descriptions and references are subject to change without notice.

DISC PADS > SAUER

SAUER®
QUALITY PARTS

SAUER® Quality Parts offers a variety of quality spare parts for truck & trailer:

FAIR

The right price for the right part - everywhere and every time.

PROVEN

Delivering tested components for a long life.

RELIABLE

Quality parts that perform long term - a partner you can rely on.



Sauer Disc Pad Kits by Common Application

Make to Suit	Model	Cross Reference	WVA No.	SAUER Part No.
BPW	SB3745 AXIAL KNORR	CVP036K	29095	S0572909500
		WDP036K		
	SB3745T TANGENTIAL KNORR	CVP092K	29165	S0572916500
		WDP092K		
DAF	65 / 75 / 85 / 95 XF	CVP020K		S0572905900
		WDP020K		
HENDRICKSON				
IMT	F22 & F24 WABCO PAN-19			Use 3/057/0080/00
	ADB175 WABCO PAN-17			Use 12/999/806
IVECO				
MAN	TGA 2003 on	CVP020K	29179	S0572905900
		WDP020K		
MERCEDES BENZ	ACTROSS	CVP020K	29108	S0572905900
		WDP020K	29179	
MERITOR ROR	DX195	CVP024	29124	S0572912400
		WDP024K		
	ELSA195	CVP095	29177	S0572917701
		WDP095K		
SCANIA	4 SERIES	CVP020K	29108	S0572905900
	R SERIES	WDP020K		
SAF	WABCO PAN-19			USE 3/057/0080/00
VOLVO	FH / FM up to 2006	CVP037K	29125	S0572912500
	FH / FM 2006 on	CVP101	29174	S0572917400

Longlife

- The brake pads of SAUER GERMANY have a good wear behaviour in combination with a long life time.
- Time is money and quality really does count when it comes to aftermarket parts.

Quality

- The brake pads are made in Europe to exacting manufacturing standards.
- Depending on applications, pads have ECE-R90 approval for truck and/or trailer.

Including Accessories


- The brake pads are packed in SAUER GERMANY QUALITY PARTS boxes, SAUER branded and delivered with accessories.

DISC PADS > SAUER


SAUER®
 QUALITY PARTS

Disc Pad Images (not to scale)


Part No. **S0572905900**




Part No. **S0572909500**




Part No. **S0572912400**




Part No. **S0572912500**




Part No. **S0572916500**



Part No. **S0572917400**



Part No. **S0572917700**



Technical specifications are subject to change without prior notice. © 2020 TWL.


BRAKE LININGS > FRAS-LE AF/557



Benefits, Features & Applications

- Suitable for trucks, trailers, bus and coach
- OEM Quality Product
- Noise-free, safe and reliable
- Asbestos-free material that contains advanced fibres, providing stable braking power, durability and an excellent drum compatibility
- Minimises maintenance and downtime
- High structural strength that avoids cracks and disintegration
- Meets FMVSS 121 (USA) requirements for axles 23,000lbs (10.4 tons) GAWR with an AL factor of 165 (type 30 air chamber & 5.5" slack adjuster)
- ECE-R90 certified

Technical Information



Working Temperatures:

Operating temperature 260°C
Short time 500°C

Typical Friction Level:

Normal F
Hot F

Range:
AF/557 Lined Shoes with Hardware Kits



Part No.	Application	Mount	Size (")	Size (mm)	FMSI Lining
WT7700	Truck & Trailer	P	16.5 x 7	419 x 178	4515
WT7701	Truck & Trailer	Q	16.5 x 7	419 x 178	4515
WT7702	Propar / Fruehauf	P	16.5 x 7	419 x 178	4515
WT7703	Propar / Fruehauf XEM	Q	16.5 x 7	419 x 178	4515
WT7704	Meritor Steer	Q	16.5 x 5	419 x 127	4524
WT7705-557	Trailer IMT	Q	15 x 7	381 x 178	4705
WT7706	Meritor Drive	Q+	16.5 x 7	419 x 178	4707
WT7708	Trailer Meritor / Spicer	Q+	15 x 8.625	381 x 219	4710
WT7709	Meritor Steer	Q+	16.5 x 5	419 x 127	4720
WT7717	Meritor Steer	Q+	16.5 x 6	419 x 152	4715
WT7718	Trailer IMT	Q	12.25 x 7.5	311 x 190	4692
WT7719	Eaton	Q	12.25 x 7.5	311 x 190	4591

Range: AF/557 Linings Only



Part No.	Application	Size (")	Size (mm)	FMSI Lining
1308-AF557	Steer Axle	15 x 4	381 x 101	1308
4223A-AF557	Steer Axle	16.5 x 5	419 x 127	4223
4514-AF557	Steer Axle	16.5 x 6	419 x 152	4514
4515-AF557	Drive Axle / Trailer	16.5 x 7	419 x 178	4515
4524B-AF557	Steer Axle / Trailer	16.5 x 5	419 x 127	4524
4591-AF557	Trailer	12.25 x 7.5	311 x 190	4591
4692-AF557	Trailer	12.25 x 7.5	311 x 190	4692
4705-AF557	Trailer	15 x 7	381 x 178	4705
4707-AF557	Drive Axle	16.5 x 7	419 x 178	4707
4709-AF557	Eaton	16.5 x 7	419 x 178	4709
4710-AF557	Trailer	15 x 8.625	381 x 219	4710
4720-AF557	Steer Axle	16.5 x 5	416 x 127	4720
MQ/3/4/2-7222	Trailer	12.25 x 7	311 x 178	MQ/3/4/2
RW/1/2/5	Foden Truck	16.5 x 8	419 x 203	RW/1/2/5
SJ/32/33/1	Trailer		367 x 180	SJ/32/33/1
YK/12/1	York	13.2 x 8.3	335 x 210	YK/12/1
YK/6/7/2S-7444	York	15.5 x 7	394 x 178	YK/6/7/1
YKB/1/2-7222	York	13.2 x 8.3	335 x 210	YKB/1/2/2

BRAKE LININGS > FRAS-LE AF/720



AF/720
 ECE-R90
 certified quality

Benefits, Features & Applications

- Friction material developed according to OE standards for the aftermarket
- ECE-R90 certified for trailers and semi-trailer applications
- Excellent resistance to fading and delivers high performance
- Asbestos-free material
- Excellent compatibility with the brake drum


Range:

AF/720 Lined Shoes with Hardware Kits



Part No.	Application	Mount	Size (")	Size (mm)	FMSI Lining
WT7700-720	Trailer	P	16.5 x 7	419 x 178	4515
WT7701-720	Trailer	Q	16.5 x 7	419 x 178	4515
WT7702-720	Propar / Fruehauf	P	16.5 x 7	419 x 178	4515
WT7703-720	Propar / Fruehauf XEM	Q	16.5 x 7	419 x 178	4515
WT7705-720	Trailer IMT	Q	15 x 7	381 x 178	4705
WT7708-720	Trailer Meritor / Spicer	Q+	15 x 8.625	381 x 219	4710
WT7710	ROR BMX	Q	14 x 7.85"	350 x 200	RW/21/22/2
WT7716-SI	ROR	Q	12.25 x 7.5	311 x 190	RW/9/13/2

Technical Information



Working Temperatures:
 Operating temperature 250°C
 Short time 450°C

Typical Friction Level:
 Normal G
 Hot G

Range - AF/720 Linings Only



Part No.	Application	Size (")	Size (mm)	FMSI Lining
4649-AF720	Fruehauf	12.25 x 8	311 x 203	4649
BC/100/101/1-AF720	BPW	14 x 7.85"	360 x 200	BC/100/101/1
BC/36/1-AF720	BPW	16.5 x 7"	420 x 180	BC/36/1
BC/37/1-AF720	BPW	16.5 x 7.85"	420 x 200	BC/37/1
BC/80/1-AF720	BPW	12 x 7.85"	300 x 200	BC/80/1
RW/21/22/2-AF720	Trailer / ROR	14 x 7.85"	350 x 200	RW/21/22/1
RW/9/13/2-AF720	Trailer / ROR	12.25 x 7.5	311 x 190	RW/9/13/2

Brake Lining Format Basics

