



SAFETY CATALOGUE

A SELECTION OF SAFETY SUPPLIES CATERING FOR THE VARYING NEEDS OF THE TRANSPORT INDUSTRY



BRANCHES NZ-WIDE | 0508 677 704 | TWLNZ.CO.NZ

Proudly Playing a Part
in NZ Road Transport
since 1966



Use your
**Farmlands
Card
here**



TWL offers a proven range of Workshop and Personal Safety products suitable for the heavy transport, mining, infrastructure, freight and logistics industry featuring quality brands that are designed to ensure hard working New Zealanders make it safely home at the end of their working day.

These products are supported by technical safety professionals we can call on to assist you with knowledge, the latest innovations and most importantly the correct method of using PPE in critical areas.

All supported by the TWL team New Zealand wide.

Copyright © TWL. The illustrations, information and specifications contained within this catalogue remain the property of TWL. No part of this catalogue may be reproduced in whole or in part without prior approval. While all care has been taken in the production of this catalogue, no responsibility for errors, omissions or variations will be accepted. Photography, descriptions and references are subject to change without notice.

Contents

	Page
Head Protection	3
Bump Caps	3
Hard Hats	3
Hearing Protection	4
Earmuffs Fitting Guide	4
Earmuffs	5
Earplugs	5
Eye Protection	6
Safety Glasses	6
Lens Selection Guide	6
Safety Glasses	7
Safety Glasses	8
Safety Standards	9
Safety Goggles	10
Eye Accessories	10
Face Protection	11
Face Shields	11
Respiratory	12
Reusable Respirators	12
Respiratory Protection Guide	13
Disposable Respirators	14
Respirator Selection Guide	15
Hand Protection	16
Disposable Nitrile Gloves	16
Hand Size Chart	17
PVC or Nitrile Long Cuff Gloves	18
Glove Accessories	19
Leather Gloves	19
Cut Resistant Gloves	20
Cut Standards Explained	21
Synthetic Dipped Gloves	22
Mechanics Gloves	23
Winter Gloves	24
Misc Gloves	24
Safety Apparel	25
Back Support	25
Coveralls	25
Kit Bag	25
Knee Pads	25
Welding Protection	26
Welding Gloves	26
Welding Screens	26
DG Storage	27
Fire Protection	28
Fire Extinguishers	28
Extinguisher Brackets	29
Extinguisher Cabinets	30
Fire Protection Accessories	31
Hand Cleaning	32
Hand Cleaners	32
Wipes	32
Personal Care	33
First Aid Kits	33
First Aid Kits	34
Sun Hats	34
Sun Screen	34
Hydration	35
Site Safety	36
Barriers, Bollards & Tapes	36
Barriers, Cones & Bars	37
Spill Containment	38
Personal Safety	39
Torches & Lamps	39
Torches & Lamps	40
Batteries	41
Rescue Items	41
Workshop Tools	42

BUMP CAPS

Bump Cap Standard Peak

- Lightweight, modern baseball style cap
- Complies to EN812 - Industrial bump cap standards

Black/Grey

Part No. **BCBG** Unit **EA**



Fluoro Orange

Part No. **BCFO** Unit **EA**



Fluoro Yellow

Part No. **BCFYSP** Unit **EA**



Navy Blue

Part No. **BCNSP** Unit **EA**



HARD HATS

Hard Hat Sweat Band

- Cotton sweatband to suit all Pro Choice Safety Gear Hard Hats

Part No. **HHSB** Unit **EA**



V9 Hard Hat Vented c/w Ratchet Harness

- Lightweight, durable ABS shell with 6 point ratchet harness
- 9 air vents for increased air circulation & comfort



Fluoro Yellow

Part No. **HHV9R-FY** Unit **EA**



Orange

Part No. **HHV9R-O** Unit **EA**



Red

Part No. **HHV9R-R** Unit **EA**



White


Part No. **HHV9R-W** Unit **EA**



EARMUFF


EARMUFFS FITTING GUIDE

HARD HAT VERSION



1. Hair should be moved away from your ears.
2. Push earmuff tongue into helmet slot, ensuring it is fully and firmly secure.
3. Expand the earmuff arms as wide as possible.
4. Slide earmuff cups to the bottom position on each side arm.
5. With the side earmuff arms still open as wide as possible, place the hard hat on your head.
6. Using both hands, press alternately on each earmuff arm, until you achieve a comfortable fit on the head and ears.
7. Slide earmuff cups up or down, until a comfortable fit is achieved, and ears are fully enclosed.
8. Earmuff arm should be vertical.
9. Ensure equal pressure all round for comfort and maximum protection.

NECKBAND VERSION



Adjust the length of the headband strap between the earcups so the earmuff fits well on top of the head. Place earcups over ears and make sure they fit snugly to ensure equal pressure all round for comfort and max protection.

EARMUFF

**Python Earmuffs Class 5**

- Class 5, SLC80, 31dB
- Hearing protection for noise levels to 116dB(A)

Part No. **Unit**
EMPYT EA

**Replacement Earmuff Hygiene Kit For Python Earmuffs**

- Replacement hygiene kit for EMPYT Earmuff

Part No. **Unit**
EMHKPYT EA

**Python Slimline Neckband Earmuffs Hi-Vis Class 4**

- Class 4, SLC80, 23dB, Hi-vis for easy identification
- Hearing protection for noise levels to 108dB(A)

Part No. **Unit**
EMPYTNB Each

**Python Slimline Earmuffs Hi-Vis Class 5**

- Class 5, SLC80, 31dB, Hi-vis for easy identification
- Hearing protection for noise levels to 116dB.

Part No. **Unit**
EMPYTS Each

**Viper General Purpose Earmuffs Class 5**

- Class 5, SLC80, 26dB
- Hearing protection for noise levels to 110dB(A)

Part No. **Unit**
EMVIP Each

**Python Slimline Hard Hat Earmuffs Class 5**

- Class 5, SLC80, 31dB, Hi-vis for easy identification
- Hearing protection for noise levels to 116dB(A)

Part No. **Unit**
HHEMPYTS Each

EARPLUGS

**Earplugs Pro Bullet 200Pr**

- Class 5, SLC80, 27dB, Disposable PU foam Bullet shape
- Box of 200 uncorded pairs individually packed

Part No. **Unit**
EPOU EA

**ProBullet Uncorded Earplugs Pack 50**

- Class 5, SLC80, 27dB, Disposable PU foam Bullet shape
- Trade Pack of 50 uncorded pairs

Part No. **Unit**
EPOU-50 PK50

**Probell Disposable Uncorded Earplugs Refill Bag of 500prs**

- Class 5, SLC80, 27dB, Disposable PU foam Bell Shape
- Refill bag of 500 uncorded pairs for dispenser

Part No. **Unit**
EPYU500R EA

**Probell Disposable Uncorded Earplugs (200 pairs)**

- Class 5, SLC80, 27dB, Disposable PU foam Bell Shape
- Box of 200 uncorded pairs individually packed

Part No. **Unit**
EPYUB BOX



SAFETY GLASSES

Safety Glasses, Tsunami

- Certified to AS/NZS 1337.1:2010 Medium Impact.
- One piece polycarbonate wraparound lens.

**Clear**Part No. **1600** Unit EA**Smoke**Part No. **1602** Unit EA**Amber**Part No. **1605** Unit EA**Surge Polarised Safety Glasses**

- Certified to AS/NZS 1337.1:2010 Medium Impact.
- Polarised polycarbonate lens.

Smoke LensPart No. **2212** Unit EA**Brown Lens**Part No. **2219** Unit EA

LENS SELECTION GUIDE

Which eyewear should I use?

The following table gives some guidance in the selection of appropriate protective eyewear; whether a spectacle, goggle or faceshield. In all cases, a proper risk assessment should be carried out by a suitably qualified Occupational Health and Safety professional. Remember:

- Use only AS/NZS1337 certified eyewear
- Review the work area for potential hazards and select the appropriate eye and/or face protection in consultation with your Occupational Health and Safety professional
- Faceshields can be worn over spectacles or goggles

LENS SELECTION GUIDE			
TYPE OF LENS	LENS BENEFIT	LENS CATEGORY	VLT% RANGE
CLEAR	PROVIDES TRUE COLOUR RECOGNITION AND PROTECTION AGAINST GENERAL INDOOR HAZARDS	0	80-100%
AMBER	ENHANCES CONTRAST IN POORLY LIT WORKING CONDITIONS	0	80-100%
INDOOR/OUTDOOR	REDUCES GLARE FROM LIGHT AND ENHANCES CONTRAST IN POORLY LIT WORKING CONDITIONS	1	43-80%
LIGHT BROWN	ENHANCE CONTRAST AND DEPTH PERCEPTION AND ARE GREAT FOR OVERCAST, HAZY AND FOGGY CONDITIONS	1	43-80%
BLUE MIRROR	PROTECT AGAINST EXCESSIVE GLARING AND REDUCE REFLECTION	2	18-43%
SMOKE	REDUCES BRIGHT LIGHT AND GLARE FROM NATURAL AND ARTIFICIAL LIGHT	3	8-18%

*This table is a general guide only – refer to manufacturer test report for the specific lens category and VLT%

PRO CHOICE SAFETY GEAR

PRO

PROCHOICESAFETYGEAR.COM

SAFETY GLASSES

Cirrus Flexible Safety Glasses

- Certified to AS/NZS 1337.1:2010 Medium Impact.
- Super flexible soft temple arms enhances grip & comfort.

Anti-Fog Clear Lens

Part No. **9180** Unit EA

**Anti-Fog Smoke Lens**

Part No. **9182** Unit EA

**Anti-Fog Amber Lens**

Part No. **9185** Unit EA

**A/F Indoor/Outdoor**

Part No. **9188** Unit EA

**Scope Lite Boxa Safety Glasses**

- Certified to AS/NZS 1337.1:2010 Medium Impact
- Frameless ultra lightweight high curved 8 Base distortion free lens
- Co-Molded rubber temples for added comfort, inbuilt nose pads and C-Max anti fog/scratch coated

**Amber Lens**

Part No. **110A** Unit EA

Clear Lens

Part No. **110C** Unit EA

Smoke Lens

Part No. **110S** Unit EA

Scope MaxVue Safety Glasses

- Certified to AS/NZS 1337.1:2010 Medium Impact
- Max Vue Clear Lens +1.5 Diopter

Clear +2.0 Lens

Part No. **130C-2.0** Unit EA

**Clear +2.5 Lens**

Part No. **130C-2.5** Unit EA

**Clear +1.5 Lens**

Part No. **130C-1.5** Unit EA

**Clear +3.0 Lens**

Part No. **130C-3.0** Unit EA



SAFETY GLASSES

Proteus 1 Safety Glasses

- Aqua Shield hardened anti-fog technology, cold formable arms for individual fit.
- Ultra soft TPR Anti-slip nose pad.



Clear Lens

Part No. 9500 Unit EA



Smoke Lens

Part No. 9502P Unit EA



Light Brown Lens

Part No. 9509 Unit EA

Proteus 2 Safety Glasses

- D/Guard & R/Arms

- Aqua Shield hardened anti-fog technology, cold formable arms for individual fit.
- Optically correct distortion free lens.



Clear Lens

Part No. 1900 Unit EA



Smoke Lens

Part No. 1902 Unit EA

Proteus 3 Safety Glasses

- Feather Light

- Aqua Shield hardened anti-fog technology, soft DI tech arms ensure comfortable grip.
- Superflex arms reduce temporal pressure.



Clear Lens

Part No. 9400 Unit EA



Smoke Lens

Part No. 9402 Unit EA

Proteus 4 Safety Glasses - Superflex Arms

- Aqua Shield hardened anti-fog technology, larger lens for increased lateral/ horizontal coverage.
- Superflex arms reduce temporal pressure, ultra soft TPR anti-slip nose pad.



Clear Lens

Part No. 9300 Unit EA



Smoke Lens

Part No. 9302 Unit EA



Light Brown Lens

Part No. 9309 Unit EA

Proteus 5 Safety Glasses Gasket/ Strap Combo

- Aqua Shield hardened anti-fog technology, larger lens for increased lateral/ horizontal coverage.
- Superflex arms reduce temporal pressure, head strap included.



Clear Lens

Part No. 6600 Unit EA



Smoke Lens

Part No. 6602 Unit EA

SAFETY STANDARDS

What does AS/NZS1337.1:2010 Standard test for?

A number of requirements need to be met before any eye protection can meet this Standard. All eye protection must meet the following criteria:

General Finish: The eye protector must be finished correctly and not cause injury or discomfort during use.

Materials: Materials should not cause skin irritation, abrasion or skin discolouration.

Optical Properties of Lenses: Lenses that offer protection, provide no distortion and are comfortable to wear.

Ventilation: Eye protectors that completely seal the eyes must provide ventilation (Note: some medium and high impact protectors are exempt from this requirement).

Dimensional requirements for face shields and spectacles:

The minimum vertical dimension for face shields is 150mm from the lower edge of the browguard to the lower edge of the visor. For spectacles a length of not less than 42mm and a depth of not less than 32mm is required.

Lateral Protection: In addition to 'impact' testing, eye protectors claiming impact resistance greater than low impact resistance must also provide lateral protection. This is evaluated by placing the eye protector on a manikin head and being subjected to horizontal impact using a metal rod about 2 metres long and 22mm in diameter.

Impact Resistance: All eye protection shall be capable of withstanding impact from a specified weight ball without cracking, detaching or dislodging, breaking or coming into contact with the eye or the head.

Low Impact: Can withstand impact from an object moving at 12 metres per second (46km/h).

Medium Impact: Can withstand impact from an object moving up to 45 metres per second (162km/h).

High Impact: Can withstand impact from an object moving up to 120 metres per second (432km/h).

Extra High Impact: Can withstand impact from an object moving up to 190 metres per second (632km/h).

Penetration Resistance: Eye protection must withstand penetration of a specified weight projectile without cracking into two or more pieces, being pierced or allowing the projectile to come into contact with the eye or the head.

Flame Propagation: Materials used in the construction of protectors should withstand heat so that the burning rate of the material will be no greater than 100mm per minute.

Thermal Stability: Materials used in the construction of protectors shall be stable at elevated temperatures and will show no physical distortion in optical properties or strength.

Protection Against Corrosion: When tested for corrosion, the materials shall have a smooth surface free from corrosion.

Low Impact Protection: All eye protection should be capable of withstanding the relevant test for low impact.

Medium Impact Protection: Medium impact protection is required for wide vision goggles, wide vision spectacles, faceshields and eye shields.


High Impact Protection: High impact resistant shields should be worn during impact tasks including metal chipping, hydraulic nailing or any mechanical procedure involving high velocity machinery.

What is the difference between safety glasses and safety goggles?

Safety glasses do allow air in and around the eye area and despite providing protection for many workplace scenarios, are not suitable for others. Safety goggles fit tight against the face offering protection against dust and splashes. Choose a model that suits your work environment and application.

What are the features that differentiate between the various models of Pro Choice Safety Gear safety glasses?

The range caters for a variety of uses. There are clear and smoke lenses for indoor/outdoor work; Anti-fog lenses for use in humid conditions; and styles to suit individual comfort requirements as well as appearance.



SAFETY GOGGLES

ProChoice® Medium Impact Safety Goggles Lens

- Certified to AS/NZS 1337.1:2010 Medium Impact Lens (2mm hardened).
- Foam bound, wide head strap & indirect vents enhances user comfort.



Clear

Part No.
3700Unit
PR

Smoke

Part No.
3702Unit
PR

ProChoice Vadar Goggle & Shield with Clear Lens

- Certified to AS/NZS 1337.1:2010 Medium Impact Clear Lens.
- Anti-fog, liquid splash protection for the eyes & face; multiple vents for increased airflow

Part No.
5000Unit
EA

Proteus G1 Safety Goggle with Gasket

- Aqua Shield hardened anti-fog technology, PanoVision Lens for increased field of view.
- Ultra "SoftTouch" TPR gasket for extended wear, certified liquid splash protection.



Clear

Part No.
3800Unit
EA

Smoke

Part No.
3802Unit
PR

EYE MISCELLANEOUS



Ultra Clear Lens Cleaning Wipes

- Alcohol & ammonia free pre moistened lens towelette provides an antifog coating.
- Pack of 100 individually packed, anti-bacterial, anti-static.

Part No.
AFW100Unit
PK100

Pratt Pedestal Mount 1xNozzle Eye & Face Wash (F/T)

- Dual design aerated eye wash for applications which pose a hazard to the eyes but not the face, such as dust, airborne particles & mild chemicals.
- Hand & Foot operated made from 304 S/Steel.

Part No.
SE546Unit
EA

Pratt Pedestal Mount 3xNozzle Eye & Face Wash (F/T)

- Advanced six-nozzle design that delivers a gentle cascade of aerated water to rinse away contaminants without further damaging delicate eye & skin tissue.
- Hand & Foot operated made from 304 S/Steel.

Part No.
SE480Unit
EA

FACESHIELD



Browguard with Ratchet Headgear

- One piece design offering 180 degree head protection made from durable Polyethylene.
- Lightweight Browguard with QuickLock clips for quick & easy visor replacement.

Part No.	Unit
BG	EA



Visor Clear Antifog

- 2mm Anti fog, Anti scratch visor to suit BG.
- Extra high impact rated 405mm wide x 205mm high.

Part No.	Unit
VC	EA



Assembled ProChoice® Browguard c/w Clear Anti-Fog Visor Lens

- One piece design offering 180 degree head protection made from Polyethylene.
- Certified to AS/NZS 1337.1:2010. Can withstand impact from objects up to 190 metres per second (684km/h).

Part No.	Unit
BGVC	EA



Browguard c/w Mesh Visor & Adder Earmuff Combo

- Combination of Mesh visor (VM), browguard (BG) & earmuffs (EMADD).
- Class 5, SLC80, 32dB Earmuffs; EN1731 certified s/steel visor

Part No.	Unit
BGVMADD	EA

REUSABLE RESPIRATORS

Half Mask Twin Filter A1P2 Respiratory Kit

- Maxi Mask 2000™ - to AS/NZS 1716:2012 Respiratory Protective Devices.
- Kit includes: 1 x mask, 2 x A1 filters, 2 x P2 pads & retainers, & 1 x resealable bag for hygienic storage.

Part No. **Unit**
HMA1P2 EA

**ProChoice A1P2 Pro Cartridges For HMTPM Respirator**

- For use on the ProChoice Maxi Mask 2000™ Half Mask Respirator.
- Comes complete with 2 x A1 filters, 2 x P2 pads & retainer caps.

Part No. **Unit**
PCA1P2 PR

**ProChoice P2 Pro Cartridges For HMTPM Respirator**

- For use on the ProChoice Maxi Mask 2000™ Half Mask Respirator.
- Kit complete with 2 x P2 pads & retainer caps.

Part No. **Unit**
PCP2 PR

**ProChoice P2 Prefilters For Cartridges HMTPM (20Box)**

- For use on the ProChoice Maxi Mask 2000™ Half Mask Respirator.
- Box of 20 Lightweight pads fit inside gas cartridge easy replacement system.

Part No. **Unit**
PCPFP2 EA

RESPIRATORY PROTECTION

The Pro Choice Safety Gear options include a choice of flat folded disposable masks through to the ProMesh® range, as well as cartridge respirators. You can breathe easy with Pro Choice Safety Gear.

Our disposable and reusable respirators are colour coded for easy selection for the correct application and fit. For your safety and confidence all Pro Choice dust masks are certified independently by the BSI Group or SAI Global to AS/NZS 1716 requirements.



AS/NZ Respiratory Protection Standards

There are two Australian/New Zealand Standards covering personal respiratory protection and risk management. These Standards form a basis for the selection, use and maintenance of RPE in Australian and New Zealand workplaces. When respirator use is required in the workplace, respirators shall conform to the requirements of AS/NZS 1716.

AS/NZS 1716 Respiratory Protective Devices. This Standard offers information to manufacturers, suppliers, employers and users by setting out performance requirements for different types of RPE.

AS/NZS 1715 Selection, Use and Maintenance of Respiratory Protective Equipment. This Standard offers information to employers and users on different types of RPE, how to select the right type for the job and how to correctly maintain it.

Is the use of respiratory equipment required by law?

In certain hazardous conditions or in a workplace where fumes or dust particles are present, OH&S regulations and company policies require that appropriate respiratory gear is worn.

How should respirators be stored?

Keep unused disposable respirators in their closed box in a dry, uncontaminated area. Disposable respirators can be stored for up to 3 years in this way. Half mask cartridges and pre-filters can be stored for up to 3 years this way.

What is technically meant by oxygen deficiency?

Oxygen deficiency occurs when the percentage of oxygen in the air falls below 18% by volume. It may be caused by fire or when chemicals replace the oxygen in the air. Places with poor ventilation or in confined spaces such as unventilated workspaces, are likely environments for oxygen deficiency.

Is a disposable mask all that is needed to protect against harmful airborne material?

No. There are six types of airborne hazards – dust, mist, fumes, vapour, gas and oxygen deficiency/enrichment.

Respiratory gear is designed, manufactured, tested and Certified for use against a number of different hazards and should be selected for a specific purpose. Charts are available to choose the appropriate protection. Check the charts and the label/type of each respirator.

P1 rated respirators protect against mechanically generated particles.

P2 rated respirators protect against mechanically and some thermally generated particles.

Respirators fitted with an **Active Carbon Filter** protect against nuisance-level organic vapours.

P3 rated respirators protect against highly toxic or irritant particles.

Can a half mask with organic filters be used to protect against inorganic compounds?

No. The levels at which inorganic material can be detected by taste or smell are much higher than the maximum exposure limit, so it would be impossible to detect when exposure is occurring. In these environments an air fed system should be used.

Replace the respirator with a new one if:

- The respirator is removed in a contaminated area
- Excessive clogging of the respirator causes breathing difficulty
- The respirator becomes damaged
- The smell of vapours becomes apparent

A mask should fit snugly for the entire shift. If not, the mask should be replaced, and the old one disposed of in an approved rubbish receptacle.



DISPOSABLE RESPIRATORS


ProChoice Disp Face Mask Blue 3ply Non-Medical 50pk

- 3 Layer Filtration construction. Bacterial Filtration Efficiency 95%.
- Box of 50 disposable non-medical single use masks.

Part No. **Unit**
DFMB **PK50**


Dust Mask P1 Orange (Box 20)

- P1 rating indicates suitability for protection against mechanically generated particles.
- Box of 20 with resealable poly bag ensuring masks remain hygienically stored.

Part No. **Unit**
PC301 **BOX**


Dust Mask P2 Yellow (Box 20)

- P2: Certified to AS/NZS 1716:2012 Respiratory Protective Devices.
- Box of 20 with Nose flange for increased protection & facial fit.

Part No. **Unit**
PC305 **BOX**


Dust Mask P1 Valve Purple (12)

- P1 rated ProValve for increased exhalation efficiency & comfort, reduces heat build up under mask.
- Box of 12 with Moulded nose piece for close fit & better seal

Part No. **Unit**
PC315 **BOX**


Dust Mask P2 Valve Blue (12)

- P2 rated ProValve exhalation valve for decreased breathing resistance & heat stress.
- Box of 12 with Nose flange for increased protection & facial fit.

Part No. **Unit**
PC321 **BOX**


Dust Mask P2 Carbon Valve (12)

- P2 activated carbon disposable respirator with ProValve exhalation valve.
- Box of 12 with Nose flange for increased protection & facial fit.

Part No. **Unit**
PC531 **BOX**


Flat Fold P2+Valve Disposable Respirator Mask BOX10

- P2 ProValve for increased exhalation efficiency & comfort.
- Box of 10 with Tri-fold for improved comfort & fit.

Part No. **Unit**
PCFFP2V **BOX10**


ProMesh P2 Dust Mask 12pc

- P2 Flexible mesh which ensures optimum shape retention for a perfect, airtight fit during long periods of wear.
- Box of 12 with QuickLock straps for easy fit & release.

Part No. **Unit**
PC821 **PK12**


Horizontal Flat Fold P2 Disposable Respirator Valved 10pk

- P2 valved Horizontal flat fold for improved comfort & fit.
- Box of 10 with adjustable nose bridge & soft inner nose foam for ultimate comfort & fit.

Part No. **Unit**
PC5025 **BOX10**



SELECTING A PRO CHOICE DISPOSABLE RESPIRATOR

Step 1. Choose a Protection Class:

CLASS	CLASS
P1	P2

Step 2. Choose a Valved or Unvalved Respirator:



- ProValve exhalation valve for decreased exhalation resistance and heat stress
- Stays comfortable for longer
- Less likely to fog up glasses or goggles



- Reduces potential for wearer contamination of their environment
- Lower unit cost

Step 3. Choose a Style of Respirator:



PC301 P1



PC315 P1



PC305 P2



PC321 P2



PC2122 P2

P1 NO VALVE

P1 WITH VALVE

P2 NO VALVE

P2 WITH VALVE

P2 WITH VALVE FLAT FOLD



PC821 P2



PC822 P2



PC823 P2



PC531 P2



PCFFP2V P2

P2 NO VALVE

P2 WITH VALVE

P2 WITH VALVE & ACTIVE CARBON FILTER

P2 WITH VALVE & ACTIVE CARBON FILTER

Step 4. Fit Test:

The respirator cannot protect you if it does not fit your face. It is recommended that wearers be fit tested in accordance with AS/NZS 1715: Selection, Use and Maintenance of Respiratory Protective Equipment. It specifies that users of any tight fitting respirators are to be fit tested prior to starting work and then at least annually after this. There are 2 types of facial fit testing:

QUANTITATIVE FIT TEST

A facial fit test giving numerical results and not relying on the subject's response to a test agent.



QUALITATIVE FIT TEST

A facial fit test to identify pass/fail results and relying on the subject's response to a test agent.



DISPOSABLE NITRILE GLOVES

Orange Visible Nitrile Single Use Gloves

- Visible Nitrile Disposable Gloves in Box of 100.
- Powder free, textured, ambidextrous non-sterile single use.

Part No.	Size	Unit
120020	S	PK100
120030	M	PK100
120040	L	PK100
120050	XL	PK100
120060	2XL	PK100



Diamond Grip Black HD Nitrile Gloves 240mm cuff

- Black Nitrile Disposable Gloves in Box of 100.
- Powder free, fully diamond textured, ambidextrous non-sterile single use.

Part No.	Size	Unit
102430	M	PK100
102440	L	PK100
102450	SL	PK100



Disposable Nitrile Black Powder Free H/Duty Gloves 100pk

- Black Nitrile Disposable Gloves in Box of 100.
- Powder free, latex & vinyl free, 6mil heavy duty ambidextrous glove.

Part No.	Size	Unit
MDNPFHDS	S	EA
MDNPFHDM	M	EA
MDNPFHDL	L	EA
MDNPFHDXL	XL	EA
MDNPFHD2XL	2XL	EA



Gloves Disposable Nitrile Blue Powder Free

- Blue Nitrile Disposable Gloves in a Box of 100.
- Latex free, ambidextrous with textured fingers for enhanced grip in wet & dry conditions.

Part No.	Size	Unit
MDNPF5	S	EA
MDNPFM	M	EA
MDNPF1	L	EA
MDNPFXL	XL	EA

Diamond Grip Blue Nitrile Gloves 300mm (CTN of 500)

- Blue Nitrile Disposable Gloves in a Carton of 500.
- Powder free, fully diamond textured, ambidextrous non-sterile single use. 300mm glove length.

Part No.	Size	Unit
102130	M	EA
102140	L	EA
102150	XL	EA
102160	2XL	EA

HAND SIZE CHART

ENSURE YOU GET THE CORRECT FIT!

The effectiveness of any safety glove depends on correct fit. Poorly fitted gloves can cause injury due to slippage and lack of 'feel'. Pro Choice Safety Gear gloves come in a range of sizes to fit most hands. Use this simple guide to determine which glove size offers the best fit.

FIND YOUR GLOVE SIZE:

1. High five the hand print lining up your index finger with the dotted line
2. The size indicated along the right hand side of your little finger is your suggested glove size *



*This chart is intended to be used as a guide only and not a replacement for trying on a glove.

LONG CUFF PVC OR NITRILE GLOVES

**ProChoice® Red PVC Gloves Large 27cm (OSFA)**

- Resistant to oil & grease, interlock lined for easy on/off.
- Single PVC dip red 27cm length ; One Size Fits All.

Part No. **Unit**
PVC27 PR

**ProChoice® Green Double Dipped PVC Gloves Large 27cm (OSFA)**

- Resistant to oil & grease, jersey lined for comfort, sweat absorption, easy on/off.
- Double dipped with sand finish 27cm length; One Size Fits All.

Part No. **Unit**
PVC27DD PR

**Green Nitrile Chemical Glove - 33cm**

- Green Nitrile rubber for solvent resistance; pure cotton flock lining.
- Anti slip pattern for good grip in wet & dry conditions.

Part No.	Size	Unit
RNF15XL	XL	EA
RNF15XXL	2XL	EA
RNF15XXXL	3XL	EA

ProChoice® Red Long PVC Gloves Large 45cm (OSFA)

- Resistant to oil & grease, interlock lined for easy on/off.
- Single PVC dip red 45cm length ; One Size Fits All.

Part No. **Unit**
PVC45 PR

**ProChoice® Green Double Dip Long PVC Gloves Large 45cm OSFA**

- Resistant to oil & grease, jersey lined for comfort, sweat absorption, easy on/off.
- Double dipped with sand finish 45cm length; One Size Fits All.

Part No. **Unit**
PVC45DD PR

**ProChem Nitrile PU Gloves Green/Black 35cm**

- 35cm Green & Black Nitrile/PU blended glove with Nitrile sand finish palm.
- Provides superior levels of chemical protection when working for long durations.




Part No.	Size	Unit
NPUPC10	10	PR
NPUPC11	11	PR
NPUPC9	9	PR

GLOVE ACCESSORIES

Glove Clip Keeper

- Never misplace your gloves again. Upper jaw secures to belt loop / pocket, lower jaw allows gripping of gloves.
- Link arm designed to breakaway in the event of glove entanglement

OrangePart No.
GCKOUnit
EA**Yellow**Part No.
GCKYUnit
EA

LEATHER GLOVES

Riggamate Natural Cowgrain**Leather Gloves**

- High Quality Cow Grain Leather Gloves provide durability & dexterity.
- Wing thumb, stitch-free palm for relaxed hand feel.
- Colour coded cuff for size identification.

Part No.	Size	Unit
CGL41NS	S	PR
CGL41NM	M	PR
CGL41NL	L	PR
CGL41NXL	XL	PR
CGL41N2XL	2XL	PR
CGL41N3XL	3XL	PR

**PROFit Premium Deer Skin Glove**

- Premium gold deer grain leather palm for great feel & durability, perforated fourchettes for increased airflow.
- Black nylon, lycra, foam back; Black neoprene knuckle bar. Elastic cuff with hook & loop fastener.

Part No.	Size	Unit
PFDS	S	PR
PFDM	M	PR
PFDL	L	PR
PFDXL	XL	PR
PFD2XL	2XL	PR



CUT RESISTANT GLOVES

**Arax Platinum Glove
(EN388:2016 Cut Resist F)**

- Arax Knit Technology with EN388 Cut Resistance Level "F" (ASTM Cut Level 5) without sacrificing comfort or dexterity.
- Polyurethane / nitrile blend sand finish coated palm. Anti-static with breathable Arax liner.

Part No.	Size	Unit
APNPUD7	7 / S	PR
APNPUD8	8 / M	PR
APNPUD9	9 / L	PR
APNPUD10	10 / XL	PR
APNPUD11	11 / 2XL	PR

**ProSense C5 Cut5 Gloves PU Palm**

- ProSense C5 Cut Resistant PU Dipped Gloves form fitting for comfortable all day wear.
- Grey Polyurethane finish coated palm, anti-static breathable liner & knitted cuff.

Part No.	Size	Unit
C5PUD7	7 / S	PR
C5PUD8	8 / M	PR
C5PUD9	9 / L	PR
C5PUD10	10 / XL	PR
C5PUD11	11 / 2XL	PR
C5PUD12	12 / 3XL	PR


**Arax Wet Grip Glove (EN388 Cut Level D)**

- Arax Knit Technology with EN388 Cut Resistance Level "D" (ASTM Cut Level 4) form fitting for all day wear.
- Black Nitrile sand finish coated palm, breathable Arax liner, anti-static. Knitted cuff

Part No.	Size	Unit
AND7	7 / S	PR
AND8	8 / M	PR
AND9	9 / L	PR
AND10	10 / XL	PR
AND11	11 / 2XL	PR



MECHANICAL RISK STANDARD



EN388 - Mechanical Risk Standards

The European EN388 Mechanical Risk standard was updated in 2016 to make testing procedures and results more precise.

Key changes to the standard are an additional cut test (ISO13997) if the traditional cut test (Coupe Test) fails and a non-compulsory impact resistance test.

As fabrics, in particular cut resistant fabrics have become more technically advanced in protecting against cuts and lacerations, limitations of the traditional methods for measuring cut resistance (Coupe Test) have been identified.

The Coupe Test measures cut resistance by recording the number of cycles it takes to cut through a glove material at a constant speed and pressure when compared to a cotton reference. Five (5) is the highest score a glove can receive, using the Coupe Test.

Many cut resistant fabrics have evolved significantly from when the EN388 standard was originally written. In fact, many of these fabrics will blunt the Coupe Test blade, further compromising the accuracy of test results.

EN388:2016 states that if the Coupe Test blade is deemed "blunt", the Coupe Test is abandoned and ISO 13997 shall be used.

ISO 13997 measures the amount of pressure required to make an incision in the test fabric over a 20mm travel distance using a razor sharp blade. Performance is rated in the letters A to F depending on resistance to pressure, which is measured in Newtons (N). "F" is the maximum cut resistance of the ISO 13997 test and is awarded to any fabric that achieves a cut resistance of equal to or greater than 30N or approximately 3.06kg.

The ISO 13997 Cut Test is commonly referred to as a "real world" cut test because of its ability to measure cut force, which is widely considered a more relevant metric in workplace situations when a cut risk is present.

The EN388:2016 impact test measures resistance to a 2.5kg weight impacting with an energy of 5J (Joules) onto the glove. The material may not fracture or split and is measured in accordance with EN13594:2015. The glove is awarded a "Pass" (P) if it can reduce the amount of force to below nine (9) Kilo Newtons (kN) of force. The glove itself will be marked with either a "P" or nothing if it fails or is untested.

Other updates in EN388:2016 include a pre-defined sandpaper grit for the abrasive test to provide more consistent results.

An "X" rating is marked on the glove if the glove has not been tested, or if the test is not applicable to the glove.

EN 388



XXXXXX

ABRASION:
Number of cycles a glove can withstand to abrade through the material. A pre-defined sandpaper grit will be used as abradant to conduct the test providing more consistent results.

CYCLES	LEVEL
≥8000	4
≥2000	3
≥500	2
≥100	1
<100	

CUT - COUPE:
Number of cycles to cut through a glove material at a constant speed and pressure when compared to a cotton reference. Number of cycles to cut through a glove material at a constant speed and pressure when compared to a cotton reference.

CUT INDEX	LEVEL
≥20	5
≥10	4
≥5	3
≥2,5	2
≥1,2	1
<1,2	0

TEAR:
Force a glove's material can withstand before it is torn apart.

NEWTON	LEVEL
≥75	4
≥50	3
≥25	2
≥10	1
<10	0

PUNCTURE:
Force a glove's material can withstand before it is perforated using a standard needle size.

NEWTON	LEVEL
≥150	4
≥100	3
≥60	2
≥20	1
<20	0

CUT - ISO13997:
Amount of pressure required to make an incision over a 20mm travel distance using a razor sharp blade.

NEWTON	LEVEL
≥30	F
≥22	E
≥15	D
≥10	C
≥5	B
>2	A

IMPACT
EN13594:2015:
Resistance to a 2.5kg weight impacting with an energy of 5J (Joules) onto the glove. The material may not fracture or split and is measured in accordance with EN13594:2015 as either Pass or Fail.

KN	LEVEL
≥9	P

SYNTHETIC DIPPED GLOVES

MaxiPro PU Nitrile Dip Gloves

- Black Nitrile ultra fine sand coating for enhanced gripping power & maximum dexterity in wet & dry conditions.
- Grey Seamless 15 gauge liner for exceptional comfort & airflow.

Part No.	Size	Unit
NPN6	6 / XS	PR
NPN7	7 / S	PR
NPN8	8 / M	PR
NPN9	9 / L	PR
NPN10	10 / XL	PR
NPN11	11 / 2XL	PR

**Gloves Knitted Poly/Cotton Latex Palm**

- Diamond Grip-Latex dip palm & fingers for extra grip.
- 7 gauge knitted poly/cotton liner for durability & ventilation.
- Elasticised for comfortable all day wear.

Part No.	Size	Unit
342DG8	8 / M	PR
342DG9	9 / L	PR
342DG10	10 / XL	PR
342DG11	11 / 2XL	PR

**Pro Choice Super-Lite Blue Fully Dipped Gloves**

- ProChoice Lightweight Fully Dipped Blue Nitrile Glove.
- Abrasion resistant, knitted wrist to exclude debris.

Part No.	Size	Unit
NBRFBB8	8 / M	EA
NBRFBB9	9 / L	EA
NBRFBB10	10 / XL	EA
NBRFBB11	11 / 2XL	EA



MECHANICS GLOVES

PROFit Provibe Anti-Vibration Gloves

- ProFit ProVibe Anti-Vibration Glove with padded synthetic leather knuckle bar. Easy-on finger loop.
- Hi-vis orange breathable & flexible spandex back of hand/fingers. 5mm SBR foam insert for best vibration attenuation.

Part No.	Size	Unit
PVM	M	PR
PVL	L	PR
PVXL	XL	PR
PV2XL	2XL	PR



PROFit Protec Gloves Black

- ProFit One piece 0.8mm Durable Synthetic leather palm glove. Easy-on finger loop.
- Neoprene knuckle panel for increased flexibility & BUMP protection. Soft extended neoprene cuff.

Part No.	Size	Unit
PTM	M	PR
PTL	L	PR
PTXL	XL	PR
PT2XL	2XL	PR



WINTER GLOVES

ProSense Stinga Frost Insulated Gloves

- Stinga Frost Insulated Gloves; seamless 15 gauge nylon liner with acrylic fleece liner.
- PVC foam coating provides water/oil repellence, keeping hands dry & warm. Increased dexterity without compromise of protection.

Part No.	Size	Unit
NPFF7	7 / S	PR
NPFF8	8 / M	PR
NPFF9	9 / L	PR
NPFF10	10 / XL	PR
NPFF11	11 / 2XL	PR



PROSense DexiFrost Cold Weather Gloves

- 13 gauge lycra/nylon knitted liner; brushed acrylic lined for warmth & comfort.
- Nitrile foam coating with additional grip dots to assist with slip handling. Black Palm & Blue Back.

Part No.	Size	Unit
BNNLF7	7 / S	PR
BNNLF8	8 / M	PR
BNNLF9	9 / L	PR
BNNLF10	10 / XL	PR
BNNLF11	11 / 2XL	PR



MISC GLOVES

Gloves Knitted Poly/Cotton Liner Ambidextrous

- Lightweight Ambidextrous Poly/Cotton Knitted Liner.
- Bleached for clean appearance

Part No.	Size	Unit
342L	Ladies	PR
342K	Mens	PR
342KXL	XL	PR



Arax One Anti-Vibe Gloves with TPR Padding

- Arax Knit Technology with EN388 Cut Level D Protection. TPR Padding protects fingers & knuckles.
- Sand finish nitrile dip absorbs oil & grease for excellent grip in greasy conditions. Anti-vibration foam padded palm - ideal for working with power tools. Anti-Static.

Part No.	Size	Unit
ONECR7	7 / S	PR
ONECR8	8 / M	PR
ONECR9	9 / L	PR
ONECR10	10 / XL	PR
ONECR11	11 / 2XL	PR
ONECR12	12 / 3XL	PR



BACK SUPPORT

Back Support Belt

- Adjustable belt & braces for the perfect fit, tapered abdomen support panels.
- Easy-adjust elastic outer panels for added lower back support. Smooth glide adjustable clips



Part No.	Size	Unit
BBS	S 72-82cm	EA
BBM	M 83-94cm	EA
BBL	L 95-107cm	EA
BBXL	XL 108-122cm	EA
BB2XL	2XL 123-137cm	EA

BENEFITS OF A BACK SUPPORT BELT

BENEFITS OF A BACK SUPPORT BELT

	LUMBAR SUPPORT BRACES CAN HELP TO REDUCE THE PAIN AFTER AND INJURY TO THE LOWER BACK		A LOT OF USERS CLAIM THAT THE LUMBAR BRACE SUPPORTS THE ABDOMEN AND HELPS TO CORRECT POSTURE		BACK BRACES CAN HAVE NUMEROUS BENEFITS TO ALL TYPES OF PHYSICAL ACTIVITIES		IF YOU ARE IN A LABOUR INTENSIVE JOB, THE BRACE MAY ALLOW YOU TO RETURN TO WORK EARLIER THAN BEFORE
---	--	---	--	--	--	---	---

BACK SUPPORT BELT SIZING GUIDE

SIZES	S	M	L	XL	2XL
TO FIT WAIST (CM)	72-82	83-94	95-107	108-122	123-137

COVERALLS

Disposable White Provek Coveralls

- Disposable Nonwoven Microporous Coveralls, lightweight & soft with excellent strength.
- Breathable to reduce moisture build up. Water vapour permeable & water repellent

Part No.	Size	Unit
DOWPM	M	EA
DOWPL	L	EA
DOWPXL	XL	EA
DOWP2XL	2XL	EA
DOWP3XL	3XL	EA



KIT BAG



ProChoice Duffel Style Kit Bag

- Duffel style Kit Bag designed to carry all of your personal site requirements.

Part No.	Unit
SKB	EA

KNEE PADS



ProChoice® ProFlex Knee Pads Soft Shell

- Non slip, non marking soft shell flexes with knee.

Part No.	Unit
KPSS	PR



ProChoice® Turtle Back Knee Pads Hard Shell

- Turtle Back hard shell for easy swivelling & durability, gel padding back & side enhances comfort.

Part No.	Unit
KPHS	PR



ProChoice® ProComfort Knee Pads Leather Shell

- Non slip, non marking soft synthetic leather shell flexes with knee, gel padding enhances comfort.

Part No.	Unit
KPLS	PR

WELDING PROTECTION


Pyromate Red Kevlar Welding Gloves 40cm

- High quality red cow split leather, Kevlar stitched with withstand high temperatures.
- Lined & welted, 406mm long forearm protection OSFA.

Part No. **BRW16E** Unit PR


Pyromate® Blue & Gold Kevlar Welding Gloves 40cm

- High quality blue cow split leather, Kevlar stitched with withstand high temperatures.
- Lined & welted, 406mm long forearm protection OSFA.

Part No. **KBW16E** Unit PR


Pyromate Lefties Green & Gold Welding Gloves 40cm

- Two left hand gloves per pair, high quality cow split leather.
- Lined & welted, 406mm long forearm protection OSFA.

Part No. **LGW16E** Unit PR


Pyromate Deerskin TIG Welders Gloves

- Excellent fit & feel for precision welding, durable deerskin provides dexterity.
- Sewn with Kevlar thread for maximum seam strength, 340mm OAL with a 140mm cuff for added forearm protection.

Part No.	Size	Unit
TIGW13	L	PR
TIGW13XL	XL	PR

Strata Welding Screen c/w Frame 1800x1800 - Green

Part No. **NWWS18-G** Unit EA


Strata Welding Screen c/w Frame 1800x1800 - Orange

Part No. **NWWS18-O** Unit EA



DG STORAGE

Pratt DG Cabinet Corrosive Liquid

- This indoor cabinet is for the storage of corrosive substances in liquid or solid form including Acids, Alkalies, Caustics, Sodium Hydroxide solution & Hypochlorite Solution.
- Double steel walls, Self latching doors. Australian Standard AS3780. Good housekeeping practices are essential to ensure long service life.

Part No.	Size	Unit
5516ASPH	30L - 1 Shelf	EA
5517ASPH	60L - 2 Shelf	EA
5535ASPH	100L - 1 Shelf	EA



Part No.	Size	Unit
5530ASPH	160L - 2 Shelf	EA
5545ASPH	250L - 3 Shelf	EA



Pratt DG Cabinet Dangerous Goods

- This indoor cabinet is for the storage of Class 4 Chemicals in liquid or solid form including Flammable Solids, Spontaneously Combustible & Dangerous When Wet products.
- Double steel walls, Self latching doors. Australian New Zealand Standard AS/NZS5026. Good housekeeping practices are essential to ensure long service life.

Part No.	Size	Unit
5516AC4	30L - 1 Shelf	EA
5517AC4	60L - 2 Shelf	EA



Part No.	Size	Unit
5535AC4	100L - 1 Shelf	EA
5530AC4	160L - 2 Shelf	EA
5545AC4	250L - 3 Shelf	EA



Pratt DG Cabinet Flammable Liquid

- This cabinet is for the storage of flammable or combustible liquids such as Paints, Solvents, Petrol, Thinners, Kerosene, Turpentine, White Spirits, Alcohol & Ethanol. Also combustible liquids such as Diesel, Linseed Oil & Pine Oil.
- Double steel walls, Self latching doors. Australian Standard AS1940. Good housekeeping practices are essential to ensure long service life.

Part No.	Size	Unit
5516AS	30L - 1 Shelf	EA
5517AS	60L - 2 Shelf	EA
5535AS	100L - 1 Shelf	EA



Part No.	Size	Unit
5530AS	160L - 2 Shelf	EA
5555VS	205L - 1 Drum	EA
5545AS	250L - 3 Shelf	EA
5560AS	350L - 3 Shelf	EA



Hazmat Emergency Information Manifest Cabinet

Part No.	Unit
PHAZCAB	EA

FIRE EXTINGUISHERS

<p>Fire Extinguisher Dry Powder ABE 0.3kg</p> <p>Part No. 8409 Unit EA</p>	 <p>Fire Extinguisher Dry Powder ABE 1kg</p> <p>Part No. 8425 Unit EA</p>	 <p>Fire Extinguisher Dry Powder ABE 1.5kg</p> <p>Part No. 8411 Unit EA</p>
<p>Fire Extinguisher Dry Powder ABE 2kg</p> <p>Part No. 8412 Unit EA</p>	 <p>Fire Extinguisher Dry Powder ABE 2.5kg</p> <p>Part No. 8413 Unit EA</p>	 <p>Fire Extinguisher Dry Powder ABE 4.5kg</p> <p>Part No. 8414 Unit EA</p>
<p>Fire Extinguisher Dry Powder ABE 6kg</p> <p>Part No. 8415 Unit EA</p>	 <p>Fire Extinguisher Dry Powder ABE 9kg</p> <p>Part No. 8416 Unit EA</p>	
<p>Fire Extinguisher CO2 BE 2.0kg</p> <p>Part No. 8465 Unit EA</p>	 <p>Fire Extinguisher CO2 BE 3.5kg</p> <p>Part No. 8466 Unit EA</p>	
<p>Fire Extinguisher CO2 BE 5.0kg</p> <p>Part No. 8467 Unit EA</p>	 <p>Fire Extinguisher Water A 9.0L</p> <p>Part No. 8485 Unit EA</p>	 <p>Fire Extinguisher 9L Foam AB 6kg</p> <p>Part No. 8490 Unit EA</p>

EXTINGUISHER BRACKETS

**Flamefighter Heavy Duty Bracket**

Part No. **8485-1** Unit EA

**Double Strap 1kg Fire Extinguisher Bracket**

Part No. **8425-7** Unit EA

**Double Strap for 1.5kg Fire Extinguisher**

Part No. **8411-3** Unit EA

**Double Strap for 2.0kg Fire Extinguisher**

Part No. **8412-3** Unit EA

**Fire Extinguisher HD Bracket 2.5kg ABE**

Part No. **8430-4** Unit EA

**Fire Extinguisher HD Bracket 4.5kg ABE**

Part No. **8440-1** Unit EA

**Fire Extinguisher HD Bracket 9kg ABE**

Part No. **8460-1** Unit EA



EXTINGUISHER CABINETS



Front Load Cabinet for 4.5kg Fire Extinguisher

Part No. 8413-4 Unit EA



Front Load Cabinet for 9.0L Fire Extinguisher

Part No. 8414-4 Unit EA



Top Load Cabinet for 4.5-6.0kg Fire Extinguisher

Part No. 8721A Unit EA



Top Load Cabinet for 9.0kg Fire Extinguisher

Part No. 8722A Unit EA

FIRE PROTECTION ACCESSORIES

Flamefighter Fire Blanket

- These blankets meet AS/NZS3504 Standards.
- Fire blankets are useful for wrapping around a person to smother a clothing fire, or using as a cover to escape through flames.
- Flamefighter fire blankets are manufactured from woven glass fibre material and are packed in their own custom built holder for efficient handling in emergencies.

Part No.	Size	Unit
7425	1.0M x 1.0M	EA
7427	1.8M x 1.8M	EA



Fire Blazon PVC 200x400 - Foam

- This Foam Fire Extinguisher blazon sign is used to identify the location of fire-fighting equipment and what the equipment can be safely used for. This sign complies with NZS 4503:2005 for identification of fire fighting equipment.

Part No. **EXT25-S-PVC** Unit EA



Fire Safety PVC 300x450 - Fire Extinguisher

- Use this sign to highlight the location of Fire Extinguishers in your premises.

Part No. **FE121-M-PVC** Unit EA

Fire Blazon PVC 200x400 - Dry Powder

- This Dry Powder ABE Fire Extinguisher blazon sign is used to identify the location of fire-fighting equipment and what the equipment can be safely used for. This sign complies with NZS 4503:2005 for identification of fire fighting equipment.

Part No. **EXT23-S-PVC** Unit EA



Fire Extinguisher (Graphic Only)

- Fire Extinguisher label suitable for vehicles or cupboards where small extinguishers are kept.

Part No. **FE451-S-SAV** Unit EA



Fire Extinguisher Tag

Part No. **TAG** Unit EA



Extinguisher Tie Seal (Bag of 100)

Part No. **TIE** Unit EA

HAND CLEANER


True Grit Hand Cleaner 18kg

- Removes grease, oil, ink & other industrial contaminants from the hands
- Lanolin enriched to care for your hands as it cleans

Part No. **20372** Unit EA


True Grit Hand Cleaner 3.5kg

- Removes grease, oil, ink & other industrial contaminants from the hands
- Lanolin enriched to care for your hands as it cleans

Part No. **ASF3191** Unit EA


Groomers Choice Mint Scrub Hand Cleaner 5L

- Non-toxic & non-corrosive; pH balanced, soap & phosphate free

Part No. **GCMS5** Unit 5L


Groomers Choice Mint Scrub Hand Cleaner 20L

- Non-toxic & non-corrosive; pH balanced, soap & phosphate free

Part No. **GCMS20** Unit EA


CRC Mechanix Orange Citrus Hand Cleaner 400ml

- Citrus-based hand cleaner formulated with natural d-Limonene for quick and effective removal of toughest soils.

Part No. **CRC1712** Unit 20L


CRC Mechanix Orange Citrus Hand Cleaner 3.78L

- Citrus-based hand cleaner formulated with natural d-Limonene for quick and effective removal of toughest soils.

Part No. **CRC1719** Unit EA


Mediq Hospital Grade Sanitising Hand Gel 500ml

- Premium quality sanitising hand gel.
- Instant results, kills 99.9% of common germs without water

Part No. **HSG500** Unit EA


RIDOF Wipes Individually Wrapped (12pc)

- Pre-moistened cleaning wipe, non-toxic and safe for cleaning dirt and grease off your hands.

Part No. **E012N** Unit EA


RIDOF Wipes Handy Pack (40pc)

- Pre-moistened cleaning wipe, non-toxic and safe for cleaning dirt and grease off your hands.

Part No. **E040** Unit EA


RIDOF Wipes Handy Pack (80pc)

- Pre-moistened cleaning wipe, non-toxic and safe for cleaning dirt and grease off your hands.

Part No. **E080** Unit EA


MEDIQ Anti-Bacterial Wipes 80pk

- Antibacterial wipes are designed to provide instant cleansing & protection by killing 99.9% of germs.

Part No. **ABW80** Unit PK


Loctite SF 7617 Industrial Hand Wipes 75pk

- Pre-moistened with a powerful cleaning formula that is capable of removing tar, grease, wax, ink, paint, lubricants and adhesives.

Part No. **34943** Unit PK

FIRST AID KITS

Compact Motorist First Aid Kit (1 Person)

- Designed for single person / contractor use
- Sturdy soft pack design with carry strap handle, tamper resistant zip tied. Ideal for vehicle glove box, boot or for general use.

Part No. **Unit**
FACMS **KIT**



Essential Vehicle First Aid Kit (1-10 Persons)

- Designed as 1-10 person kit.
- Durable soft case design with carry strap handle and inner compartment. Ideal for vehicle glove box, boot, tradie storage cabinets or for general use.

Part No. **Unit**
FAEVS **KIT**



FIRST AID KITS

Essential Workplace Response First Aid Kit (1-25 Persons)

- Workplace first aid kit (low risk) Wall mountable metal cabinet
- Designed in accordance with Safe Work Australia's First Aid Code of Practice (July 2019) and in New Zealand, Health and Safety at Work Act, First Aid (August 2018).

Part No. **Unit**
FAEWM KIT



SUN HATS

Sun Hat Cotton - Blue

- Wide & protective brim, adjustable chin strap

Part No.	Size	Unit
CSHBS	Small 55cm	EA
CSHBM	Medium 57cm	EA
CSHBL	Large 59cm	EA
CSHBLX	Extra Large 61cm	EA



SUN SCREEN

Probloc SPF50+ Sunscreen Squeeze Bottle

- SPF 50+ provides ultra-broad-spectrum protection from the sun's harsh UVA & UVB rays.
- Complies to AS/NZS 2604:2012 Sunscreen Products - Evaluation & Classification

Part No.	Size	Unit
SS125-50	Squeeze Bottle 125ml	EA
SS250-50	Squeeze Bottle 250ml	EA

Part No.	Size	Unit
SS500-50	Pump Bottle 500ml	EA



HYDRATION

**Thorzt Sports Drink Bottle 800ml**

- BPA-free for safe drinking, wide access for easy insertion of ice cubes.
- Side window to monitor drink levels

Part No. **Unit**
DB800 **EA**

**Thorzt Sports Drink Bottle 800ml c/w 5 sugarfree sachets**

- Includes Drink Bottle + 5 Sugar Free Solo Shots
- Side window to monitor drink levels

Part No. **Unit**
DBSSSF **EA**

**THORTZ Cooler - 20 Litre**

- Robust BPA-free design with wide base for stability, 20 litre capacity.
- Superior insulation to maintain coolness

Part No. **Unit**
DC20 **EA**

**Thorzt Sachet Mixed Flavours Sugar Free 50 x 3g**

- 50x3g mixed solo shot sachets. 99% sugar free, caffeine & gluten free.
- Proprietary electrolyte formula inc. Sodium, Potassium & Magnesium

Part No. **Unit**
SSSFMix **EA**

**Thorzt Icy Pole Mixed Flavour Pack**

- 10x90ml tubes per pack - when frozen, simply snap & twist the Icy Pole
- THORZT Icy Poles are a soothing way to rehydrate

Part No. **Unit**
ICEMIX **PK10**

**THORZT Liquid Concentrate - Lemon Lime**

- 600ml bottle makes 10L, or up to 20L when mixed with ice in our 20L cooler
- Low in sugar, caffeine & gluten free - Lemon Lime flavour

Part No. **Unit**
LC10LL **EA**

**THORZT Liquid Concentrate - Orange**

- 600ml bottle makes 10L, or up to 20L when mixed with ice in our 20L cooler
- Low in sugar, caffeine & gluten free - Orange flavour

Part No. **Unit**
LC10OR **EA**

**THORZT Liquid Concentrate - Wild Berry**

- 600ml bottle makes 10L, or up to 20L when mixed with ice in our 20L cooler
- Low in sugar, caffeine & gluten free - Wild Berry flavour

Part No. **Unit**
LC10WB **EA**

**Isopropyl Cleaning Wipes (cannister of 75)**

- 75 wipes containing 70% Isopropyl Alcohol.
- Tough yet soft non-woven material

Part No. **Unit**
CW75 **EA**



BARRIERS

ProChoice® Bollard & Base Hi-Vis 6kg

- Extra tough 6kg bases + PVC bollard stems
- 240mm reflective tape complies to AS/NZS 1906.1:2007 standard

Part No. **BB6** **Unit** **EA**

**ProChoice® Bollard & Base Hi-Vis 8kg**

- Extra tough 8kg bases + PVC bollard stems
- 240mm reflective tape complies to AS/NZS 1906.1:2007 standard

Part No. **BB8** **Unit** **EA**

**Barrier Mesh Orange 50m x 1m (8kg Roll)**

- Provides excellent visibility for hazardous areas.
- 1m height x 50m length roll

Part No. **BM8** **Unit** **ROLL**

Caution Barricade Safety Tape Yellow 75mm x 100M

- Heavy Duty plastic 100 metre roll x 75 mm width
- CAUTION print

Part No. **CT10075** **Unit** **ROLL**

**Danger Barricade Safety Tape Red/White 75mm x 100M**

- Heavy Duty plastic 100 metre roll x 75 mm width
- DANGER print

Part No. **DT10075** **Unit** **ROLL**

**Bunting Hi-Vis Orange PVC Flag with Yellow Reflective Tabs D**

- Hi-Vis fluoro PVC triangle flags x 30 metre length
- 45 flags / 44 reflective tabs on a re-usable high strength nylon rope

Part No. **BUN30DN** **Unit** **EA**

**Danger-Do Not Enter Barricade Tape Red/White 75mm x 100M**

- Heavy Duty plastic 100 metre roll x 75 mm width
- DANGER DO NOT ENTER print

Part No. **DDNET10075** **Unit** **RL100M**

**Expandable Barrier Red**

- All steel, powder coated construction. Extends from 0.4m to 3.45m
- Additional barriers can be linked via connection arms to extend the length to be barricaded

Part No. **EBRW** **Unit** **EA**



BARRIERS

**Expandable Barrier
Yellow/Black (max
3.45m)**

- All steel, powder coated construction. Extends from 0.4m to 3.45m
- Additional barriers can be linked via connection arms to extend the length to be barricaded

Part No. **EBYB** Unit **EA**

**Cone Traffic Collapsible 450mm**

- Collapsible Safety Cone 450mm. Packs down to a 50mm height for easy storage. Used for temporary emergencies. Comes with flashing light

Part No. **SC450-PC** Unit **EA**

**Cone Traffic Collapsible 900mm**

- Collapsible Safety Cone 900mm. Packs down to a 50mm height for easy storage. Used for temporary emergencies. Comes with flashing light

Part No. **SC900-PC** Unit **EA**

**Orange Hi-Vis Traffic Cone with
Reflective Band 900mm**

- High quality orange PVC x 900mm height
- 100mm + 150mm high intensity reflective tape complies to AS/NZS 1906.1:2007 standard

Part No. **TC900R** Unit **EA**

**Safety Chain Yellow 8mmx25mtr**

- 8mm UV Stabilised plastic chain x 25 metre roll

Part No. **PCY825** Unit **ROLL**

**Cone Traffic Collapsible 700mm**

- Collapsible Safety Cone 700mm. Packs down to a 50mm height for easy storage. Used for temporary emergencies. Comes with flashing light

Part No. **SC700-PC** Unit **EA**

**Orange Hi-Vis Traffic Cone with
Reflective Band 450mm**

- High quality orange PVC x 450mm height
- 150mm high intensity reflective tape complies to AS/NZS 1906.1:2007 standards

Part No. **TC450R** Unit **EA**

**Traffic Cone Extension Bar 135-210cm**

- Extendable ABS plastic bar starts at 135cm, extending to 210cm long as required
- Includes simple twist lock system at required length

Part No. **TCEBR** Unit **EA**

SPILL CONTAINMENT

Vehicle 25L Oil & Fuel Spills Kit

- Liquid absorb capacity 28-31L

Part No.
NZSKOF025



PRATT
SAFETY SYSTEMS

25L Oil & Fuel Spills Kit

- Liquid Absorb Capacity: 28-31L

Part No.
NZSKOF025



50L Oil & Fuel Spills Kit

- Liquid Absorb Capacity: 41-61L

Part No.
NZSKOF050



120L Oil & Fuel Spills Kit

- Liquid Absorb Capacity: 100-130L

Part No.
NZSKOF120



240L Oil & Fuel Spills Kit

- Liquid Absorb Capacity: 198-258L

Part No.
NZSKOF240



TORCHES & LAMPS

**Flashing Red/Green LED Wand**

Part No. **7360** Unit EA

**GrizzlyPRO LED Rechargeable Work Light Mamba**

- Lumens: 1,000 Lumens high, High, medium and low light settings, 10W
- Recharge via magnetic charging dock, or direct to Type-C USB (both included)

Part No. **MAMBA** Unit EA

**Streamlight Intrinsically Safe LED Torch (Yellow)**

- The Dualie® 2AA is an intrinsically safe, high performance, 2 AA battery powered dual function LED flashlight
- 155mm long, weighs only 111gms

Part No. **67750** Unit EA

**S-P Pro Rechargeable Foldable LED Slim Light**

- Handy foldable pocket pen light for quick illumination of dark work areas 80/200 Lumens
- Features three lighting modes: front fold out Flood Light with normal & eco modes, rear Flood Light & direct beam Top light

Part No. **300606** Unit EA

**S-P Pro Rechargeable LED Slimline Head Lamp**

- Lightweight LED headlamp allows for ease of lighting in dark areas while keeping your hands free 100/200 Lumens
- Features three lighting modes: Eco, Normal & Sense Mode

Part No. **300607** Unit EA

**S-P Pro Rechargeable Twinbeam Pocket Work Light**

- Multifunctional Twinbeam worklight contains both a spot light & flood light
- 180° flexible handle with inbuilt super strong magnet

Part No. **300608** Unit EA

**Woodbuilt CREE LED Flash Light**

- Ultra-bright, 180 Lumens 3W Cree LED
- 5 Light Modes; low beam, medium beam, high beam, SOS, strobe

Part No. **HBW1054** Unit EA

TORCHES & LAMPS

**Torch LED Baton**

- Control traffic & crowds at night with this night wand. Static or flashing red.

Part No. **Unit**
1BLR EA

**Teng Cree LED Torch 138mm (1-3W)
100-250 Lumen**

- Teng CREE™ LED Torch 138mm 100-250 Lumens
- Requires 3x AAA batteries (not included)

Part No. **Unit**
582N EA

**Teng Cree LED H30 Headlamp -
250Lumen**

- Teng CREE™ LED H30 Headlamp 250 Lumens
- Requires 3x AA batteries (not included)

Part No. **Unit**
586A EA

**Teng Cree LED H25 Headlamp -
100/250Lumen**

- Teng CREE™ LED H25 Headlamp 100/250 Lumens
- Requires 3x AAA batteries (not included)

Part No. **Unit**
586C EA

**Lightmaster Responder Red**

Part No. **Unit**
7355-R EA

**Power Glow COB LED Work Light -
500 Lumens**

- Powerful COB LED light, 500 Lumens
- 4 Handy magnets on the back surface

Part No. **Unit**
EKS1158 EA

**LED Traffic Wand Red**

- LED light suitable for traffic control & construction sites
- Flash & Constant light modes, requires 2x D batteries (not included)

Part No. **Unit**
TW-900 EA

**Powerbuilt LED Rechargeable Work
Light 550 Lumens**

- Ultra-bright portable dual work light with COB LED, 550 lumens
- Handle body pulls to reveal ball joint, which pivots up 90° & rotates up to 360°

Part No. **Unit**
TLS1070 EA

**GrizzlyPRO LED Rechargeable
Headlight 500Lumen**

- USB (5V 1A) Rechargeable lithium-ion internal battery 1800mah, 3.7V
- Run time up to 4 hours
- Charging time 4 hours

Part No. **Unit**
SCORPION EA



BATTERIES


Maxlife Alkaline Battery AAA 20pk

- Alkaline Batteries for medium & high drain devices

Part No. **BATAAA-A** Unit **PK10**


Maxlife Alkaline Battery C 12pk

- Alkaline Batteries for medium & high drain devices

Part No. **BATC-A12** Unit **PK12**


Maxlife Alkaline Battery D 12pk

- Alkaline Batteries for medium & high drain devices

Part No. **BATD-A12** Unit **PK12**


Maxlife Alkaline Battery AA 20pk

- Alkaline Batteries for medium & high drain devices


Part No. **BATAA-A** Unit **PK20**

RESCUE


Lifehammer Evolution

- By simply pressing the head of this Lifehammer against the cars side window the ultra-hard ceramic hammerhead will come out, shatter the window and reload automatically.
- With the integrated seat belt cutter you can easily cut any seat belt

Part No. **7475** Unit **EA**


Weber Seat Belt Cutter

- This seatbelt cutter is sharp enough to easily slice through a jammed seatbelt.
- Can easily be stored in your glove compartment or door side compartment and accessed quickly when needed

Part No. **93-1058692** Unit **EA**


ResQm8 Rescue Knife

- The ResQm8 Rescue Knife is a 3 in 1 rescue tool.
- Featuring a black and red gripped stainless steel handle, a glass breaker tip and a seat belt cutter. The blade opens via a thumbstud with a very smooth action and locks in place to ensure safety of the user.

Part No. **6750** Unit **EA**

BOX & PACKAGE OPENING

Tusk Safety Carton Opener

- Knife used for opening boxes, packages, strapping, film wrap and tape cutting.

Part No. **440-1** Unit **EA**



Klever X-Change Double Sided Head Cutter

- X-Change double sided head with replaceable blade

Part No. **KCJ-XC** Unit **EA**



SAFETY KNIVES

Sterling Double Plus Auto Retracting Safety Knife

- Automatic Self-retracting blade, blade release when pressure with material being cut is lost.

Part No. **417-1** Unit **EA**



Sterling Yellow Ultra Grip Knife

- Retractable fixed blade utility knife with ribbed body for improved grip, ergonomic shape fits all hand sizes, hi-vis yellow stands out.

Part No. **115-1Y** Unit **EA**



TUBE & CABLE CUTTERS

Toledo HD Ratchet PVC/Rubber Pipe Cutter 42mm

- Conduit, Pipe and Hose Cutters cut rubber or PVC hoses and tubing up to 42mm. HD compound ratchet operated cutter

Part No. **301028** Unit **EA**



Tolsen PVC Pipe Cutter 210mm 3-35mm

- Rigid Plastic cutter for nylon & rubber hose & tubing – cutting diameter 3-35mm

Part No. **TL33002** Unit **EA**



STRIPPING TOOLS

Toledo Heavy Duty Crimper, Cutter & Stripper

- HD Crimper, Cutter & Stripper Wire stripping range: 0.2-6mm², 24-10 AWG Insulated crimping range: 0.5-6mm², 22-10 AWG

Part No. **WS665** Unit **EA**



King Tony Cable Stripper 6-45mm

- Cable Stripper – for stripping of round cable sheaths from 6-45mm diameter

Part No. **KT67B3-55** Unit **EA**



GENERAL CUTTING

Sterling Black Panther Snips (Round Point) 185mm

- Black Panther Snips 185mm with S/S serrated edge blades.

Part No. **29-704** Unit **EA**



WINDOW SCRAPING

AmPro Retractable Safety Scraper

- Retractable Safety Scraper – retractable blade for safety & storage

Part No. **SCRW-T70675** Unit **EA**



DRIVER SAFETY

Driver's Daily Vehicle Checklist

- 50 Page Triplicate Book (2 carbon copies)
- Provides a standardised approach to vehicle assessment & safety checks
- Copies for fleet management & maintenance task identification.

Part No. **Unit**
TWLCHECKLIST EA

**Driver's Work Time & Log Book**

- 50 Page Triplicate Book (2 carbon copies)
- Approved by the Waka Kotahi NZ Transport Agency July 2020.
- Road Transport industry standard log book

Part No. **Unit**
TWLLOGBOOK EA


**TWL Folders**

- Durable folder designed to hold and protect vehicle checklists and logbooks.

Part No. **Unit**
TWLFOLDERS EA



This Safety Selection within this Catalogue features some of our most popular items; for a more extensive range please check out our new website www.twlnz.co.nz



BRANCHES NZ-WIDE | 0508 677 704 | TWLNZ.CO.NZ

Proudly Playing a Part
in NZ Road Transport
since 1966

