



Contents

| Air Springs | Section | Page |
|--------------------------------|---------|------|
| Air Springs | B14 | 2 |
| Equalisers | B14 | 10 |
| Bushes | B14 | 13 |
| Leaf Springs, Liners & U Bolts | B14 | 15 |
| Reyco / Hutch Leaf Springs | B14 | 16 |

Copyright © TWL. The illustrations, information and specifications contained within this catalogue remain the property of TWL. No part of this catalogue may be reproduced in whole or in part without prior approval. While all care has been taken in the production of this catalogue, no responsibility for errors, omissions or variations will be accepted. Photography, descriptions and references are subject to change without notice.

AIR SPRINGS

Air Spring Identification

Product Label

IR12-586 is the Goodyear part number for this assembly - which includes top/bead plate, bellows and piston.



Goodyear



Flexible Member / Bellows Number

CAUTION: Numbers moulded on the rubber bag are **NOT** the assembly part numbers. Bags with same numbers are used with different combinations of top plates and pistons.



Firestone



In this example **W01-M58-6339** is the Firestone assembly part number.









Goodyear Bellows Style








Flexible Member / Bellows

In this style of air spring the last 4 to 5 digits of the bellows part number, i.e. **8017E** are used as the **Goodyear** part number for identification and reordering purposes.







AIR SPRING CHART

| Image | Schematic | Part Number |
|---|---|---|
|  |  | <p>C-20124 Hendrickson HT250U & HT250T</p> |
|  |  | <p>C-20127 Hendrickson HT230 & HT250US</p> |
|  |  | <p>C-20901 Hendrickson AA250 INTRAAX</p> |
|  |  | <p>S-21208 Hendrickson HT230</p> |
|  |  | <p>S-21800 Hendrickson AANT230 INTRAAX</p> |
|  |  | <p>S-23611 Hendrickson AAL 230/250 K</p> |







AIR SPRING CHART

| Image | Schematic | Part Number |
|---|---|---|
|  |  | <p>S-23720 Hendrickson</p> |
|  |  | <p>S-23721 Hendrickson</p> |
|  |  <p>Top plate diameter = 221mm 2 x combo studs – 140mm centres Collapsed height = 203mm</p> <p>Bottom plate diameter = 210mm 1 x 1/2 inch stud in centre Sleeve p/no = None</p> | <p>S-33161 Hendrickson ZMD AANL23K</p> <p>Only use on zero maintenance damper suspension</p> |
|  |  <p>Ride height = 14" to 17"</p> | <p>C-35510 Hendrickson ZMD AAT230K</p> <p>Only use on zero maintenance damper suspension</p> |
|  |  | <p>S-25319 Hendrickson HT300U</p> |
|  |  | <p>S-26773 Hendrickson Intraax AANT</p> |







AIR SPRING CHART

| Image | Schematic | Part Number |
|---|---|---|
|  |  | <p>49048-002 Hendrickson HA</p> |
|  |  | <p>57122-002 Hendrickson HAS</p> |
|  |  | <p>60271-002 Hendrickson Primaax Gen 1 & 2</p> |
|  |  | <p>98734-094 Hendrickson Primaax Gen 3 (Also Gen 1 & 2 with Beam Upgrade)</p> |
|  |  | <p>15901 BPW Type 30 - Bellow Only</p> |
|  |  | <p>15916 BPW Type 30K - Bellow Only</p> |







AIR SPRING CHART

| Image | Schematic | Part Number |
|---|---|---|
|  |  | <p>16905A BPW 36K Assy Airlight 2 Series</p> |
|  |  | <p>16918 BPW D30</p> |
|  |  | <p>16919A BPW D30K</p> |
|  |  | <p>0542943510 BPW D36</p> |
|  |  | <p>15732 Meritor/ROR FlexAir FlexLite & XL9000</p> |
|  |  | <p>92605 Meritor/ROR CS9 & CS9i</p> |







AIR SPRING CHART

| Image | Schematic | Part Number |
|---|---|---|
|  |  | <p>2122239 Meritor/ROR FL11000</p> |
|  |  | <p>15840S LOHR</p> |
|  |  | <p>S8802C Ridewell RAR 247</p> |
|  |  | <p>1000156 Ridewell</p> |
|  |  | <p>S9010C Ridewell / Reyco</p> |
|  |  | <p>S9082C Reyco</p> |

AIR SPRING CHART

| Image | Schematic | Part Number |
|---|---|---|
|  |  | <p>23433/01 Reyco 23ART</p> |
|  |  | <p>61506243 York Tecair 1 & 2</p> |
|  |  | <p>03228105300 SAF Air Spring Logger</p> |
|  |  | <p>04229100400 SAF Lift Intra Two sided lift for Steel Hanger Leaf U/S Suspension</p> |
|  |  | <p>4229100501 SAF Lift Intra Two sided lift for Leaf U/S Suspension</p> <p>Steel Hanger 03027127801 Alloy Hanger 03027124401</p> |
|  |  | <p>S2618C SAF Old Modular Suspension (EU416) - (EM411E)</p> |

AIR SPRING CHART

| Image | Schematic | Part Number |
|---|--|--|
|  |  | <p>S2618V SAF Modular Overslung / Underslung</p> |
|  |  | <p>S2619V SAF IntraDisc / IntraDrum</p> |
|  |  | <p>S2918V SAF IntraDisc / IntraDrum</p> |
|  |  | <p>S2923V SAF Modular</p> |
|  |  | <p>S2924V SAF IntraDisc / IntraDrum</p> |
|  |  <p>2919V Hmin = 190mm Hmax = 560mm 300mm Piston & support bracket</p> | <p>SAF2919 H/Duty with Steel Base Suits overslung & underslung suspensions</p> |

EQUALISER CHART

| Image | To Suit | Part Number | Cross References | Features |
|---|---|--|------------------|--|
|  | Reyco 21B | WT001 T5427 Bush = WT1110-T5524 Pin = WT1202D-69315 | | 18" (457mm) Overall Length (Cast) |
|  | Hutchens H7700 & 9600 | WT013 Bush = WT5541 Bolt Kit = WT5541S Spring Bolt Kit = WT01 | | 16.5" (420mm) Overall Length 4" (100mm) Overall Width (Fabricated) |
|  | Fruehauf Propar F2-F3 | WT015 Bush = WT1101HD Pin = WT1201D | | 17.5" (445mm) Overall Length 4" (100mm) Overall Width (Cast) |
|  | Hutchens CH7600 & CH7700 | WT014 Bush = WT5541 Bolt Kit = WT5541S Spring Bolt Kit = WT01 | | 16.5" (420mm) Overall Length 4" (100mm) Overall Width (Cast) |
|  | Hutchens H9600 & H9700 H7600 & H7700 | WT019 Bush = WT5542 Bolt Kit = WT1204BK Spring Bolt Kit = WT01 | | 16.5" (420mm) Overall Length 4" (100mm) Overall Width (Fabricated) |
|  | Reyco Transpro 86/88 | WT022 065000 Bush = WT5544 Bolt = WT1205 (6.5") Nut = WT1206 Spring Bolt Kit = WT01 | | 16.5" (420mm) Overall Length 4" (100mm) Overall Width (Fabricated) |
|  | Fruehauf Propar F2-J2 | WT023 Bush = WT1101HD Pin = WT1201D | | 16-3/8" (415mm) Overall Length 4" (100mm) Overall Width (Cast) |
|  | ROR M Series | WT025 Bush = WT1104 Pin = WT1203 | | 16" (410mm) Overall Length (Cast) |

AIR SPRING CHART

| Image | To Suit | Part Number | Cross References | Features |
|---|---|--|------------------|--|
|  | Meritor SM/SMT | WT026 Bush = WT1110-T5524 Pin = WT1202D-69315 | | 16" (410mm) Overall Length (Cast) |
|  | YORK TST/ TBS Reyco Transpro | WT027 Bush = WT1110-T5524 Pin = WT1202D-69315 | | 17.5 (445mm) Overall Length 4-3/8" (110mm) Overall Width (Cast) |
|  | Hutchens CH9600 & CH9700 | WT028 Bush = WT5542 Pin = WT1204BK | | 16.5" (420mm) Overall Length 4" (100mm) Overall Width (Cast) |
|  | YORK TS | WT029 Bush = WT1104 Pin = WT1203 | | 17.5 (445mm) Overall Length (Cast) |
|  | Reyco Transpro 88 | WT041 085000 Bush = WT5544 Pin = WT1205 - WT1206 | | 16.5" (420mm) Overall Length 4" (100mm) Overall Width (Cast) |
|  | Reyco 102W - RHS | 1415401 Bush = 1471301 Shaft = 0868601 Nut & Washer = 0868701\1424601 | | 17.25" (440mm) Overall Length 4" (100mm) Overall Width (Cast) |
|  | Reyco 102W LHS | 1415501-REY Bush = 1471301 Shaft = 0868601 Nut & Washer = 0868701\1424601 | | 17.25" (440mm) Overall Length 4" (100mm) Overall Width (Cast) |
|  | TMC | T9942 Bush = WT1101HD Pin = WT1201D | | 19.5" (505mm) Overall Length 4" (100mm) Overall Width (Fabricated) |

AIR SPRING CHART

| Image | To Suit | Part Number | Cross References | Features |
|---|---|---|------------------|--|
|  | Reyco 21B ADI Heavy Duty | 2172501 WT001 Pin = WT1202D-69315 Bush = WT1110-T5524 | | 18" (458mm) Overall Length (Cast) |
|  | Reyco 88/89 | 080100 Bush = 064902 (WT5544) Pin = 000114 - 027401 | | 21.5" (546mm) Overall Length (Cast) |
|  | Reyco 21B | 1896501 Pin = WT1202D-69315 Bush = WT1110-T5524 | | 21.5" (546mm) Overall Length (Cast) |
|  | Rubery Owen York Fuwa-Khitch TMC Colrain | WT1016 Bush = WT1101HD Pin = WT1201D | | 29.5" (750mm) Overall Length (Cast) |
|  | Reyco Wide Spread 88273 | 1476301 Bush = 1468201 Pin = 1468301 Nut = 0891401 Spring Bolt Kit = T5544-T2106-T1705-T1704 | | 43" (1092mm) Overall Length (Fabricated) |
|  | Fruehauf Propar | WT1007 | | Not stocked |
|  | Fruehauf Propar | WT1013 | | Not stocked |







SUSPENSION BUSH CHART A = Outside Diameter. B = Inside Diameter. C = Overall Length. All measurements in mm.






| | <p>WT1101HD Equaliser / Drawbar Bush</p> <p>Suits: Fruehauf, T.M.C, Reyco, York Pin: WT1201D</p> | | | | | |
|-------|--|-------|---|---|-------|------|
| | <table border="1"> <thead> <tr> <th>A</th> <th>B</th> <th>C</th> </tr> </thead> <tbody> <tr> <td>89.05</td> <td>50.8</td> <td>112.2</td> </tr> </tbody> </table> | A | B | C | 89.05 | 50.8 |
| A | B | C | | | | |
| 89.05 | 50.8 | 112.2 | | | | |
| | <p>WT1110-T5524 Equaliser / Drawbar Bush</p> <p>Suits: Meritor, Reyco, York Pin: WT1202D-69315</p> | | | | | |
| | <table border="1"> <thead> <tr> <th>A</th> <th>B</th> <th>C</th> </tr> </thead> <tbody> <tr> <td>89</td> <td>41.2</td> <td>114</td> </tr> </tbody> </table> | A | B | C | 89 | 41.2 |
| A | B | C | | | | |
| 89 | 41.2 | 114 | | | | |
| | <p>WT1302 Torque Rod Bush</p> <p>Suits: Hutch Bolt: WT1050GR5</p> | | | | | |
| | <table border="1"> <thead> <tr> <th>A</th> <th>B</th> <th>C</th> </tr> </thead> <tbody> <tr> <td>49</td> <td>25.4</td> <td>76.2</td> </tr> </tbody> </table> | A | B | C | 49 | 25.4 |
| A | B | C | | | | |
| 49 | 25.4 | 76.2 | | | | |
| | <p>WT1308 Torque Rod Bush</p> <p>Suits: Meritor, Reyco Bolt: WT1403</p> | | | | | |
| | <table border="1"> <thead> <tr> <th>A</th> <th>B</th> <th>C</th> </tr> </thead> <tbody> <tr> <td>49</td> <td>22.3</td> <td>76.2</td> </tr> </tbody> </table> | A | B | C | 49 | 22.3 |
| A | B | C | | | | |
| 49 | 22.3 | 76.2 | | | | |
| | <p>WT1102 Trailing Arm Bush</p> <p>Suits: Meritor Flexlite Bolt Kit: WT1223</p> | | | | | |
| | <table border="1"> <thead> <tr> <th>A</th> <th>B</th> <th>C</th> </tr> </thead> <tbody> <tr> <td>60</td> <td>24</td> <td>80</td> </tr> </tbody> </table> | A | B | C | 60 | 24 |
| A | B | C | | | | |
| 60 | 24 | 80 | | | | |
| | <p>WT1103-24 Trailing Arm Bush</p> <p>Suits: Meritor Flexair Bolt Kit: WT1223</p> | | | | | |
| | <table border="1"> <thead> <tr> <th>A</th> <th>B</th> <th>C</th> </tr> </thead> <tbody> <tr> <td>60</td> <td>24</td> <td>102</td> </tr> </tbody> </table> | A | B | C | 60 | 24 |
| A | B | C | | | | |
| 60 | 24 | 102 | | | | |

| | <p>WT1103-30 Trailing Arm Bush</p> <p>Suits: Meritor Flexair, BPW Bolt Kit: WT1226</p> | | | | | |
|------|---|------|---|---|------|-----------|
| | <table border="1"> <thead> <tr> <th>A</th> <th>B</th> <th>C</th> </tr> </thead> <tbody> <tr> <td>60</td> <td>30</td> <td>102</td> </tr> </tbody> </table> | A | B | C | 60 | 30 |
| A | B | C | | | | |
| 60 | 30 | 102 | | | | |
| | <p>WT1303HD Equaliser Bush</p> <p>Suits: Moss, York Pin: WT1403</p> | | | | | |
| | <table border="1"> <thead> <tr> <th>A</th> <th>B</th> <th>C</th> </tr> </thead> <tbody> <tr> <td>60</td> <td>22.3</td> <td>57</td> </tr> </tbody> </table> | A | B | C | 60 | 22.3 |
| A | B | C | | | | |
| 60 | 22.3 | 57 | | | | |
| | <p>WT1312 Torque Rod Bush</p> <p>Suits: York Bolt: WT1405</p> | | | | | |
| | <table border="1"> <thead> <tr> <th>A</th> <th>B</th> <th>C</th> </tr> </thead> <tbody> <tr> <td>59.5</td> <td>22 / 23</td> <td>58.1</td> </tr> </tbody> </table> | A | B | C | 59.5 | 22 / 23 |
| A | B | C | | | | |
| 59.5 | 22 / 23 | 58.1 | | | | |
| | <p>WT1301 Torque Rod Bush</p> <p>Suits: Meritor, Fruehauf T.M.C, Reyco, York, Hutch Pin: WT1401</p> | | | | | |
| | <table border="1"> <thead> <tr> <th>A</th> <th>B</th> <th>C</th> </tr> </thead> <tbody> <tr> <td>55.5</td> <td>31.7</td> <td>60</td> </tr> </tbody> </table> | A | B | C | 55.5 | 31.7 |
| A | B | C | | | | |
| 55.5 | 31.7 | 60 | | | | |
| | <p>WT1304 Torque Rod Bush</p> <p>Suits: Reyco 102 AR Bolt Kit: TK21640</p> | | | | | |
| | <table border="1"> <thead> <tr> <th>A</th> <th>B</th> <th>C</th> </tr> </thead> <tbody> <tr> <td>78</td> <td>25.5 / 46</td> <td>73</td> </tr> </tbody> </table> | A | B | C | 78 | 25.5 / 46 |
| A | B | C | | | | |
| 78 | 25.5 / 46 | 73 | | | | |
| | <p>WT1311-T5493 Torque Rod Bush</p> <p>Suits: Reyco Bolt: WT1415</p> | | | | | |
| | <table border="1"> <thead> <tr> <th>A</th> <th>B</th> <th>C</th> </tr> </thead> <tbody> <tr> <td>63.3</td> <td>25.4</td> <td>76.2</td> </tr> </tbody> </table> | A | B | C | 63.3 | 25.4 |
| A | B | C | | | | |
| 63.3 | 25.4 | 76.2 | | | | |




SUSPENSION BUSH CHART A = Outside Diameter. B = Inside Diameter. C = Overall Length. All measurements in mm.

|  | <p>WT1106 Spring Eye Bush - BPW</p> <p>Suits: BPW Bolt Kit:</p> | <table border="1"> <thead> <tr> <th>A</th> <th>B</th> <th>C</th> </tr> </thead> <tbody> <tr> <td>60</td> <td>24</td> <td>72</td> </tr> </tbody> </table> | A | B | C | 60 | 24 | 72 |
|---|---|---|---|---|---|------|------|-------|
| | A | B | C | | | | | |
| 60 | 24 | 72 | | | | | | |
|  | <p>WT5541 Equaliser Bush (2 Hole)</p> <p>Suits: Hutch Bolt: WT5541S</p> | <table border="1"> <thead> <tr> <th>A</th> <th>B</th> <th>C</th> </tr> </thead> <tbody> <tr> <td>82.5</td> <td></td> <td>95.4</td> </tr> </tbody> </table> | A | B | C | 82.5 | | 95.4 |
| A | B | C | | | | | | |
| 82.5 | | 95.4 | | | | | | |
|  | <p>WT5542 Equaliser Bush (1 Hole)</p> <p>Suits: Hutch Bolt: WT1204BK</p> | <table border="1"> <thead> <tr> <th>A</th> <th>B</th> <th>C</th> </tr> </thead> <tbody> <tr> <td>89</td> <td>28.2</td> <td>95.4</td> </tr> </tbody> </table> | A | B | C | 89 | 28.2 | 95.4 |
| A | B | C | | | | | | |
| 89 | 28.2 | 95.4 | | | | | | |
|  | <p>WT5544 Equaliser / Bush</p> <p>Suits: Reyco Bolt: WT1205 + WT1206</p> | <table border="1"> <thead> <tr> <th>A</th> <th>B</th> <th>C</th> </tr> </thead> <tbody> <tr> <td>82.6</td> <td>25.4</td> <td>101.6</td> </tr> </tbody> </table> | A | B | C | 82.6 | 25.4 | 101.6 |
| A | B | C | | | | | | |
| 82.6 | 25.4 | 101.6 | | | | | | |
|  | <p>WT1104 Equaliser Bush</p> <p>Suits: Meritor, Moss, York Pin Kit: WT1203</p> | <table border="1"> <thead> <tr> <th>A</th> <th>B</th> <th>C</th> </tr> </thead> <tbody> <tr> <td>78</td> <td>50.8</td> <td>108</td> </tr> </tbody> </table> | A | B | C | 78 | 50.8 | 108 |
| A | B | C | | | | | | |
| 78 | 50.8 | 108 | | | | | | |
|  | <p>90008139 Pivot Bush</p> <p>Suits: Neway</p> | <table border="1"> <thead> <tr> <th>A</th> <th>B</th> <th>C</th> </tr> </thead> <tbody> <tr> <td>89</td> <td>28.5</td> <td>133</td> </tr> </tbody> </table> | A | B | C | 89 | 28.5 | 133 |
| A | B | C | | | | | | |
| 89 | 28.5 | 133 | | | | | | |

|  | <p>1110512B000 Beam Bush</p> <p>Suits: Ridewell Bolt: 1130670B105 Washer: 1160673B000</p> | <table border="1"> <thead> <tr> <th>A</th> <th>B</th> <th>C</th> </tr> </thead> <tbody> <tr> <td>81</td> <td>38</td> <td>113</td> </tr> </tbody> </table> | A | B | C | 81 | 38 | 113 |
|--|--|---|---|---------|-----|-----|------|-----|
| | A | B | C | | | | | |
| 81 | 38 | 113 | | | | | | |
|  | <p>22128 Torque Rod Bush</p> <p>Suits: Chalmers</p> | <table border="1"> <thead> <tr> <th>A</th> <th>B</th> <th>C</th> </tr> </thead> <tbody> <tr> <td>92</td> <td>60</td> <td>95</td> </tr> </tbody> </table> | A | B | C | 92 | 60 | 95 |
| A | B | C | | | | | | |
| 92 | 60 | 95 | | | | | | |
|  | <p>WT1105 Bush Pivot / 3D / Tri</p> <p>Suits: Meritor CS9 Bolt Kit: WT1223</p> | <table border="1"> <thead> <tr> <th>A</th> <th>B</th> <th>C</th> </tr> </thead> <tbody> <tr> <td>152</td> <td>33</td> <td>120</td> </tr> </tbody> </table> | A | B | C | 152 | 33 | 120 |
| A | B | C | | | | | | |
| 152 | 33 | 120 | | | | | | |
|  | <p>1110084 Beam Bush</p> <p>Suits: Ridewell RAR-260 Bolt Kit: S-24679 Bolt & Nut: 1130031 + 1150032</p> | <table border="1"> <thead> <tr> <th>A</th> <th>B</th> <th>C</th> </tr> </thead> <tbody> <tr> <td>152</td> <td>38</td> <td>172</td> </tr> </tbody> </table> | A | B | C | 152 | 38 | 172 |
| A | B | C | | | | | | |
| 152 | 38 | 172 | | | | | | |
|  | <p>WT2500 Torque Rod Bush</p> <p>Suits: Hino / Isuzu / Mitsi Bolt Kit: S-24679 Bolt/Nut: 1130031 + 1150032</p> | <table border="1"> <thead> <tr> <th>A</th> <th>B (dia)</th> <th>PCD</th> </tr> </thead> <tbody> <tr> <td>105</td> <td>19</td> <td>91</td> </tr> </tbody> </table> | A | B (dia) | PCD | 105 | 19 | 91 |
| A | B (dia) | PCD | | | | | | |
| 105 | 19 | 91 | | | | | | |
|  | <p>TRB6825E Torque Rod Bush</p> <p>Suits: Kenworth, DAF-AirGlide, Neway</p> | <table border="1"> <thead> <tr> <th>A</th> <th>B (dia)</th> <th>PCD</th> </tr> </thead> <tbody> <tr> <td>70</td> <td>17.5</td> <td>111</td> </tr> </tbody> </table> | A | B (dia) | PCD | 70 | 17.5 | 111 |
| A | B (dia) | PCD | | | | | | |
| 70 | 17.5 | 111 | | | | | | |



LEAF SPRINGS




Mono Leaf

| To Suit | Part No. | Manufacturer's No. | A | B | C | D | E | Load Capacity (kgs) | Weight (kgs) | Arch |
|-------------|----------|--------------------|-----|-----|-----|-----|-----|---------------------|--------------|-------|
| Hutch | TRA 021 | 363-00 | 572 | 540 | 150 | 159 | 159 | 4627 each | 17.2 each | 120 |
| | TRA 023 | 360-00 | 572 | 540 | 205 | 224 | 224 | 4627 each | 18.5 each | 181 |
| Fruehauf | TRA 012 | UCC 7280 | 535 | 535 | 162 | 162 | 41 | 6570 each | 19.8 each | 120.5 |
| Rubery Owen | 14024 | 21017560 | 622 | 590 | n/a | n/a | 41 | 4990 each | 20.4 each | 110 |
| Reyco | TRA 031 | T5555 | 535 | 552 | 135 | 135 | 35 | 4990 each | 17.2 each | 102 |
| Transpro | TRA 072 | 017901 | 580 | 545 | 205 | 223 | 35 | 4990 each | 18.5 each | 178 |
| | TRA 073 | 017902 | 589 | 535 | 138 | 147 | 35 | 4990 each | 17.8 each | 108 |
| ROR | WT24653 | 21224664 | 530 | 450 | - | - | 58 | | | |
| | WT24654 | 21222247 | 530 | 460 | - | - | 48 | | | |
| | 21225102 | 21225102 | 530 | 450 | - | - | 58 | | | |

3 Leaf

| To Suit | Part No. | Manufacturer's No. | A | B | C | D | E | Load Capacity (kgs) | Weight (kgs) | Arch |
|----------|----------|--------------------|-----|-----|-----|-----|------|---------------------|--------------|------|
| Hutch | TRA 2726 | 354-00 | 572 | 540 | 208 | 220 | 62.5 | 4627 each | 25.5 each | 152 |
| | TRA 2727 | 355-00 | 572 | 540 | 168 | 187 | 62.5 | 4627 each | 25.3 each | 115 |
| | TRA 2728 | 356-00 | 572 | 540 | 152 | 159 | 62.5 | 4627 each | 25.3 each | 92 |
| | TRA 2740 | 365-00 | 572 | 540 | 205 | 220 | 74 | 4990 each | 29.2 each | 139 |
| Fruehauf | TRA 693 | UCD0511-1 | 540 | 540 | 170 | 170 | 63 | 4990 each | 23.5 each | 105 |
| Transpro | TRA 3340 | 007901 | 578 | 545 | 199 | 225 | 63.2 | 4990 each | 24.0 each | 148 |
| | TRA 3341 | 007902 | 589 | 536 | 130 | 149 | 63.2 | 4990 each | 23.6 each | 76 |



Dual Ride 2 Leaf

| To Suit | Part No. | Manufacturer's No. | A | B | C | D | E | F | Load Capacity (kgs) | Weight (kgs) |
|---------|----------|--------------------|-----|-----|-----|-----|-----|-----|---------------------|--------------|
| Hutch | SDR-01 | 16710-01 | 552 | 525 | 177 | 206 | 555 | 535 | 4627 each | 28.9 each |
| Reyco | SDR-02 | 1600-02 | 573 | 518 | 160 | 177 | 552 | 535 | 4627 each | 28.2 each |

LEAF SPRING DELRIN LINER


Delrin Liner
 Steel liner.
 Part No. 295S



LEAF SPRING U BOLTS

Note: All measurements are in millimeters.


| Part No. | A | B | C | D |
|----------|-----------------|-----|-----|----|
| 78311R | 280 | 130 | 75 | 22 |
| 78312R | 305 | 130 | 75 | 22 |
| 78313R | 330 | 130 | 75 | 22 |
| 78314R | 355 | 130 | 75 | 22 |
| 78510R | 252 | 130 | 127 | 22 |
| 78511R | 280 | 130 | 127 | 22 |
| 78512R | 305 | 130 | 127 | 22 |
| 78513R | 330 | 130 | 127 | 22 |
| 78HW | Hardened Washer | | | |
| 78HDN | Hardened Nut | | | |



REYCO / HUTCH LEAF SPRINGS




Reyco / Hutch Trailer Leaf Springs




TRA031 / T5555 Mono Leaf Low Arch

| Manuf. No. | Rating (kgs) | Weight (kgs) |
|------------|--------------|--------------|
| T5555 | 4990 | 17 |




TRA072 / 017901 Mono Leaf High Arch

| Manuf. No. | Rating (kgs) | Weight (kgs) |
|------------|--------------|--------------|
| 017901 | 4990 | 18.5 |




TRA073 / 017902 Mono Leaf Low Arch

| Manuf. No. | Rating (kgs) | Weight (kgs) |
|------------|--------------|--------------|
| 017902 | 4990 | 17.8 |




TRA078 / 2001601 Composite Low Arch

| Manuf. No. | Rating (kgs) | Weight (kgs) |
|------------|--------------|--------------|
| 2001601 | 4990 | 10 |




SDR-02 / TRA3374 2 Leaf Low Arch

| Manuf. No. | Rating (kgs) | Weight (kgs) |
|------------|--------------|--------------|
| 160002 | 4990 | 24 |




TRA2291 3 Leaf Medium Arch

| Manuf. No. | Rating (kgs) | Weight (kgs) |
|------------|--------------|--------------|
| 0837601 | 4545 | 24 |



TRA3330 / 032900 3 Leaf High Arch


| Manuf. No. | Rating (kgs) | Weight (kgs) |
|------------|--------------|--------------|
| 032900 | 4990 | 24 |



TRA3339 / 072400 3 Leaf High Arch


| Manuf. No. | Rating (kgs) | Weight (kgs) |
|------------|--------------|--------------|
| 072400 | 6800 | 30 |

REYCO / HUTCH LEAF SPRINGS




TRA3340 / 007901 3 Leaf High Arch

| Manuf. No. | Rating (kgs) | Weight (kgs) |
|------------|--------------|--------------|
| 007901 | 4990 | 24 |




TRA3341 3 Leaf Low Arch

| Manuf. No. | Rating (kgs) | Weight (kgs) |
|------------|--------------|--------------|
| 007902 | 4990 | 23.6 |




TRA3349 3 Leaf Medium Arch

| Manuf. No. | Rating (kgs) | Weight (kgs) |
|------------|--------------|--------------|
| 069300 | 4990 | 24 |




TRA3350 / 069400 3 Leaf Med Arch

| Manuf. No. | Rating (kgs) | Weight (kgs) |
|------------|--------------|--------------|
| 069400 | 4990 | 24 |




033500 3 Leaf Low Arch

| Manuf. No. | Rating (kgs) | Weight (kgs) |
|------------|--------------|--------------|
| 033500 | 4990 | 24 |




TRA2172 8 Leaf Medium Arch

| Manuf. No. | Rating (kgs) | Weight (kgs) |
|------------|--------------|--------------|
| UCA00105 | 4990 | 43 |



TRA3310 8 Leaf Medium Arch

| Manuf. No. | Rating (kgs) | Weight (kgs) |
|------------|--------------|--------------|
| 0178-03 | 4990 | 43 |




T3564 8 Leaf High Arch

| Manuf. No. | Rating (kgs) | Weight (kgs) |
|------------|--------------|--------------|
| T3564 | 4990 | 43 |

REYCO / HUTCH LEAF SPRINGS




Reyco 102W Truck Leaf Springs



1622706-REY 3 Leaf Hi-Tech

| Manuf. No. | Rating (kgs) | Weight (kgs) |
|------------|--------------|--------------|
| 1622706 | 3863 | 34 |



0947501-REY 14 Leaf Medium Arch

| Manuf. No. | Rating (kgs) | Weight (kgs) |
|------------|--------------|--------------|
| 0947501 | 3863 | 52 |