



Proven, robust and high-performance LED work lamp solutions designed to meet our challenging commercial and industrial work environments - supported by TWL branches - New Zealand wide.

VEHICLE WORK LAMP RANGE SUMMARY

- All work lamps are LED with multivoltage functionality.

Part No.	Brand:	Worklamp Name:	Style:	Lumens:	Protection:				Page:
					Reverse Polarity	Voltage Spike	IP67*	IP69*	
B5124F	Britax	B5124F LED Work Lamp	Flood	650			Y		2
E92007	ECCO	E92007 Square LED Work Lamp	Flood	700			Y		2
98074032	Hella	DuraLED WL1300 LED Work Lamp	Close Range	1500	Y	Y	Y	Y	2
1560	Hella	Module 50 Ultra-Compact LED Work Lamp	Close Range - Ultra Compact	800	Y		Y	Y	3
1563C	Hella	Q90 Compact LED Work Lamp	Close Range - Compact	1200	Y		Y	Y	3
1547-LED	Hella	M70 LED Work Lamp	Close Range	800	Y	Y	Y	Y	3
1567	Hella	Module 70 LED Gen IV Work Lamp	Close Range	2500	Y		Y	Y	3
1557	Hella	Power Beam 1500 LED Work Lamp	Close Range	1300	Y		Y	Y	4
1557-HD	Hella	Power Beam 1500 LED Work Lamp - Heavy Duty	Close Range	1300	Y		Y	Y	4
1562	Hella	Ultra Beam LED Work Lamp	Close Range	2200	Y	Y	Y	Y	4
1564	Hella	Module 90 LED Work Lamp	Close Range	3400	Y	Y	Y	Y	4

*IP67 (Protection against dust and temporary water immersion), IP69 (Protection against dust and high-pressure/steam jet cleaning)


Copyright © TWL. The illustrations, information and specifications contained within this catalogue remain the property of TWL. No part of this catalogue may be reproduced in whole or in part without prior approval. While all care has been taken by all persons involved in the compiling and production of this catalogue, no responsibility for errors, omissions or variations will be accepted. Photography, descriptions and references are subject to change without prior warning.



VEHICLE WORK LAMPS - FLOOD LAMPS

B5124F LED Work Lamp 650 Lumen Flood

The B5124F LED flood lamp features a strong die-cast alloy body, tough polycarbonate lens and stainless steel fittings. Its compact design, makes it ideal for a wide range of applications.




Features:

- Strong die-cast alloy body with integrated heat sinking
- Tough polycarbonate lens and stainless steel hardware
- Steel mounting bracket
- 650 lumen output and 1 lux @ 30m
- Refer table for protection
- Compliance: CE R10
- Multivoltage 1-30VDC
- 108 H x 85 W x 42 D (mm)

Part No. B5124F

E92007 LED Work Lamp 700 Lumen Flood

The E92007 worklamp offers the latest technology and the very brightest white light for your application. This LED model offers over 80,000 hours of maintenance free life expectancy coupled with extremely low amp draw.



Features:


- Aluminum heatsink housing and acrylic lens
- Steel mounting bracket
- 700 lumen output
- Multivoltage 12-24VDC
- Refer table for protection
- Compliance: CE ECE R10, ROHS
- 158 H x 110 W x 46 D (mm)

Part No. E92007

VEHICLE WORK LAMPS - CLOSE RANGE

DuraLED WL1300 1500 Lumen Close Range

The WL1300 LED Work Lamp incorporates the latest technology to offer a powerful, durable lighting solution for a multitude of applications. Featuring an integrated dual intensity light output circuit, a high level of spike protection, and energy efficient Multivolt™ technology, this work lamp will appeal to applications where energy efficiency and reliability are a must.



Features:

- Upright or pendant mounting
- 1500 lumen light output
- Multivoltage 9-33VDC
- Refer table for protection
- Compliance: CE
- 68 H x 170 W x 58 D (mm)


Part No. 98074032



VEHICLE WORK LAMPS - CLOSE RANGE

Module 50 Ultra-Compact 800 Lumen Close Range

The Module 50 LED is the smallest work lamp in the HELLA range and is particularly suitable for installations with space constraints. At 800 lumens, light output is well suited to close-range illumination.




Features:

- Upright mounting
- 800 lumen light output
- Multivoltage 9-33VDC
- Refer table for protection
- Compliance: (E1) ECE R10
- 88 H x 67 W x 82 D (mm)
- Part No. 1560

Q90 Compact 1200 Lumen Close Range

The Q90C LED is a robust LED work lamp in a universal design. The innovative thermally conductive synthetic material housing also features cooling fins which ensure heat dissipation from the 4 high-power LEDs. The Q90C LED offers complete corrosion resistance.



Features:

- Upright or pendant mounting
- 1200 lumen light output
- Multivoltage 9-33VDC
- Refer table for protection
- Compliance: (E12) ECE R10
- 123 H x 95 W x 57 D (mm)
- Part No. 1563C

M70 800 Lumen Close Range

The M70 LED Multivolt™ work lamp features 4 high performance white LEDs providing consistent close range illumination. Impact resistant aluminium die-cast housing, fully sealed for an ultra long service life enhances performance in demanding high vibration environments.




Features:

- Upright or pendant mounting
- 800 lumen light output
- Multivoltage 9-33VDC
- Refer table for protection
- Compliance: CE (E1)
- 110 H x 83 W x 74 D (mm)
- Part No. 1547-LED

Module 70 Gen IV 2500 Lumen Close Range

Equipped with 3 high-performance multi-chip LEDs the new M70 LED work lamp produces 2500 lumens of crisp white light while consuming just 30W of power. Completely sealed, this lamp is particularly suitable for tough conditions and work areas.



Features:

- Upright or pendant mounting
- 2500 lumen light output
- Multivoltage 9-33VDC
- Refer table for protection
- Compliance: (E1) ECE R10
- 110 H x 83 W x 74 D (mm)
- Part No. 1567



VEHICLE WORK LAMPS - CLOSE RANGE

Power Beam 1500 1300 Lumen Close Range

The light from the 6 high-power LEDs is distributed evenly by a specially developed multi-faceted reflector. Thanks to its powerful light output, the Power Beam 1500 can replace standard halogen work lamps (e.g. H3/55 watt) – and does so with a power consumption of just 22 watts. Ideal for use on battery-operated vehicles or on vehicles where the alternator is already under a heavy load. This premium work lamp comes with a powder coated aluminium body and tough nylon lens, and is rated at 1300 lumen.



Part No.	Description:	Dimensions: (mm)
1557	Power Beam 1500	129 H x 112 W x 64 D
1557-HD	Power Beam 1500 - Heavy Duty	115 H x 142 W x 64 D




Features:

- Upright or pendant mounting
- 1300 lumen light output
- Multivoltage 9-33VDC
- Refer table for protection
- Compliance: (E1) ECE R10

Ultra Beam 2200 Lumen Close Range

The Ultra Beam LED offers high light output in a practical design, meaning that it can be used anywhere thanks to its compact dimensions. The light output is a powerful 2,200 lumens with a power consumption of only 30W. The light is distributed by a specially developed multifaceted reflector, thus ensuring homogeneous illumination.




Features:

- Upright or pendant mounting
- 2200 lumen light output
- Multivoltage 9-33VDC
- Refer table for protection
- Compliance: (E1) ECE R10
- 132 H x 115 W x 85 D (mm)

Part No. 1562

Module 90 3400 Lumen Close Range

The Module 90 LED is a robust work lamp in a universal, attractive design. The black aluminium housing features cooling fins which ensure the required heat dissipation from the 4 high-power LEDs. In addition, temperature sensors protect the work lamp from overheating. The light is distributed by a specially developed, multifaceted reflector, thus ensuring homogeneous illumination.



Features:

- Upright or pendant mounting
- 3400 lumen light output
- Multivoltage 9-33VDC
- Refer table for protection
- Compliance: (E1) ECE R10
- 146 H x 107 W x 99 D (mm)

Part No. 1564

