



# WORKSHOP CHEMICALS CATALOGUE



BRANCHES NZ-WIDE | 0508 677 704 | [TWLNZ.CO.NZ](http://TWLNZ.CO.NZ)

Proudly Playing a Part  
in NZ Road Transport  
since 1966







## A range of trusted workshop brands that provide the best solutions for our workshop and transport partners.

### OUR TRUSTED TRADE-QUALITY BRANDS ..



VERTEX is designed in New Zealand to meet our diverse needs. Vertex has been tried and tested by some of this country's largest contracting companies with outstanding results in both performance and cost saving. The Vertex range is designed very much with the environment and user wellbeing in mind.



CRC and ADOS are some of the best-known brands in the New Zealand market and are synonymous with quality at all levels of use. With products that cover almost any job from a squeaky door hinge to sealing a truck body, CRC will have the right product for you - all made in New Zealand.



CHEMTECH is designed for Australian and New Zealand conditions and are firmly among some of our industries most loved products, offering great value and unrivalled performance.



LOCTITE® is the world leader in engineering adhesives, sealants, surface technologies and functional coatings. They offer solutions for industrial and automotive production, maintenance and repair.



INOX offer a fantastic range of products with more uses than we can mention. INOX enjoys a very loyal trade-following based on a history of reliability and exceptional performance.

If the product you are looking for is not in this catalogue please contact your local TWL team - we're here to help.

Workshop Chemicals		
Clean	Workshop Cleaning Products	2
Lube	Lubricating Products including Grease	4
Grease	Workshop Grease Products/Anti Seize	6
Cover	Paint, Marking, Coatings & Rust Protection	7
Care	Vehicle Washing & Maintenance Products	9
Stick	Glues, Thread locker, Silicone, Engineering etc	11
Engineering	Engineering Fluids	14

Copyright © TWL. The illustrations, information and specifications contained within this catalogue remain the property of TWL. No part of this catalogue may be reproduced in whole or in part without prior approval. While all care has been taken in the production of this catalogue, no responsibility for errors, omissions or variations will be accepted. Photography, descriptions and references are subject to change without notice.



## CLEAN - VERTEX

**Brake Clean Extra Strength**

Highly effective heavy duty, high strength brake, clutch and parts cleaner. Provides the most aggressive cleaning.

Part No.	Size:
VSB/C12A06L	600 ml

**BSP, Brake Surface & Parts Cleaner**

A non aggressive lower toxicity alternative to Brake Clean. It is a concentrated dearomatised cleaner, excellent at cleaning mechanical parts while being kind to rubber.

Part No.	Size:
VBSBSP/C12A075L	750 ml
VBSBSP/P20L	20 Litre

**Contact Cleaner**

A multi-purpose, low risk electrical cleaner. Plastic-safe general-purpose evaporating cleaner and degreaser for use on sensitive electronic and electrical equipment.

Part No.	Size:
VSCCX/C12A05L	500 ml

**Multi Enviro Degreaser**

A concentrated water based degreaser. Removes oil and grease from car, truck, boat, tractor and lawnmower engines. Thousands of uses for work & home. Suitable for removing oil and grease on concrete floors. Solvent free.

Part No.	Size:
VSED/C12A05L	500 ml
VSMED/P20L	20 Litre
VSMED/D200L	200 Litre

**Solvent Degreasers**

Removes heavy oils and greases from engines and machines. Cleans tar and asphalt from painted surfaces without harming the finish. Its slow evaporation rate allows longer working time.

**Solvent Degreaser MT**

Increased worker comfort due to a lower toxicity than regular solvent degreasers.

Part No.	Size:
VSSD/P20L	20 Litre
VSSDMT/D200L	200 Litre

**Solvent Degreaser**

Formulated for use in industry where heavy duty degreasing is required.

Part No.	Size:
VSSDMC/P20L	20 Litre

**Kerosene**

A multi-use product with good general purpose cleaning of heavily soiled mechanical equipment. Can be used as heating fluid.

Part No.	Size:
VSKER/P20L	20 Litre
VSKER/D200L	200 Litre

**Solvent Parts Wash**

Heavy duty, high strength solvent based parts wash for use in a parts wash bath or direct. Quickly removes oil, grease and grime from metals, most plastics and painted surfaces. A cost effective neat solution developed to outperform the usual mineral spirit based solvents.

Part No.	Size:
VSSPW/P20L	20 Litre

**Air Dry Parts Wash**

A solvent cleaner that is quick drying and residue free. Allows the fast removal of oil, grease, tar, wax, carbon and contaminants.

Part No.	Size:
VSADPW/P20L	20 Litre
VSADPW/D200L	200 Litre

**Ecoclean Range**

Highly refined hydrodesulfurised cleaning fluids. A lower odor product with least four times lower risk exposure than traditional hydrocarbon solvents. Can be used in Parts Wash baths, or applied directly to surfaces for cleaning of cutting fluids, greases, protective oils and other similar contaminants.

**Ecoclean is available in D40, D60 & D80.**

The number corresponds to the odour and drying time of the product.

The higher the number the less odour with a longer drying time. The lower the number the higher the odour with a shorter drying time.

Part No.	Size:
VSD40/P20L	Ecoclean D40 - 20 Litre
VSD40/D200L	Ecoclean D40 - 200 Litre
VSD60/P20L	Ecoclean D60 - 20 Litre
VSD60/D200L	Ecoclean D60 - 200 Litre
VSD80/P20L	Ecoclean D80 - 20 Litre
VSD80/D200L	Ecoclean D80 - 200 Litre

**Absorbents & Spill Kits Available!**

Talk to your local branch to find out more.



## CLEAN - CRC



### Brakleen 600g

Heavy duty cleaner and degreaser for brake, clutch parts and general mechanical equipment formulated to quickly and safely dissolve and flush away grease, oil, other contaminants. Part No. CRC5089

### Brakleen Blaster 600ml

Same great Brakleen product in a higher-pressure aerosol. Part No. CRC5087

### Brakleen Fast Dry

A powerful, fast drying, non-chlorinated solvent blend with superior cleaning and degreasing properties that minimise down-time.

Part No.	Size:
CRC5083	600ml
CRC5092	20 Litre

### Brakleen NF (Non-Flammable) 550g

A powerful, heavy duty cleaner and degreaser for brake, clutch parts and general mechanical equipment. Ideal for use where a non-flammable parts cleaner is required. Part No. CRC5082

### Brakleen NC (Non-Chlorinated) 525ml

A powerful, heavy duty cleaner and degreaser for brake, clutch parts and general mechanical equipment. Part No. CRC5084

### Brakleen WB (Water Based) 500g

Safe on the user and the environment; pH neutral, non-corrosive, solvent free, non-flammable, rust inhibitor, non-toxic, biodegradable. A powerful, heavy duty cleaner and degreaser it is ideal for brake and clutch parts and general mechanical equipment. It has a long soak period, allowing for an increased working time. Part No. CRC1751843



### Aeroclean 500ml

A concentrated jet of cleaning solution that dissolves and removes oil and grease from engines and equipment. It leaves a detergent on the surface which emulsifies the remaining contaminants when flushed with water. Part No. CRC5070



### CO Contact Cleaner 500ml

General-purpose plastic-safe evaporating cleaner and degreaser for use on sensitive electronic and electrical equipment. It is formulated to quickly penetrate into hard-to-reach areas and effectively flush away carbon deposits, dirt, light oils, dust, lint and other light contaminants. Part No. CRC2016



### Teroson Pump Spray Bottle 1L

Ideal for use with Brake Cleaner products. Part No. 150037



### Lectra Clean 400gm

A non-flammable heavy-duty evaporating cleaner and degreaser for use on electric motors and other heavy-duty electrical and mechanical equipment. Fast-acting solvent blend effectively removes wax, grease, oil, dirt, moisture and foreign matter. May be harmful to some plastics.

Part No. CRC2018



### Peel Off Label Remover 400ml

Uses the natural power of d-Limonene to soak through paper labels and release adhesive backings. Residue can be easily removed with a wet cloth. CRC Peel Off can also be used to clean off cured adhesive and to remove industrial ink from machinery.

Part No. CRC3352



### Gasket Stripper 300gm

A powerful formulation that quickly and easily removes tough bonded gaskets, adhesives and sealants regardless of age or adhesive resistance. It also removes dried oil, grease, paint, enamel, urethane, varnish & carbon build up. Safe for use on aluminium, steel and brass.

Part No. CRC5021



### Strip Off Paint Stripper 550ml

Fast acting aerosol stripper which removes paint and varnish from most types of surfaces including paint brushes.

Part No. CRC5115



### EXOFF Degreaser

pH neutral - safe on surfaces, users and the environment. Formulated to penetrate and dissolve tough grease, oil and contaminants for easy removal.

Use on all metals & alloys, fibreglass, glass, plastics, rubber, painted surfaces, & laminates.

Part No.	Description:
CRC3410	EXOFF Degreaser Cleaner - 750ml
CRC3412	EXOFF Degreaser Cleaner - 5L
CRC3413	EXOFF Degreaser Cleaner - 20L



### CRC Smart Washer

- Non-hazardous
- Non-flammable
- pH neutral
- Non-toxic
- Biomediating
- Cost effective

Talk to one of our sales team for more information

## LUBE - VERTEX

**Multi Lube 7n1 HD**

A heavy duty multi-purpose penetrating and lubricating product. Use to lubricate, penetrate, clean, protect... A multi tool in a can.

Part No.	Size:
VSML7N1/C12A05L	500 ml
VSML7N1/P20L	20 Litre

**Multi Enviro Lube**

A multi-purpose light penetrating and lubricating product with very low toxicity which is good for the user and the environment without comprising on quality.

Part No.	Size:
VSME/L/C12A05L	500 ml
VSME/L/P20L	20 Litre

**Industrial Chain Lube**

A very high grade industrial chain lubricant that penetrates before flashing off leaving behind highly viscous and tacky oil based lubricant. Especially suitable for all large scale chains and hoists (forklifts).

Part No.	Size:
VSHTCL/C12A05L	500 ml

**Moto Chain Lube** 500ml

A very high performance chain lubricant. Specifically designed for lubricating driving chains (all motorcycles). Very resistant to fling off and helps to reduce wear and friction to increase chain life.

Part No. VSMOCL/C12B04L

**Wire Rope Lube**

Special lubricant that provides additional protection to open gear and wire rope systems. Manufactured with synthetic oils, rust inhibitors & selected EP additives.

Part No.	Size:
VSWRL/C12A05L	500 ml
VGWRL/P20KG	20 kg

**Air Tool Oil** 1 Litre

A light oil designed to increase the life of your air tools.

Part No. VIAT32/C18B1L

## LUBE - INOX

**MX-3 INOX Lubricant**

Inox MX-3 is a fantastic lubricating & penetrating product that will not dry out, wash off or gum up. It is safe to use on all metals, plastic, neoprene, fiberglass and door locks.

Part No.	Size:
MX3-375	375ml
4212I	5 Litre
4215I	20 Litre

**MX-4 Lanox Lanolin Lubricant** 300 gm

A non-toxic, Food Grade Approved Lanolin grease. ANOX-mx4 Grease is waterproof, non-conductive and safe to use on all surfaces.

Part No. 4031

**MX-5 Inox Plus Lubricant** 300 ml

The original Inox base formula with the addition of PTFE for a very long lasting lubrication film. Extreme pressure food grade lubricant in a can.

Part No. MX5-300

**MX-6 INOX Grease**

A fully synthetic grease EP2 with PTFE, which is food grade quality. An extremely high temperature range. Very effective as a rubber grease.

Part No.	Size:
MX6-30BP	30 gm
MX6R-250	250 gm

**MX-9 No Chuckka Chain Lube** 300 ml

A superior grade, high speed, extreme pressure chain lube formulated with special tackifiers, coagulants, anti-corrosion and water proofing compounds to make it stay on the chain.

Part No. MX9-300



## LUBE - CRC



### 556 Multipurpose

A service spray lubricant that penetrates, lubricates, and prevents corrosion. It's the original toolkit in a can.

Part No.	Size:
CRC1751837	420 ml
CRC5009	20 Litre

### 556 Industrial 420ml

A high-performance variant of CRC 5-56 fortified with PTFE for additional lubricating performance and is non-flammable making it safe for use in industrial applications. Part No. CRC1751842

### 556 Marine

A multi-purpose lubricant designed to prevent damage due to water and salt atmosphere in marine engines and boating equipment.

Part No.	Size:
CRC1751839	420 ml
CRC1751848	4 Litre

### 556 Low Oder 420ml

A high-performance variant of CRC 5-56 fortified with PTFE for additional lubricating performance and is non-flammable making it safe for use in industrial applications. Part No. CRC1751840

### 556 Electrical 420ml

A high-performance variant of CRC 5-56 fortified with PTFE for additional lubricating performance and is non-flammable making it safe for use in industrial applications. Part No. CRC1751841



### 808 Silicone

A multi-purpose silicone spray for general lubrication. It leaves a thin, clear, odourless film that lubricates, waterproofs and revives without damaging treated surfaces or leaving marks or stains. It provides ongoing protection over a wide range of temperatures and pressures.

Part No.	Size:
CRC3055	500 ml
CRC3056	4 Litre



### Penetr8

Industrial strength, low viscosity lubricant and penetrant designed to quickly loosen and free seized, bound or frozen fasteners. CRC Penetr8 quickly permeates rust, scale, gum, grease and corrosion with a low surface tension liquid penetrant formula.

Part No.	Size:
CRC5500	210 ml
CRC5501	500ml



### Penetr8 Freeze Off 400 ml

Industrial strength, low viscosity, rust penetrating lubricant with a unique freezing effect designed to loosen and free seized, bound or frozen fasteners quicker and more effectively than conventional penetrants. Part No. CRC5503



### Multilube Gel

A unique synthetic penetrating no drip gel specifically formulated to provide a clean, odourless lubricant for high-pressure and high-temperature applications. It is ideally suited for highly loaded reciprocal moving parts and for general use in heavy industries and workshops.

Part No.	Size:
CRC5018	210 ml
CRC5014	500 ml



### Syntex 400ml

A synthetic multipurpose lubricant suited to both heavy and light commercial use, as well as around the home and garage. The blend of synthetic lubricating fluids forms film that is effective within an extreme high temperature range. It outperforms traditional lubricating oils and will not wash off or dry out. Part No. CRC3035



### Dry Glide 150gm

PTFE is a technically advanced multi-purpose dry film lubricant that cures to a non-staining micro thin film. It penetrates and bonds to metal, wood, rubber, glass and most other surfaces and provides long lasting lubrication where conventional wet film lubricants are difficult to apply or retain.

Part No. CRC3040



### Chain and Wire Lube 400ml

Effective lubrication and protection of chain and wire driven equipment. The low viscosity oil dispenses as foam to provide outstanding penetration and creeps deep between wire strands, chain links, pins, rollers and sprockets. As the foam subsides, it leaves a lubricating wet oily film. Resists wash off and lengthens chain and sprocket life.

Part No. CRC3360



### Belt Dressing 350g

CRC Belt Dressing minimises squeals in automotive belts. It forms a non-drying, water-resistant film, extending belt life by reducing tension, slipping, and dirt build-up. Belts stay pliable without glazing or hardening, reducing squeaking noise. Suitable for: Multi-ribbed, Alternator, steering belts and other accessory belts. Part No. CRC1753472



### Belt Grip 400ml

A belt dressing ideal for industrial applications, it adheres strongly to any commonly used belt material and forms a tacky, non drying, water resistant film that extends belt life by improving traction and reducing belt tension, slipping and dirt build-up.

Part No. CRC3081



## GREASE - VERTEX



Range available in 400g, 500g, 2.5kg, 20kg and 180kg.



### Super Moly-5 EP2 (Black)

Low friction lithium complex moly grease. It's high quality paraffinic and polybutene base stocks, combined with the inclusion of ultra-low micron 5% MoS2 additive pack, makes this a premium grease in the range.

Part No. VGSM5/

### Super Moly-5 EP00

Low friction lithium complex moly grease. It's high quality paraffinic and polybutene base stocks, combined with the inclusion of ultra-low micron 5% MoS2 additive pack, makes this a premium grease in the range.

Part No. VSSM500/

### Blue Tack Grease EP2

A superior multi-purpose grease possessing excellent lubrication characteristics for a wide range of anti-friction and plain bearings, gears and couplings in automotive, agricultural and industrial application.

Part No. VGBTEP2/

### Red Tack Grease EP2

A high quality product with excellent lubrication characteristics for the range of anti-friction and plain bearings, gears and couplings in automotive, marine, agricultural and industrial applications. Resistant "SQUEEZE OUT" from surfaces requiring lubrication under load such as pins on tractors & loaders.

Part No. VGRTEP2/

### Multi Tack Grease EP2 (Green)

A multipurpose grease, formulated for lubrication of loaded slides, roller-bearings, wheel bearings, universal joints, chassis, and various shock loaded or vibrating applications in transport, agriculture and off-road vehicles.

Part No. VGMTEP2/

### Calcium Sulfonate MP2

A multi-purpose extreme pressure grease, formulated for the lubrication of all kinds of industrial, marine and off shore applications, operating under the most severe conditions. Suitable as EP multi-purpose grease, in "off road" applications where water is in frequent contact with the grease.

Part No. VGCALSM2/

### Lithium EP0

Exceptional resistance to thermal stress, enhanced antirust and anticorrosion powers, outstanding behaviour under mechanical stresses (shearing, kneading, centrifuging). Ideal for centralized greasing systems.

Part No. VGLITH0/

### Lithium EP00

Exceptional resistance to thermal stress, enhanced antirust and anticorrosion powers, outstanding behaviour under mechanical stresses (shearing, kneading, centrifuging). Ideal for centralized greasing systems.

Part No. VGLITH00/

### Never Melt

A functional multi-use NLGI 2 lubricating grease. It is recommended for bearing application where temperatures are very high.

Part No. VGNEVM/

### Rubber Grease

A speciality lubricant manufactured for use in assembly and other applications. It's special bentone thickener and additives work to protect rubber parts. Its performance is complemented by a PTFE additive package. It has a very high temperature range.

Part No. VGRRUB/

### Petroleum Jelly

Provides lubrication where inert greases are needed.

Part No. VGPETJ/

### Copper Anti-Seize

A superior Bentone (clay) based grease with high performance Copper additives. It is designed for use during assembly to prevent galling, corrosion and seizing due to weathering or chemicals. Suitable for use up to 900°C.

Part No. VGCOPAS/

Available in aerosol - Part No. VSCOPAS/C12A05L

### Nickel Anti-Seize

A premium product compounded from fine particles of nickel and aluminum in a heat resistant Bentone base. For use where very different metals are used together such as brass and steel or where high alloy steel such as stainless are involved. Suitable for use up to 1300°C.

Part No. VGNICAS/

Available in aerosol - Part No. VSNICAS/C12A05L





## GREASE - CRC



### Silicone Grease 75ml Tube

Non-curing silicone grease designed for sealing, lubricating, and waterproofing o-rings and other rubber and plastic parts. It is resistant to oil, water and chemicals and with a temperature range of -40°C to +200°C it will not harden, freeze, dry or melt. Part No. CRC3036



### Copper Anti-Seize

General purpose anti-seize lubricant that prevents seizing and galling caused by high temps, heavy loads, vibration & corrosion. Safe for use on both ferrous & non-ferrous metals, protects up to 982°C.

Part No.	Size:
CRC3145	75 ml
CRC3183	500 ml
CRC3195	400 ml



### Nickel Anti-Seize

Nickel-based formulation for all metals, especially stainless steel. It is free of copper, lead, sulphides and chlorides. Protects metal-to-metal applications from seizing and galling caused by high temps, heavy loads, vibration, chemicals and corrosion. It is safe for use with most chemicals that are unstable with copper. Protects parts up to 1315°C.

Part No.	Size:
CRC3193	500 ml
CRC3197	400 ml Aerosol



### Anti-Seize Engine Assembly Lube 10 oz

Provides protection from scoring, galling and seizing on all types of engines during the installation and assembly of parts as well as the critical 5 to 10 second period of initial engine start-up and break-in. Part No. CRC3331



### TAC 2 400 ml

An exceptional general purpose lubricant with tough adhesive qualities. Resistant to fling-off at high speed and high temperatures, CRC TAC 2 is ideal for lubrication and protection of gears, sprockets, chains and sliding parts in industrial applications. Part No. CRC5035



### White Lithium Grease 400 ml

High-purity white lithium-based grease with an advanced additive package for long lasting lubrication, excellent water and heat resistance, corrosion protection, and film strength. Ideal for hard-to-reach areas due to aerosol application. Part No. CRC5037



### Food Grade White Chain & Drive Lube 400ml

Extreme pressure lubricant formulated with PTFE for heavy-duty lubrication of chains, pins and sprockets. The high viscosity lubricant with excellent adhesive properties forms a tough film that remains in place during extreme wear without risking contamination of food and other clean environments. Part No. CRC3100

# WORKSHOP CHEMICALS - COVER

## COVER - VERTEX



### Ground Marker 400 ml

High grade concentrated spray containing high purity pigments. Available in multiple colours. Can be used on concrete, dirt, grass, metal etc. Upside Down Spray Aerosol can that fits most Line Marking Trolleys.

Part No.	Colour:
VPUNBGM/C12A04L	UN Blue
VPWWGM/C12A04L	Waterproof White
VPRGM/C12A04L	Fluro Red
VPFPGM/C12A04L	Fluro Pink
VPFGBM/C12A04L	Fluro Green
VPFYGM/C12A04L	Fluro Yellow



### Log Marker 400 ml

An all-season formula for marking trees and logs. Ideal for hardwood or softwood - even heavy bark. Special resin and pigment package provides long term durability and resistance to weathering from sunlight or moisture.

Part No.	Colour:
VPUNBLM/C12A04L	UN Blue
VPWWLM/C12A04L	Waterproof White
VPFRLM/C12A04L	Fluro Red
VPFPLM/C12A04L	Fluro Pink
VPFYLm/C12A04L	Fluro Yellow
VPGLM/C12A04L	Green
VPBLM/C12A04L	Black



### Zinc Coat 400 ml

A high grade corrosion protection spray containing highest purity 99% zinc content. Exceptional rust protection, fast drying and long lasting. Part No. VSZC/C12A04L



## COVER - CRC PAINT

**Zinc It** 350 gm

A weld through single component zinc-rich compound with 95% highest purity zinc for bare steel or iron surfaces. The quick-drying, tough coating is resistant to salt corrosion, water and heat. Matt finish. Part No. CRC2085

**Bright Zinc** 400 ml

Superior rust inhibiting properties of zinc with a tough but flexible resin coating for heavy-duty protection and a bright finish of new galvanising. A quick-drying highly-protective coating on bare steel or iron, with more than 50% highest purity zinc in the dried film. Gloss finish. Part No. CRC2087

**CRC Zinc** 400 ml

Superior rust inhibiting properties of zinc with a tough but flexible enamel coating and a coloured satin finish in recognised safety colours. Resists undercutting and blistering from corrosion by forming an effective corrosion barrier.

Part No.	Colour:
CRC2089	Black
CRC2090	White
CRC2100	Red
CRC2098	Yellow
CRC2097	Blue
CRC2096	Green
CRC2101	Orange

**CRC Metal Armour**

Zinc Rich Primer and Sealer. Contains 85% zinc in dry film. Bonds directly to bare metal or most surfaces, including painted surfaces. Ready to paint or leave uncoated. Ideal for interior and external applications. Long term corrosion protection – up to 68 months.

Part No.	Size:
CRC1754703	350 gm aerosol
CRC1754729	1 Litre

**CRC Rust Converter**

A unique fast drying coating formulated for treatment of lightly rusted or correctly prepared metal surfaces. Neutralises rust and converts it to a tough black primer in one easy step.

Part No.	Size:
CRC14610	425 gm aerosol
CRC18418	1 Litre

**CRC Paint It** 400 ml

A quick-drying enamel paint with a superb finish for general use. It provides excellent coverage and dries to a durable tough petrol-resistant coating to protect metal and other surfaces. It requires no primer when applied to clean rust-free steel. If priming or surface preparation is necessary use CRC Prep It for aluminium or iron substrates prime with CRC Etch It.



Part No.	Colour:
CRC3380	White Gloss
CRC5111	Black It Gloss
CRC5110	Black It Matt
CRC5112	Black It Satin
CRC3376	Silver
CRC3370	Bright Red
CRC3374	Ocean Blue
CRC3375	Machinery Grey
CRC3373	Forest Green
CRC3371	Safety Orange
CRC3372	Golden Yellow
CRC2114	Prep It
CRC2110	Etch It

**CRC Paint Marker Pens**

CRC Paint Marker Pen uses solvent based paint formula for durable marking on multiple surfaces in all weather conditions. It shows excellent coverage and is an ideal product for every toolbox.

Part No.	Colour:
CRC20365	Black
CRC20380	Green
CRC20395	White
CRC20375	Gold
CRC20369	Blue
CRC20392	Silver
CRC20400	Yellow
CRC20384	Orange
CRC20388	Red

## COVER - CRC PROTECT

**Soft Seal**

Provides a dry transparent, amber waxy film for heavy protection of parts that will not wash or wipe off even in severe conditions. It is a premium heavy-duty, long-term, indoor/outdoor corrosion inhibitor for machined metal surfaces and assemblies subjected to long periods of storage or adverse shipping conditions.

Part No.	Size:
CRC3013	395 gm Aerosol
CRC3014	4 Litre

**Lanocote**

An environmentally friendly product which exhibits superior corrosion protection and anti-seize properties. It offers outstanding, long-lasting protection in harsh conditions without compromising treated materials or harming the environment. Forms a highly effective moisture barrier on surfaces, stays flexible and does not dry out or wash off.

Part No.	Size:
CRC3020	500ml Aerosol
CRC3222	500ml Grease

**EvapoRust**

Non-toxic, non-caustic & non-corrosive rust removal fluid. Powerful heavy-duty formula for even the toughest rust. Reusable with long lasting efficacy. No fumes or bad odours, non-flammable, no VOCs. Will not harm unrusted steel, safe on other metals. Will not affect plastic, PVC, Viton and non-oxide-based paints. The spray gel is designed to cling on to larger parts that can't be soaked in the fluid.

Part No.	Size:
CRC1753336	Evapo Rust Spray Gel 500g
CRCEVR1	Evapo Rust 1L
CRCEVR5	Evapo Rust 5L



## CARE - VERTEX



### Glass Cleaner

High performance foaming cleaner for glass and other surfaces. Ensures crystal clear, streak free non static finish.

Part No.	Size:
VSGC/C12A05L	500 ml Aerosol



### Cockpit Cleaner

This product cleans and cares for all interior surfaces, leaving a clean streak free finish. Water-based and silicone-free. Not designed for fabric applications.

Part No.	Size:
VSCPC/C12A05L	500 ml Aerosol
VSCPC/P20L	20 Litre



### Tyre Shine

High performance silicon emulsion designed to shine and protect. Unique formula provides superior long lasting shine and UV protection.

Part No.	Size:
VSTS/C12A05L	500 ml Aerosol
VSTS/P20L	20 Litre



### Windscreen Wash 20 Litre

Non streak cleaner for windscreens of all types of vehicles and machinery. Ensures crystal clear non static finish. Add to the washer bottle and top up with water.

Part No. VSWW/P20L



### Transwash Bio HD

a Biodegradable foaming cleaner for use on all machinery, vehicle and plant exteriors. Free rinsing which ensures a streak free finish. Can be used through a water blaster or manual application.

Part No.	Size:
VSTWHD/P20L	20 Litre
VSTW/D200L	200 Litre

## FOAM WASHING GUN

- Cleaning your truck is easy with a foam washing gun!
- This foam gun is perfect for applying truck wash cleaning products to your vehicle's exterior, engine bay, wheels or underbody. Simply connect to the end of a pressure washer or hose, fill with your selected cleaning products and you're good to go.
- Part No. CA2200



## CARE - CHEMTECH



### CT-18 Superwash

The trades No 1 concentrated cleaning gel. Removes the toughest grease, grime, oil & soot for a streak free finish. Spray, foam or sponge on. Biodegradable and safe to use on any surface.

Part No.	Size:
CT18-1L	1 Litre
CT18-5L	5 Litre
CT18-20L	20 Litre
CT18-200L	200 Litre



### CT-20 Wash 'N' Wax

Cleans, protects & shines in one easy step. Concentrated, biodegradable, free-rinsing. Spray, foam or sponge on. Leaves a lasting protective sheen.

Part No.	Size:
CT20-1L	1 Litre
CT20-5L	5 Litre
CT20-20L	20 Litre
CT20-200L	200 Litre

Ask about our range of Vikan Brushware



### Shield Interior Protectant

Shield is a protective and conditioning coating specifically formulated to freshen & protect all types of plastic, vinyl and rubber surfaces in the interior of your car while leaving a vanilla fragrance.

Part No.	Size:
SPV-500M	500 ml Trigger Pack
SPV-5L	5 Litre
SPV-20L	20 Litre





## CARE - CRC

**Wash and Wax** 1 Litre

A specially designed 'two in one' formula which combines a high quality cleaner with a protective wax to leave your car in the best possible condition. Streak free, ultra shine finish. Part No. CRC9011

**Tough Wash** 1 Litre

An advanced heavy duty formula that provides exceptional cleaning that removes the toughest dirt and grime safely from all paint surfaces.

Part No. CRC9021

**Liquid Armour**

Restores and protects a number of surfaces including vinyl, wood, plastic, rubber, fibreglass, chrome, dashboards and wood. It forms a long lasting, non-greasy protective barrier on and under the surface, guarding against cracking, dulling, fading and UV damage.

Part No.	Size:
CRC5023	250 ml
CRC5022	500 ml
CRC5024	4 Litre

**Liquid Armour Low Sheen**

Great low sheen natural look, Anti-Glare.

Part No.	Size:
CRC5025	250 ml
CRC5026	500 ml

**Glass Cleaner**

Professional formula quickly and easily removes tough dirt and grime including grease, finger prints, bugs and smoke haze. It leaves glass sparkling and free from streaks and smears.

Part No.	Size:
CRC3070	500 ml Aerosol
CRC3071	500 ml Trigger Bottle

**Carpet & Upholstery** 400 ml

Cleans & deodorises a variety of surfaces in your car, boat & home. The unique formulation will remove even the toughest stains, while the deodorant eliminates odours. Part No. CRC9304

**Leather Cleaner & Conditioner** 300 ml

3 in 1 formulation that safely cleans, moisturises and protects leather surfaces in one easy step. The gentle cleansers safely deep clean the leather lifting dirt, stains and spills, while the rich conditioning agents and natural oils moisturize the leather for a beautiful natural look. Part No. CRC9306

**Wet Look** 500 ml

Durable, ultra-high gloss, wet look shine for tyres, mudflaps and bumpers. Quick and easy - simply spray on and let the unique formula produce an intense, long lasting wet look shine. No rinsing, wiping or rubbing required. Part No. CRC5047

**Tyre Black**

Revives tyres, black rubber, car mats and mud flaps. One application restores your tyres appearance to a shiny deep rich colour, while the water resistant polymers keep tyres looking like new for longer.

Part No.	Size:
CRC9102	500 ml
CRC9103	4 Litre

**Mag Wheel Cleaner** 500 ml

A powerful non-acid formula that is suitable for cleaning most wheel types including original factory applied clear coats. Fast acting foaming action penetrates, dissolves and lifts off dirt, grease, tar, road grime & brake dust. Part No. CRC9302

**Bug and Tar Remover** 700 ml

Removes stubborn bugs, road tar, tree sap and bird residue from vehicle exteriors. Simply spray the effected area, leave for 5 minutes and wipe with a clean cloth. Part No. CRC9019

**RE-PO Cream Polish** 250gm

Improves appearance and provides protection for new and well kept vehicles with paintwork in good condition. Made from premium grade silicone fluids & Carnauba wax. Part No. CRC9070

**Re-Po Extra Cut Cream Polish** 250gm

Heavy duty cutting cream that safely restores a deep, rich gloss to dull, faded or heavily weathered paintwork. Part No. CRC9060

**CRC Nu-Vu Washer Cleaner** 60 ml

Removes insects, road film, dirt & grime from windscreens, reduces headlight glare and prevents webbing and fogging. Part No. NV1

## CARE - SPECIALTY METAL / CHROME POLISHES

**Autosol Metal Polish**

Protects and polishes all bright metal surfaces including chrome, aluminium, stainless steel, copper and brass. Its abrasive cleaning properties make it ideal for use on heavily weathered and corroded surfaces. Removes rust and oxidation without excessive abrasion - perfect for chrome and nickel plated parts. Suitable for fibreglass and plastics.



Part No.	Size:
AUTOSOL	75 ml Tube
AUTOSOL1	1 kg Can

**Peek Polish**

Cleans polishes and protects all metals, fibreglass and ceramics. Non abrasive - big advantage over other products. MAF Approved for use in food manufacturing.



Part No.	Size:
33002	100 ml Tube
33003	1 Litre Can



## CRC / ADOS ADHESIVES, SEALANTS & GASKETS



### GLUES



#### ADOS Multi-Purpose Spray Adhesive 575 ml

Multi purpose spray adhesive bonds most materials quickly & easily, with a lasting bond. Gives a fast tack off, low soak spray & dries clear. Pt No. CRC8017

#### ADOS F2 Contact Adhesive

High performance general purpose contact adhesive. It is water resistant and flexible and its high bond strength makes it ideal for a range of uses.

Part No.	Size:
CRC8002	75 ml
CRC8009	500 ml
CRC8010	1 Litre

#### Ultra High Strength Aerosol Adhesive 550 ml

Ultra high strength contact adhesive gives an immediate and permanent bond on a wide variety of surfaces. It is formulated to give low soak, cure fast, dry clear and be non-staining. Part No. CRC8180

#### ADOS 121 Repair Anything 500 ml

Epoxy polymer with glass fibres integrated into the hardener, makes use easy. Benefit of traditional fibre glassing with none of the disadvantages. Easy 1:1 mixing, strong & flexible, bridges gaps, waterproofs and can be applied in the wet to almost any surface including polystyrene. Part No. CRC4420

### ADHESIVE SEALANTS



#### ADOS MS Sealant

A high performance, one-component neutral curing adhesive sealant based on MS Polymers. It has excellent primerless adhesion to all materials. It is ideal where silicone sealants are not suitable.

Part No.	Description:	Size:
CRC8364	ADOS MS Sealant - Grey	400 g
CRC8361	ADOS MS Sealant - White	400 g
CRC8363	ADOS MS Sealant - Black	400 g
CRC8362	ADOS MS Sealant - Clear	300 g

#### ADOS HS-E

High Strength Elastomeric Adhesive is a one component structural adhesive with MS Technology. It has excellent adhesion and very strong bond to building materials, metals and plastics making it ideal for applications in the construction, building, engineering, automotive and marine industries.

Part No.	Colour:	Size:
CRC8385	Black	400 g
CRC8386	Grey	400 g
CRC8387	White	400 g

#### ADOS Maniseal 145 g

Sodium silicate based sealer for mufflers & tailpipes that resists high temperatures. Expands & sets when heated, ensuring a perfect seal against carbon monoxide & other noxious fumes. Part No. CRC5061

### RTV



#### RTV Silicone - Pressurised Tube

Silicone Pressurised Tubes are designed for a wide range of sealing, bonding, protecting and waterproofing applications. The CRC Select-a-Bead™ nozzle allows for easy control of bead width, pressurized system allowing for smooth, uniform dispensing from start to finish.

Part No.	Colour:	Size:
CRC14072	Black	184 g
CRC14059	Red	184 g



#### RTV Silicone - Tube

##### RTV Neutral Cure 310 g

A single component general purpose, fast curing, room temperature vulcanising silicone. Specially formulated for use with most materials, flexible weatherproof seal.

Part No.	Description:	Size:
CRC8360	ADOS RTV Neutral Cure	310 g
CRC8367	ADOS RTV Black Neutral Cure	310 g



##### Red RTV Gasket 340 300 g

A single component general purpose, fast curing, room temperature vulcanising silicone. Specially formulated for use with most materials, flexible weatherproof seal.

Part No.	Description:	Size:
CRC5078	Red RTV Gasket 340	300 g
CRC8629	Red RTV Gasket 340	85 g



##### Red RTV Gasket 260 300 g

RTV Gasket 260 is formulated for heavy duty, high temperature applications with a continuous service temperature of up to 260°C.

Part No. CRC8380



##### Grey RTV Gasket Sensor Safe

RTV Gasket Sensor Safe is formulated for high torque applications (predominantly Japanese designs) and has an intermittent service temperature of up to 330°C.

Part No.	Description:	Size:
CRC5079	Grey RTV Gasket Sensor Safe	300 g
CRC8637	Grey RTV Gasket Sensor Safe	85 g



##### RTV Acetic Cure Silicone 300 g

RTV Acetic Cure Silicone is a single component, fast curing, room temperature vulcanising silicone designed for glazing applications, general sealing and waterproofing. Translucent.

Part No. CRC8365

## LOCTITE ADHESIVES, SEALANTS &amp; GASKETS

## THREAD SEALANT



**Thread Sealants** seal and secure plugs, pipes, and fittings. They can fill spaces between threaded metal parts, later hardening to prevent and stop leakages.

Part No.	Description:	Size:
56747	567 - Controlled Strength - High Temp	50 ml
56706	567 - Controlled Strength - High Temp	6 ml
57750	577 - Medium Strength - High Pressure	50 ml
56950	569 - Low Strength - Fast Cure - Hydraulic	50 ml
37127	561 - Low Strength - Semi Solid Stick	19 g

## RETAINING COMPOUND



**Retaining Compound** are anaerobic adhesives that can secure bearings, bushes and cylindrical parts into housings or onto shafts. They achieve maximum load transmission capability and uniform stress distribution, as well as eliminating fretting corrosion. Applied as a liquid, they form a 100% contact between mating metal surfaces, eliminating the need for expensive replacement parts, time consuming machining or the use of mechanical methods. They fill the inner space between components and cure to form a strong assembly.

Part No.	Description:	Size:
68050	680 - High Strength - Fast Cure	50 ml
62050	620 - High Strength - High Temperature	50 ml
66040L	660 - High Strength - Large Gap	50 ml
66010	660 - High Strength - Large Gap	6 ml
60950	609 - Medium / High Strength	50 ml
60920	609 - Medium / High Strength	10 ml

## ADHESIVE / GLUE



**401 - Instant Adhesive Medium Viscosity** 25ml  
General Purpose (Super Glue). Part No. 40124-25



**406 - Instant Adhesive Low Viscosity** 25 ml  
Rubber and plastic (Super Glue). Part No. 40633-25



**EA 3801- 5 min Epoxy – Dual Syringe** 25 ml  
Loctite 5 Minute Epoxy glue is a two part, fast curing, free flowing, clear epoxy adhesive system developed to bond rigid materials including glass, plastic, ceramics, metals, concrete and marble.

Part No. 168330

**5-Minute Instant Epoxy** 14 ml

When mixed in equal volumes, the resin & hardener react to produce a tough, rigid, high strength bond which starts to set in 5 minutes and reaches handling strength in 1 hour. The static mix nozzle delivers a uniform mixture of resin and hardener every time.

Part No. 1162941

GASKET MAKER / RTV SILICONE **LOCTITE**

**515 – Gasket Maker – Flexible**

For machined metal flanges. Medium strength. 30 min fixture time. Typically used as a form-in-place product for pumps, thermostats, compressors, transmission housings and axle covers. For gaps up to 0.25 mm.

Part No.	Description:	Size:
51531	Gasket Maker Flexible	50 ml
265605	Gasket Maker Flexible	300 gm



**518 – Gasket Maker – Medium Strength**

Medium-strength, general purpose gasketing product. Ideal for use on casted iron, steel and aluminum flanges. Fills gaps up to 0.25mm.

Part No.	Description:	Size:
51827	518 - Gasket Maker Med.	25 ml
51850	518 - Gasket Maker Med.	50 ml
51845	518 - Gasket Maker Med.	300 gm



**510 - Gasket Maker - High Temp - Chemical Resistant** 50 ml

Anaerobic sealant which cures when confined in the absence of air between close-fitting metal surfaces. Typical applications include sealing rigid flange faces on transmissions and motor casings. For gaps up to 0.25 mm. Part No. 51031



**High Flex Gasket Maker – Flexible** 50 ml

Anaerobic sealant which cures when confined in the absence of air between close-fitting metal surfaces. Typical applications include sealing rigid flange faces on transmissions and motor casings. For gaps up to 0.25 mm. Part No. 38657



**MR 5923 - Gasket Sealant #3 – Aviation** 473ml

Low-viscosity, flange sealing or dressing pre-cut compression gaskets. Typical applications for engine and gearbox, for sealing/dressing flanges with old and new pre-cut compression gaskets. Pt No. 30516



**Black MAXX – Silicone** 95 g

For metal flanges with permanent oil contact, low odour, non corrosive, specially suited for filling large gaps, sensor safe. Part No. 39145



**Grey MAXX - Silicone**

For metal flanges with permanent water / glycol contact, non corrosive, specially suited for filling large gaps, sensor safe.

Part No.	Description:	Size:
34238	Grey MAXX - Silicone	95 g
18581	Grey MAXX - Silicone	300 ml





## LOCTITE ADHESIVES, SEALANTS & GASKETS



### THREAD LOCKER

## LOCTITE THREADLOCKING

Using a thread locking product has many advantages over other mechanical solutions such as locking nut or split washers which can loosen under vibration, thermal expansion and/or improper torque.

Loctite Thread-Locking products fill the voids between the interfacing threads, which makes the assembly an unitized component, prevents any movement between threads, and ultimately prevents loosening.

Because of the filling action of Loctite Thread Locker, it also acts as a thread sealant and lubricant keeping corrosion out and making dismantling easier when required.

Loctite will have the product for your unique application. This is simply because a M5 bolt holding a small bracket has a different threadlocking requirement to a suspension bolt on a heavy vehicle.



#### Benefits of Loctite Threadlockers ...

- Lock nuts and bolts against vibration and thermal expansion
- Seal against corrosion and leakage
- Reduce inventory costs
- Suitable for all shapes and sizes of fasteners
- Act as a thread lubricant
- Maintain critical adjustments of the assembly
- No on-torque adjustments needed
- High chemical resistance

#### Loctite Application Grades are Colour-Coded ...

Loctite threadlockers are available in many grades to satisfy a wide range of applications. To make grade selection easy, the grades are now color-coded to help you identify one threadlocker from the other ....



#### LOW STRENGTH THREADLOCKERS

- Removable with hand tools
- Adjustment screws
- Calibration screws
- Meters and gauges
- Up to M6

Pt No.	Desc:	Size:
22250	222	50 ml
22220	222	10 ml



#### MEDIUM STRENGTH THREADLOCKERS

- Removable with hand tools
- Machine tools and presses
- Pumps and compressors
- Mounting bolts
- Gear boxes
- Up to M20

Pt No.	Desc:	Size:
24350L	243	50 ml
24310	243	10 ml
37773	248 - Stick	19 g



#### HIGH STRENGTH THREADLOCKERS

- Permanent assembly
- Heavy eqpt / Susp bolts
- Motor and pump mounts
- Bearing cap bolts and studs
- Up to M27 and larger dias

Pt No.	Desc:	Size:
26250	263	50 ml
26220	263	10 ml
27750	263 - Chem. Res.	50 ml
37775	268 - Stick	19 g



#### PENETRATING THREADLOCKERS

- Removable with heat and hand tools
- Preassembled fasteners
- Instrumentation screws
- Electrical connectors
- Carburetors
- Up to M14

Pt No.	Desc:	Size:
29020	290	10 ml
29050	290	50 ml

## DRILLING, TAPPING AND REAMING FLUID

**Rocol RTD**

Viscous fluid containing extreme pressure additives for use in reaming, tapping, drilling and other metal cutting operations. Suitable for all metals including hardened steels, titanium's, significantly reducing friction giving superb cutting performance.

Part No.	Size:
Y550171	500ml
Y550182	5L
Y552132	300gm Aerosol

**CRC CDT**

Superior neat cutting, drilling tapping, and reaming lubricants, formulated for hand and machine cutting on all types of metal. They significantly reduce friction and wear, increase cutting speeds, protect, and extend tool life, and ensure consistent, high quality surface finish.

Part No.	Size:
CRC3062	500ml Paste
CRC3063	400gm Aerosol
CRC3064	500ml
CRC3068	5L

**CRC Trefolex 500 ml**

Cutting Compound is an active cutting compound paste that does not run off or evaporate. It melts slowly as frictional heat is generated and provides continuous lubrication throughout low speed cutting operations. It significantly increases tool life and thread quality. Part No. CRC3060

## FLAW FINDING/WELD

**Rocol Flaw Finder Kit**

Non-Destructive Crack Detection System. Kit contains a cleaner, Dye Penetrant and developer.

Part No.	Size:
Y642543	Kit (3 part)
Y642572	Developer 300g

**CRC Weld Anti Spatter**

An advanced technology lubricant formulated with a blend of release agents to prevent welding spatter from permanently adhering to surrounding metal surfaces. It quickly forms an efficient heat-resistant coating and eliminates the need to chisel or grind spatter after welding.

Part No. CRC3358

## METALWORKING FLUIDS

## CUTTING FLUIDS

**Vertex Solu-Cut 3000**

Chlorine free macro emulsion metal working fluid for copper alloys and mild steels. Designed especially for routine machining of non-ferrous metals and high-grade carbon steels. Use at 2-5%.

Part No.	Size:
VISOLCUT3/C6B5L	5 Litre
VISOLCUT3/P20L	20 Litre
VISOLCUT3/D200L	200 Litre

**Vertex Solu-Cut 7000**

Heavy duty chlorine free macro emulsion metal working fluid. Specially designed for the lubrication of difficult and extremely difficult machining operations of ferrous and non-ferrous metals: cast iron, hard steels, alloy steels, stainless steels, aluminium and alloys. Use at 6-9%.

Part No.	Size:
VISOLCUT7/P20L	20 Litre
VISOLCUT7/D208L	208 Litre

**Vertex Neat Cut 3000**

A light-coloured chlorine containing multipurpose cutting lubricant. Suitable for use on ferrous and nonferrous materials. Designed for use in a variety of multipurpose applications. Supplied ready for use.

Part No.	Size:
VINTCUT3/C6B5L	5 Litre
VINTCUT3/P20L	20 Litre
VINTCUT3/D200L	200 Litre

**Vertex Slideway**

Specially designed for the lubrication of machine tool slides, tables and feed mechanisms. It features highly refined mineral oils and special zinc free additives to enhance the crucial property of adhesion and reduce stick-slip.

Part No.	Viscosity:	Size:
VISLID22/P20L	22	20 Litre
VISLID68/P20L	68	20 Litre
VISLID220/P20L	220	20 Litre

Available in viscosity 22, 32, 46, 100, 150, & 220  
Other pack sizes available.

