

# **Safety Data Sheet**

569 THREAD SEALANT

Page 1 of 12

SDS No.: 150775

V001.2

Revision: 30.01.2024 printing date: 10.05.2024

## SECTION 1 IDENTIFICATION OF THE MATERIAL AND SUPPLIER

**Product name:** 569 THREAD SEALANT

Intended use: Anaerobic Sealant

Supplier:

Henkel New Zealand Ltd

2 Allens Rd Auckland, 2013 New Zealand

Phone: +64 (9) 272-6710

**Emergency Telephone for Chemical Accidents:** 

24 HOUR EMERGENCY CONTACT NUMBER 0800 243 622

## SECTION 2 HAZARDS IDENTIFICATION

#### Classification of the substance or mixture

Classified as hazardous under the New Zealand Hazardous Substances and New Organisms Act (HSNO). Not Classified as Dangerous Goods according to NZS 5433: 2012 and the Land Transport Rule: Dangerous Goods 2005.

#### **GHS Classification:**

<u>Hazard Class</u> <u>Hazard Category</u> <u>Target organ</u>

Serious eye irritation Category 2A
Target Organ Systemic Toxicant - Category 3

Single exposure

respiratory tract irritation

Hazard pictogram:



Signal word: Warning

V001.2 569 THREAD SEALANT

**Hazard statement(s):** H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

**Precautionary Statement(s):** 

**Prevention:** P261 Avoid breathing mist/vapours.

P264 Wash hands thoroughly after handling. P271 Use only outdoors or in a well-ventilated area.

P280 Wear eye protection/face protection.

**Response:** P304+P340+P312 IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing. Call a POISON CENTER or physician if you feel unwell. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/attention.

**Storage:** P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

**Disposal:** P501 Dispose of contents/container to an appropriate treatment and disposal facility in

accordance with applicable laws and regulations.

## SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS

**General chemical description:** Mixture

Methacrylates

**Type of preparation:** Anaerobic Sealant

**Identity of ingredients:** 

Chemical ingredients	CAS-No.	Proportion
α, α-dimethylbenzyl hydroperoxide	80-15-9	1-< 3 %
N,N-Diethyl-p-toluidine	613-48-9	0.1-< 1 %
N,N-dimethyl-o-toluidine	609-72-3	0.1-< 1 %
isobutyl methacrylate	97-86-9	0.1-< 1 %
n-butyl methacrylate	97-88-1	0.1-< 1 %
methacrylic acid	79-41-4	0.1-< 1 %
non hazardous ingredients~		60- <= 100 %

## SECTION 4 FIRST AID MEASURES

**Ingestion:** Rinse mouth, do not induce vomiting, consult a doctor.

**Skin:** Rinse with running water and soap.

Remove contaminated clothing and footwear. If skin irritation persists, call a physician.

Eyes: Rinse immediately with plenty of running water (for 10 minutes). Seek medical attention if

necessary.

**Inhalation:** Move to fresh air. If symptoms persist, seek medical advice.

First Aid facilities: Eye wash

Normal washroom facilities

## **SECTION 5. FIRE FIGHTING MEASURES**

Suitable extinguishing media: Carbon dioxide, foam, powder

SDS No.: 150775 Page 3 of 12 569 THREAD SEALANT

V001.2

**Decomposition products in case of** Oxides of carbon.

fire:

Irritating fumes.

Particular danger in case of fire:

See section 10.

Special protective equipment for

fire-fighters:

Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear.

#### **SECTION 6.** ACCIDENTAL RELEASE MEASURES

Personal precautions: Avoid skin and eye contact.

Ensure adequate ventilation.

People who are not part of the emergency service should stay away.

**Environmental precautions:** Do not let product enter drains.

Follow all local, state, federal and provincial regulations for disposal.

Clean-up methods: For small spills wipe up with paper towel and place in container for disposal.

For large spills absorb onto inert absorbent material and place in sealed container for

disposal.

#### **SECTION 7.** HANDLING AND STORAGE

Precautions for safe handling: Use only in well-ventilated areas.

Store in original containers at 8-21°C (46.4-69.8°F) and do not return residual materials to Conditions for safe storage:

containers as contamination may reduce the shelf life of the bulk product.

#### **SECTION 8.** EXPOSURE CONTROLS / PERSONAL PROTECTION

#### Workplace exposure standards:

	form of exposure	TWA (ppm)	TWA (mg/m3)	Ceiling	STEL (ppm)	STEL (mg/m3)
METHACRYLIC ACID		20	70	-	-	-
79-41-4						

#### **Biological Exposure Indices:**

None

**Engineering controls:** Ensure good ventilation/suction at the workplace.

Eye protection: Safety goggles or safety glasses with side shields.

Skin protection: Use impermeable gloves and protective clothing as necessary to prevent skin contact.

Neoprene gloves.

Butyl rubber gloves.

Natural rubber gloves.

**Respiratory protection:** If inhalation risk exists, wear a respirator or air supplied mask complying with the

requirements of AS/NZS 1715 and AS/NZS 1716.

V001.2

#### **SECTION 9.** PHYSICAL AND CHEMICAL PROPERTIES

Appearance: brown liquid

mild Odor:

pH: Not applicable, Product is non-polar/aprotic.

**Melting point / freezing point:** Not applicable, Product is a liquid

Specific gravity:

**Boiling point:**  $> 150 \, ^{\circ}\text{C} \, (> 302 \, ^{\circ}\text{F})$ 

Flash point: > 100 °C (> 212 °F)156 °C (312.8 °F)

(Tagliabue closed cup) (Cleveland open cup)

Vapor pressure: < 0.13 mbar

(; 20 °C (68 °F))

Vapor density: > 1

Density: 1.049 g/cm3 **Auto ignition:** Not available.

**Decomposition temperature:** 

#### STABILITY AND REACTIVITY **SECTION 10.**

Conditions to avoid: Excessive heat.

**Incompatible materials:** Reacts with strong oxidants.

**Hazardous decomposition** 

products:

Carbon dioxide, carbon monoxide and irritating and/or toxic gases and particulate may be

generated by thermal decomposition or combustion.

## SECTION 11 TOXICOLOGICAL INFORMATION

V001.2

**Health Effects:** 

Ingestion: Ingestion may cause stomach ache and vomiting.

Skin:

Eyes:

May cause skin irritation.
Contact with eyes will cause irritation.
This product is irritating to the respiratory system. Inhalation:

Aggravated med. condition:

Eye, skin, and respiratory disorders.

## Acute toxicity:

Hazardous components	Value	Value	Route of	Exposure	Species	Method
CAS-No.	type		application	time		
α, α-dimethylbenzyl	LD50	382 mg/kg	oral		rat	other guideline:
hydroperoxide	LC50	1.370 mg/l	inhalation	4 h	rat	not specified
80-15-9	Acute	1,100 mg/kg	dermal			Expert judgement
	toxicity					
	estimate					
	(ATE)					
N,N-Diethyl-p-toluidine	Acute	100 mg/kg	oral			Expert judgement
613-48-9	toxicity	3 mg/l	inhalation			Expert judgement
	estimate	300 mg/kg	dermal			Expert judgement
	(ATE)					
	Acute					
	toxicity					
	estimate					
	(ATE)					
	Acute					
	toxicity					
	estimate					
	(ATE)					
isobutyl methacrylate	LD50	9,590 mg/kg	oral		rat	not specified
97-86-9	LD50	> 17,760 mg/kg			guinea pig	not specified
			dermal			
n-butyl methacrylate	LD50	> 2,000 mg/kg	oral		rat	OECD Guideline 401 (Acute
97-88-1	LC50	29 mg/l	inhalation	4 h	rat	Oral Toxicity)
	LD50	> 2,000 mg/kg	dermal		rabbit	OECD Guideline 403 (Acute
						Inhalation Toxicity)
						OECD Guideline 402 (Acute
						Dermal Toxicity)
methacrylic acid	LD50	1,320 mg/kg	oral		rat	equivalent or similar to OECD
79-41-4	LC50	> 3.6  mg/l	inhalation	4 h	rat	Guideline 401 (Acute Oral
	Acute	3.61 mg/l	inhalation			Toxicity)
	toxicity	500 - 1,000	dermal		rabbit	OECD Guideline 403 (Acute
	estimate	mg/kg	dermal			Inhalation Toxicity)
	(ATE)	500 mg/kg				Expert judgement
	LD50					Dermal Toxicity Screening
	Acute					Expert judgement
	toxicity					
	estimate					
	(ATE)					

### Skin corrosion/irritation:

Hazardous components CAS-No.	Result	Exposure time	Species	Method
α, α-dimethylbenzyl hydroperoxide 80-15-9	corrosive		rabbit	Draize Test
N,N-Diethyl-p-toluidine 613-48-9	irritating	4 h	rabbit	OECD Guideline 404 (Acute Dermal Irritation / Corrosion)
isobutyl methacrylate 97-86-9	irritating	24 h	rabbit	FDA Guideline
n-butyl methacrylate 97-88-1	moderately irritating	24 h	rabbit	not specified
methacrylic acid 79-41-4	corrosive	3 min	rabbit	OECD Guideline 404 (Acute Dermal Irritation / Corrosion)

Page 6 of 12 SDS No.: 150775 569 THREAD SEALANT

V001.2

# Serious eye damage/irritation:

Hazardous components CAS-No.	Result	Exposure time	Species	Method
isobutyl methacrylate 97-86-9	not irritating		rabbit	OECD Guideline 405 (Acute Eye Irritation / Corrosion)
n-butyl methacrylate 97-88-1	slightly irritating		rabbit	OECD Guideline 405 (Acute Eye Irritation / Corrosion)
methacrylic acid 79-41-4	corrosive		rabbit	Draize Test

# Respiratory or skin sensitization:

Hazardous components CAS-No.	Result	Test type	Species	Method
isobutyl methacrylate 97-86-9	sensitising	Mouse local lymphnod e assay (LLNA)	mouse	OECD Guideline 429 (Skin Sensitisation: Local Lymph Node Assay)
n-butyl methacrylate 97-88-1	sensitising	Guinea pig maximisat ion test	guinea pig	OECD Guideline 406 (Skin Sensitisation)
methacrylic acid 79-41-4	not sensitising	Buehler test	guinea pig	equivalent or similar to OECD Guideline 406 (Skin Sensitisation)

Page 7 of 12 SDS No.: 150775 569 THREAD SEALANT

# V001.2

# Germ cell mutagenicity:

Hazardous components CAS-No.	Result	Type of study / Route of administration	Metabolic activation / Exposure time	Species	Method
α, α-dimethylbenzyl hydroperoxide 80-15-9	positive	bacterial reverse mutation assay (e.g Ames test)	without		OECD Guideline 471 (Bacterial Reverse Mutation Assay)
α, α-dimethylbenzyl hydroperoxide 80-15-9	negative	dermal		mouse	not specified
isobutyl methacrylate 97-86-9	negative negative negative	bacterial reverse mutation assay (e.g Ames test) in vitro mammalian chromosome aberration test mammalian cell gene mutation assay	with and without with and without with and without		OECD Guideline 471 (Bacterial Reverse Mutation Assay) OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test) OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test)
isobutyl methacrylate 97-86-9	negative	oral: gavage		mouse	OECD Guideline 474 (Mammalian Erythrocyte Micronucleus Test)
n-butyl methacrylate 97-88-1	negative negative negative	bacterial reverse mutation assay (e.g Ames test) in vitro mammalian chromosome aberration test mammalian cell gene mutation assay	with and without with and without with and without		OECD Guideline 471 (Bacterial Reverse Mutation Assay) OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test) OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test)
n-butyl methacrylate 97-88-1	negative	intraperitoneal		mouse	OECD Guideline 474 (Mammalian Erythrocyte Micronucleus Test)
methacrylic acid 79-41-4	negative	bacterial reverse mutation assay (e.g Ames test)	with and without		equivalent or similar to OECD Guideline 471 (Bacterial Reverse Mutation Assay)
methacrylic acid 79-41-4	negative negative	inhalation oral: gavage		mouse mouse	equivalent or similar to OECD Guideline 478 (Genetic Toxicology: Rodent Dominant Lethal Test) equivalent or similar to OECD Guideline 474 (Mammalian Erythrocyte Micronucleus Test)

## Repeated dose toxicity:

Hazardous components CAS-No.	Result	Route of application	Exposure time / Frequency of treatment	Species	Method
α, α-dimethylbenzyl hydroperoxide 80-15-9		inhalation: aerosol	6 h/d5 d/w	rat	not specified
isobutyl methacrylate 97-86-9	NOAEL=120 mg/kg	oral: gavage	28 ddaily	rat	OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)
n-butyl methacrylate 97-88-1	NOAEL=120 mg/kg	oral: gavage	3 mdaily	rat	OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)
methacrylic acid 79-41-4		inhalation	90 d6 h/d, 5 d/w	rat	OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day)

Page 8 of 12 SDS No.: 150775 569 THREAD SEALANT

V001.2

#### **SECTION 12. ECOLOGICAL INFORMATION**

General ecological information:

Do not empty into drains / surface water / ground water.

Page 9 of 12

# 569 THREAD SEALANT

# **Ecotoxicity:**

# **Toxicity:**

Hazardous components CAS-No.	Value type	Value	Acute Toxicity Study	Exposure time	Species	Method
α, α-dimethylbenzyl hydroperoxide 80-15-9	LC50	3.9 mg/l	Fish	96 h	Oncorhynchus mykiss	OECD Guideline 203 (Fish, Acute
α, α-dimethylbenzyl hydroperoxide 80-15-9	EC50	18.84 mg/l	Daphnia	48 h	Daphnia magna	Toxicity Test) OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
α, α-dimethylbenzyl hydroperoxide 80-15-9	EC50	3.1 mg/l	Algae	72 h	Desmodesmus subspicatus (reported as Scenedesmus subspicatus)	OECD Guideline 201 (Alga, Growth Inhibition Test)
α, α-dimethylbenzyl hydroperoxide 80-15-9	NOEC	1 mg/l	Algae	72 h	Desmodesmus subspicatus (reported as Scenedesmus subspicatus)	OECD Guideline 201 (Alga, Growth Inhibition Test)
α, α-dimethylbenzyl hydroperoxide 80-15-9	EC10	70 mg/l	Bacteria	30 min	not specified	not specified
N,N-Diethyl-p-toluidine 613-48-9	LC50	78.62 mg/l	Fish	96 h	Danio rerio	OECD Guideline 203 (Fish, Acute Toxicity Test)
N,N-Diethyl-p-toluidine 613-48-9	EC50	10.34 mg/l	Daphnia	48 h	Daphnia magna	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
N,N-Diethyl-p-toluidine 613-48-9	EC50	7.42 mg/l	Algae	72 h	Desmodesmus subspicatus	OECD Guideline 201 (Alga, Growth Inhibition Test)
N,N-Diethyl-p-toluidine 613-48-9	EC50	23.69 mg/l	Algae	72 h	Raphidocelis subcapitata (new name: Pseudokirchneriella subcapitata)	OECD Guideline 201 (Alga, Growth Inhibition Test)
N,N-dimethyl-o-toluidine 609-72-3	LC 50	46 mg/l	Fish	96 h	Fathead minnow (Pimephales promelas)	ŕ
isobutyl methacrylate 97-86-9	LC50	20 mg/l	Fish	96 h	Oncorhynchus mykiss	OECD Guideline 203 (Fish, Acute Toxicity Test)
isobutyl methacrylate 97-86-9	EC50	> 29 mg/l	Daphnia	48 h	Daphnia magna	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
isobutyl methacrylate 97-86-9	EC50	44 mg/l	Algae	72 h	Selenastrum capricornutum (new name: Pseudokirchneriella subcapitata)	OECD Guideline 201 (Alga, Growth Inhibition Test)
isobutyl methacrylate 97-86-9	NOEC	9.5 mg/l	Algae	72 h	Selenastrum capricornutum (new name: Pseudokirchneriella subcapitata)	OECD Guideline 201 (Alga, Growth Inhibition Test)
isobutyl methacrylate 97-86-9	EC0	> 281 mg/l	Bacteria	16 h		not specified
n-butyl methacrylate 97-88-1	LC50	11 mg/l	Fish	96 h	Pimephales promelas	OECD Guideline 203 (Fish, Acute Toxicity Test)
n-butyl methacrylate 97-88-1	EC50	32 mg/l	Daphnia	48 h	Daphnia magna	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
n-butyl methacrylate 97-88-1	EC50	31.2 mg/l	Algae	72 h	Selenastrum capricornutum (new name: Pseudokirchneriella subcapitata)	OECD Guideline
n-butyl methacrylate 97-88-1	NOEC	24.8 mg/l	Algae	72 h	Scenedesmus subspicatus (new name: Desmodesmus subspicatus)	OECD Guideline 201 (Alga, Growth Inhibition Test)
n-butyl methacrylate 97-88-1	EC0	31.7 mg/l	Bacteria	18 h	Pseudomonas putida	other guideline:
methacrylic acid 79-41-4	LC50	85 mg/l	Fish	96 h	Salmo gairdneri (new name: Oncorhynchus mykiss)	EPA OTS 797.1400 (Fish Acute

Page 10 of 12

SDS No.: 150775 V001.2

# 569 THREAD SEALANT

methacrylic acid 79-41-4	NOEC	10 mg/l	Fish	35 d	Danio rerio	Toxicity Test) OECD Guideline 210 (fish early lite
4 12 14	EG50	120 #	D 1 :	40.1	D 1 '	stage toxicity test)
methacrylic acid	EC50	> 130 mg/l	Daphnia	48 h	Daphnia magna	EPA OTS 797.1300
79-41-4						(Aquatic
						Invertebrate Acute
						Toxicity Test,
						Freshwater
			]			Daphnids)
methacrylic acid	NOEC	8.2 mg/l	Algae	72 h	Selenastrum capricornutum	OECD Guideline
79-41-4					(new name: Pseudokirchneriella	201 (Alga, Growth
					subcapitata)	Inhibition Test)
methacrylic acid	EC50	45 mg/l	Algae	72 h	Selenastrum capricornutum	OECD Guideline
79-41-4					(new name: Pseudokirchneriella	201 (Alga, Growth
					subcapitata)	Inhibition Test)
methacrylic acid	EC10	100 mg/l	Bacteria	17 h	Pseudomonas putida	DIN 38412, part 8
79-41-4		C			•	(Pseudomonas
						Zellvermehrungshe
						mm-Test)

# Persistence and degradability:

Hazardous components CAS-No.	Result	Route of application	Degradability	Method
α, α-dimethylbenzyl hydroperoxide 80-15-9	not readily biodegradable.	aerobic	3 %	OECD Guideline 301 B (Ready Biodegradability: CO2 Evolution Test)
N,N-Diethyl-p-toluidine 613-48-9	not readily biodegradable.	not specified	1 %	OECD Guideline 301 C (Ready Biodegradability: Modified MITI Test (I))
N,N-dimethyl-o-toluidine 609-72-3	not readily biodegradable.		1 %	other guideline:
isobutyl methacrylate 97-86-9	readily biodegradable	aerobic	74.3 %	OECD Guideline 301 D (Ready Biodegradability: Closed Bottle Test)
n-butyl methacrylate 97-88-1	readily biodegradable	aerobic	88 %	OECD Guideline 301 C (Ready Biodegradability: Modified MITI Test (I))
methacrylic acid 79-41-4	readily biodegradable	aerobic	86 %	OECD Guideline 301 D (Ready Biodegradability: Closed Bottle Test)
methacrylic acid 79-41-4	inherently biodegradable	aerobic	100 %	OECD Guideline 302 B (Inherent biodegradability: Zahn- Wellens/EMPA Test)

## **Bioaccumulative potential / Mobility in soil:**

Hazardous components	LogPow	Bioconcentration	Exposure	Species	Temperature	Method
CAS-No.	_	factor (BCF)	time		_	

SDS No.: 150775 Page 11 of 12 **569 THREAD SEALANT** 

V001.2

α, α-dimethylbenzyl		9.1	calc	culation		OECD Guideline 305
hydroperoxide						(Bioconcentration: Flow-
80-15-9						through Fish Test)
α, α-dimethylbenzyl	1.6				25 °C	OECD Guideline 117
hydroperoxide						(Partition Coefficient (n-
80-15-9						octanol / water), HPLC
						Method)
N,N-Diethyl-p-toluidine	3.7					QSAR (Quantitative
613-48-9						Structure Activity
						Relationship)
isobutyl methacrylate	2.95				20 °C	OECD Guideline 107
97-86-9						(Partition Coefficient (n-
						octanol / water), Shake
						Flask Method)
n-butyl methacrylate	2.99				20 °C	OECD Guideline 107
97-88-1						(Partition Coefficient (n-
						octanol / water), Shake
						Flask Method)
methacrylic acid	0.93				22 °C	OECD Guideline 107
79-41-4						(Partition Coefficient (n-
						octanol / water), Shake
						Flask Method)

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

Waste disposal of product: Dispose of in accordance with local and national regulations.

Disposal for uncleaned package: After use, tubes, cartons and bottles containing residual product should be disposed of as

chemically contaminated waste in an authorised legal land fill site or incinerated.

Disposal must be made according to official regulations.

#### **SECTION 14.** TRANSPORT INFORMATION

Marine transport IMDG:

Not dangerous goods

Air transport IATA:

Not dangerous goods

#### **SECTION 15.** REGULATORY INFORMATION

### New Zealand regulatory information:

Classified as hazardous under the New Zealand Hazardous Substances and New Organisms Act (HSNO).

**HSNO Approval Number:** Group standard HSR002670 SDS No.: 150775 Page 12 of 12 **569 THREAD SEALANT** 

V001.2

NZIoC: The hazardous components of this product are listed on the New Zealand Inventory of

#### **SECTION 16.** OTHER INFORMATION

Abbreviations/acronyms: IMDG: International Maritime Dangerous Goods code

chemicals (NZIoC).

IATA-DGR: International Air Transport Association – Dangerous Goods Regulations

Reason for issue: Reviewed SDS. Reissued with new date. involved chapters: 1-16

Date of previous issue: 28.05.2019

Disclaimer:

The percentage weight (% w/w) of ingredients is not to be taken as a specification guaranteed by Henkel New Zealand Limited, but only as an approximate guide to the content of hazardous ingredients in the material. The information contained herein does not constitute a guarantee by Henkel New Zealand Limited concerning the properties of

The information contained in this Safety Data Sheet is offered in good faith and has been developed from what is believed to be accurate and reliable sources. The information is offered without warranty, representation, inducement or licence and Henkel New Zealand Limited assumes no legal responsibility for reliance upon same. Henkel New Zealand Limited disclaims any liability for loss, injury or damage incurred in connection with the use of the material or its associated Safety Data Sheet.

This information is not to be construed as a representation that the material is suitable for any particular purpose or use except those conditions and warranties implied by Government statutes. Customers are encouraged to make their own enquiries as to the material's characteristics and, where appropriate, to conduct their own tests in the specific context of the material's intended use.

No warranty or representation of any kind is given with respect to the substantive or export laws of any other jurisdiction or country. Please confirm that the information provided herein conforms to the substantive export or other law of any other jurisdiction prior to export. Please contact Henkel Product Safety and Regulatory Affairs for additional assistance.