

SAFETY DATA SHEET

Section 1. Identification of the material and the supplier

Product: **AUTOSOL® Leather Cleaner**

Item Code:

Product Use: Detergent for aluminium surfaces.

Restriction of Use: Refer to Section 15

New Zealand Supplier: Hobeca Trading Co Ltd Address: 25 Andrew Baxter Drive

> Auckland, 2022 New Zealand

+64 9 249 0499 Telephone:

Emergency No: 0800 764 766 (National Poison Centre)

Manufacturer: CMS International Pty Ltd

1/1 Rowe Street

Harbond, NSW, Australia, 2096

+61 (02) 9905 8400 Telephone:

Date of SDS Preparation: 16 April 2025 v2

Section 2. **Hazards Identification**

This substance is hazardous according to the EPA Hazardous Substances (Classification) Notice 2020

EPA Approval No: Cleaning Products (Subsidiary) - HSR002530

Pictograms



Signal Word: Warning

GHS Classification and Category	Hazard Code	Hazard Statement
Eye irritation Cat. 2	H319	Causes serious eye irritation.

Prevention Code	Prevention Statement
P264	Wash hands thoroughly after handling.
P280	Wear protective clothing [as detailed in SDS Section 8].

Response Code	Response Statement
P305 +	IF IN EYES: Rinse cautiously with water for several minutes. Remove
P351+P338	contact lenses, if present and easy to do. Continue rinsing.
P337 + P313	If eye irritation persists: Get medical advice/attention.

Product Name: AUTOSOL® Leather Cleaner SDS Prepared by: Technical Compliance Consultants (NZ) Ltd

Date of SDS: 16 April 2025 Tel: 64 9 475 5240 www.techcomp.co.nz

Storage Code	Storage Statement
None allocated	

Disposal Code	Disposal Statement
P501	Triple rinse container before disposal or crush or puncture to prevent reuse.

Section 3. Composition / Information on Ingredients

Ingredients	Wt%	CAS NUMBER.
Aliphatic hydrocarbons	5-15	Proprietary
Soap	5-15	Proprietary
Nonionic surfactants	<5	Proprietary
Other non-hazardous ingredients	To bal	Proprietary

Section 4. First Aid Measures

Routes of Exposure:

If in Eyes Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get

medical advice.

If on Skin Rinse with soap and water. Seek medical attention if needed.

If Swallowed If product is swallowed or gets in mouth, do NOT induce vomiting; wash

mouth with water and give some water to drink. If symptoms develop, or

if in doubt contact a Poisons Information Centre or a doctor.

If Inhaled Remove person to fresh air. Remove contaminated clothing and loosen

remaining clothing. Allow person to assume most comfortable position and keep warm. Keep at rest until fully recovered. Get medical advice if

breathing becomes difficult.

Most important symptoms and effects, both acute and delayed Symptoms:

Swallowed: Significant oral exposure is considered to be unlikely. However, this

product may be irritating to mucous membranes but is unlikely to cause

anything more than transient discomfort.

Inhaled: Not applicable. Skin: Not applicable.

Eye: This product is an eye irritant. Symptoms may include stinging and

reddening of eyes and watering which may become copious. Other symptoms may also become evident. If exposure is brief, symptoms should disappear once exposure has ceased. However, lengthy exposure

or delayed treatment may cause permanent damage.

Section 5. Fire Fighting Measures

Hazard Type	Non Flammable. There is no risk of an explosion from this product under normal circumstances if it is involved in a fire.
Hazards from products	Fire decomposition products from this product may be toxic if inhaled. Take appropriate protective measures.
Suitable Extinguishing media	Suitable extinguishing media are carbon dioxide, dry chemical, foam, water fog.
Precautions for firefighters and special protective clothing	If a significant quantity of this product is involved in a fire, call the fire brigade.

Product Name: AUTOSOL® Leather Cleaner

Date of SDS: 16 April 2025

SDS Prepared by: Technical Compliance Consultants (NZ) Ltd
Tel: 64 9 475 5240 www.techcomp.co.nz

HAZCHEM CODE	None allocated.
--------------	-----------------

Section 6. **Accidental Release Measures**

This product is sold in small packages, and the accidental release from one of these is not usually a cause for concern. For minor spills, clean up, rinsing to sewer and put empty container in garbage. Although no special protective clothing is normally necessary because of occasional minor contact with this product, it is good practice to wear impermeable gloves when handling chemical products. In the event of a major spill, prevent spillage from entering drains or water courses and call emergency services.

Section 7. **Handling and Storage**

Precautions for Handling:

- Read label before use.
- Wash hands thoroughly after handling.
- Wear protective clothing as detailed in Section 8.

Precautions for Storage:

- Store away from incompatible materials listed in Section 10.
- Store packages of this product in a cool place.
- Make sure that containers of this product are kept tightly closed.

Section 8 Exposure Controls / Personal Protection

WORKPLACE EXPOSURE STANDARDS (provided for guidance only)

STEL **Substance** Cas No ppm mg/m³ ppm mg/m³

No ingredients have exposure limits

Workplace Exposure Standard - Time Weighted Average (WES-TWA). The time-weighted average exposure standard designed to protect the worker from the effects of long-term exposure. Workplace Exposure Standard - Short-Term Exposure Limit (WESSTEL). The 15-minute average exposure standard. Applies to any 15- Minute period in the working day and is designed to protect the worker against adverse effects of irritation, chronic or irreversible tissue change, or narcosis that may increase the likelihood of accidents. The WES-STEL is not an alternative to the WES-TWA: both the short-term and time-weighted average exposures apply. Workplace Exposure Standards and Biological Exposure Indices FEB 2025 15TH EDITION.

Engineering Controls

No special ventilation requirements are normally necessary for this product. However make sure that the work environment remains clean and that dusts are minimised.

Personal Protection Equipment:







Eyes	Protective glasses or goggles should be worn when this product is being used. Failure to protect your eyes may cause them harm. Emergency eye wash facilities are also recommended in an area close to where this product is being used.
Hands and Skin	The information at hand indicates that this product is not harmful and that normally no special skin protection is necessary. However, we suggest that you routinely avoid contact with all chemical products and that you wear suitable gloves (preferably elbow-length) when skin contact is likely.
Respiratory	If there is a significant chance that dusts are likely to build up in the area where this product is being used, we recommend that you use a suitable Dust Mask.
General	Eyebaths or eyewash stations should be provided near to where this product is being used.

Product Name: AUTOSOL® Leather Cleaner Date of SDS: 16 April 2025

SDS Prepared by: Technical Compliance Consultants (NZ) Ltd

Tel: 64 9 475 5240 www.techcomp.co.nz

Section 9 **Physical and Chemical Properties**

Appearance	Beige coloured paste.
Odour	Orange/citrus fragrance.
Odour Threshold	Not applicable
pH	6.2 (as supplied); 6.9 (1% solution).
Boiling Point	>100°C at 100kPa
Melting Point	Not applicable
Freezing Point	Not applicable
Flash Point	Not applicable
Flammability	Non Flammable
Upper and Lower	Not applicable
Exposure Limits	
Vapour Pressure	Not applicable
Vapour Density	Not applicable
Specific Gravity	0.96
Water Solubility	Partially soluble.
Partition Coefficient:	Not applicable
Auto-ignition	Not applicable
Temperature	
Decomposition	Not applicable
Temperature	
Viscosity	160-240mPa.s at 20°C
Particle Characteristics	Not applicable
% Volatiles	Not available

Section 10. Stability and Reactivity

Stability of Substance	Stable under recommended storage and handling conditions.
Conditions to Avoid	This product should be kept in a cool place, preferably below
	30°C. Keep containers tightly closed. Containers should be
	kept dry.
Incompatible Materials	None known.
Hazardous Decomposition	Combustion forms carbon dioxide, and if incomplete, carbon
Products	monoxide and smoke. Water is also formed. May form
	nitrogen and its compounds, and under some circumstances,
	oxides of nitrogen. Occasionally hydrogen cyanide gas in
	reducing atmospheres. Toxic pyrolysis products. Carbon
	monoxide poisoning produces headache, weakness, nausea,
	dizziness, confusion, dimness of vision, disturbance of
	judgment, and unconsciousness followed by coma and death.

Section 11 **Toxicological Information**

Acute Effects:

Swallowed	Not applicable.
Dermal	Not applicable.
Inhalation	Not applicable.
Eye	Causes eye irritation.
Skin	Not applicable.

Chronic Effects:

Carcinogenicity	Not applicable.	
Reproductive	Not applicable.	
Toxicity		

Product Name: AUTOSOL® Leather Cleaner SDS Prepared by: Technical Compliance Consultants (NZ) Ltd Date of SDS: 16 April 2025

Tel: 64 9 475 5240 www.techcomp.co.nz

Germ Cell	Not applicable.	
Mutagenicity		
Aspiration	Not applicable.	
STOT/SE	Not applicable.	
STOT/RE	Not applicable.	

Section 12. Ecotoxicological Information

This product is not hazardous to the environment.

Persistence and	This product is biodegradable	
degradability	Ready biodegradability: >98% in 2 days.	
	Surfactants in this product are readily biodegradable.	
	>99.9% OECD 303A;	
	95% in 21 days (modified OECD screening test)	
	>90% in 21 days (OECD 301D)	
Bioaccumulation	No data available	
Mobility in Soil	It will not accumulate in the soil or water or cause long term	
	problems.	
Other adverse effects	No data available	

Section 13. Disposal Considerations

Disposal Method: Dispose of small quantities and empty containers by wrapping with paper

and putting in garbage. For larger quantities, if recycling or reclaiming is

not possible, use a commercial waste disposal service.

Precautions: None known.

Section 14 Transport Information

This product is NOT classified as a Dangerous Good for transport in NZ; NZS 5433:2020

Section 15 Regulatory Information

EPA Approval No: Cleaning Products (Subsidiary) - HSR002530

HSW (HS) Regulations 2017 and EPA Notices	Trigger Quantity
Certified Handler	Not required
Location Certificate	Not required
Tracking Trigger Quantities	Not required
Signage Trigger Quantities	Not required
Emergency Response Plan	Not required
Secondary Containment	Not required
Restriction of Use	Only use for the intended purpose.

Section 16 Other Information

Glossary

EC₅₀ Median effective concentration. EEL Environmental Exposure Limit. EPA Environmental Protection Authority

HSNO Hazardous Substances and New Organisms.

HSW Health and Safety at Work.

LC₅₀ Lethal concentration that will kill 50% of the test organisms

inhaling or ingesting it.

LD₅₀ Lethal dose to kill 50% of test animals/organisms.

Product Name: AUTOSOL® Leather Cleaner
Date of SDS: 16 April 2025

SDS Prepared by: Technical Compliance Consultants (NZ) Ltd
Tel: 64 9 475 5240 www.techcomp.co.nz

LEL Lower explosive level.

OSHA American Occupational Safety and Health Administration.

TEL Tolerable Exposure Limit.

TLV Threshold Limit Value-an exposure limit set by responsible

authority.

UEL Upper Explosive Level WES Workplace Exposure Limit

References:

1. EPA Hazardous Substances (Safety Data Sheets) Notice 2017

- 2. Workplace Exposure Standards and Biological Exposure Indices FEB 2025 15TH edition.
- 3. Assigning a hazardous substance to a HSNO Approval (Aug 2013).
- 4. Transport of Dangerous goods on land NZS 5433:2020
- 5. HSW (Hazardous Substances) Regulations 2017

Disclaimer

This document has been prepared by TCC (NZ) Ltd and serves as the suppliers Safety Data Sheet ('SDS'). It is based on information concerning the product which has been provided to TCC (NZ) Ltd or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer. While TCC (NZ) have taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, TCC (NZ) Ltd accept no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS

The information herein is given in good faith, but no warranty, express or implied is made.

Please contact the New Zealand distributor, if further information is required.

Issue Date: 16 April 2025 Review Date: 16 April 2030

Product Name: AUTOSOL® Leather Cleaner
Date of SDS: 16 April 2025

SDS Prepared by: Technical Compliance Consultants (NZ) Ltd
Tel: 64 9 475 5240 www.techcomp.co.nz