



CRC Industries NZ
Auckland NZ

CRC Leak Stop Spray Seal

I. Product Description

CRC Leak Stop Spray Seal is easy to use and provides a waterproof seal to most hard surfaces. Bridging gaps and cracks, it offers a flexible, durable, long lasting solution to leaks. The 360° spray system allows the can to be used at any angle, ideal for hard to reach places.

Once fully cured CRC Leak Stop Spray Seal will be translucent. The longevity of this seal can be improved by coating with any paint finish.

For use on: Gutters, skylights, chimney connections, ventilation pipes, ducts, sheet-metal covers, bitumen, vents, flashings, monolithic and plastered surfaces, downpipes, and general waterproofing of hard surfaces (not recommended for use on fabrics).

II. Features & Benefits

- Translucent finish.
- 360° spray system allowing for use at any angle.
- Touch dry in 15-30min.

III. Application Directions

Read Entire Label Before Use

1. Remove dirt, debris, loose rust and any pooled water from surface to be sealed.
2. If required, mask surrounding areas to avoid over spray.
3. Shake can until agitator ball is moving freely and then for at least one further minute to ensure content is thoroughly mixed.
4. Spray 10-20 cm from surface, applying a smooth even coating.
5. Allow to dry for 15 min before applying subsequent coats, repeat this process until you have a thick seal. For wider gaps and cracks multiple applications will be necessary to achieve sufficient coverage.
6. When finished spraying, wipe nozzle clean. If clogging occurs, remove button, clean slot and orifice with wire and replace carefully.

Note: CRC Leak stop Spray Seal does not contain UV protection and will discolour over time. If this is not desirable we recommend overcoating with any protective paint system, such as CRC Paint It or CRC Coloured Zinc.

IV. Typical Properties and Characteristics

Character	Elastic
Colour	Colourless
Temperature Resistance	-25 °C to 100 °C
Chemical Base	Synthetic Rubber
Cure	By Evaporation
Propellant	Hydrocarbon

V. Package Description

Part Number Size

8498 Aerosol 350g

VI. Special Precautions

General:



CRC Leak Stop Spray Seal

CRC Industries NZ
Auckland NZ

Extremely flammable aerosol, highly flammable liquid and vapour. Keep away from naked flames, electrical appliances/lights, lighted cigarettes, etc. Do not spray on open flame or other ignition source. Use with adequate ventilation. Store in a cool, well-ventilated area. Do not eat, drink or smoke when using this product. Dispose of empty containers safely. All unused product should be disposed of in conformance with local and HSNO regulations, do not contaminate water supply.

Aerosol Cans:

Do not puncture, incinerate or store above 50°C. Exposure to high temperatures may cause can to burst. Do not place in direct sunlight or near any heat source. Aerosol cans will conduct electricity. Keep away from all live electrical sources including battery terminals, solenoids, electrical panels and other electronic components. Failure to observe this warning may result in serious injury from flash fire and/or electrical shock.

First Aid:

Swallowed – Avoid giving milk or oils or alcohol. Not considered a normal route of entry.

Skin – Flush skin and hair with running water (and soap if available). Remove any adhering solids with industrial skin cleansing cream. DO NOT use solvents. Seek medical attention in the event of irritation.

Eyes – Immediately hold the eyelids apart and flush the eye continuously for at least 15 minutes with fresh running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Transport to hospital or doctor without delay.

Inhaled – Remove to fresh air. Lay patient down. Keep warm and rested.

Refer to Material Safety Data Sheet for more details.



CRC Industries NZ
Auckland NZ

PRODUCT WARRANTY: CRC offers a conditional warranty of this product for the period of 2 years from the date of manufacture.

Technical Data Sheet

CRC Leak Stop Spray Seal

DISCLAIMER: All information on this data sheet is based on testing by CRC Industries NZ. All products should be tested for suitability on a particular application prior to actual use. CRC Industries makes no representations or warranties of any kind concerning this data.