

# SUN PROTECTION

# PROBLOC SUNSCREEN SPF50+

SAFETY DATA SHEET: SS75C-50 | SS125-50 | SS250-50 | SS500-50 | SS1-50 | SS25-50



## 1. SUBSTANCE/COMPANY NAME

**Product Name:** Probloc Sunscreen SPF50+

**Product Part Number:** SS75C-50 | SS125-50 | SS250-50 | SS500-50 | SS1-50 | SS25-50

**Manufacturer:** Paramount Safety Products

**Address:** 7 Sir Woolf Fisher Drive, Highbrook, East Tamaki, Auckland 2013

**Phone Number:** 09 265 2060

**Fax:** 09 523 9773

**Email:** nz@paramountsafety.co.nz

**Reference Numbers:** BL7500      SDS1002

**Issue Date:** 4/2/20      VERSION No: 1

**Synonyms:** None

**Product Use:** Sunscreen

**Supplier:** Confidential

**Emergency Phone No:** POISON INFORMATION CENTRE 13 11 26 NZ Poisons Centre 03 4747000 or 0800 764766 (24Hours)

**Important Notice:** This Safety Data Sheet is issued by the Supplier in accordance with WHS GHS guidelines. As such, the information in it must not be altered, deleted or added to. The Supplier will issue a new SDS when there is a change in product specifications &/or GHS guidelines/regulations.

The Supplier does not make or give any warranty or guarantee whatsoever with respect to the information, and by using the information the user undertakes not to hold the Supplier liable or responsible in any way whatsoever in relation or consequential to such use.

Although care has been taken in compiling the information, the Supplier hereby expressly disclaims any liability whatsoever in respect of any negligent misstatement forming part of the information.

## 2. HAZARDS IDENTIFICATION

**Statement of Hazardous Nature:** Classified as a NON HAZARDOUS CHEMICAL according to the WHS (Workplace Health & Safety) GHS (Globally Harmonised System) Guidelines

**Statement of Dangerous Goods:** Not a Dangerous good according to the Australian Dangerous Goods (ADG) Code

**Ghs Element:** Not Applicable

**Signal Word:** Not Applicable

**Hazard Statements:** Not Applicable

**Precautionary Statements:** Prevention: Not Applicable  
Response: Not Applicable  
Storage: Not Applicable  
Disposal: Not Applicable

## 3. COMPOSITION OF INGREDIENTS

| CHEMICAL NAME                     | CAS NO     | PROPORTION | RISK |
|-----------------------------------|------------|------------|------|
| Octocrylene                       | 6197-30-4  | < 10%      |      |
| 4-Methylbenzylidene Camphor       | 36861-47-9 | < 10%      |      |
| Butyl Methoxydibenzoylmethane     | 70356-09-1 | < 10%      |      |
| Phenylbenzimidazole Sulfonic Acid | 27503-81-7 | < 10%      |      |
| Benzophenone - 3                  | 131-57-7   | < 10%      |      |
| Phenoxyethanol                    | 122-99-6   | < 10%      |      |
| Caprylyl Glycol                   | 1117-86-8  | < 10%      |      |
| Triethanolamine                   | 102-71-6   | < 10%      |      |
| All Other Ingredients             |            | > 60%      |      |

**AUSTRALIA:**  
1800 770 723

**ADELAIDE:**  
(613) 9764 9900  
SA@PARAMOUNTSAFETY.COM.AU

**MELBOURNE:**  
(613) 9764 9900  
VIC@PARAMOUNTSAFETY.COM.AU

**SYDNEY:**  
(612) 9601 3877  
NSW@PARAMOUNTSAFETY.COM.AU

**NEW ZEALAND:**  
0800 770 723  
NZ@PARAMOUNTSAFETY.CO.NZ

**BRISBANE:**  
(617) 3806 2699  
QLD@PARAMOUNTSAFETY.COM.AU

**PERTH:**  
(618) 9301 7888  
WA@PARAMOUNTSAFETY.COM.AU

**PROCHOICESAFETYGEAR.COM**



# SUN PROTECTION

# PROBLOC SUNSCREEN SPF50+

SAFETY DATA SHEET: SS75C-50 | SS125-50 | SS250-50 | SS500-50 | SS1-50 | SS25-50



## 4. FIRST AID MEASURES

### FIRST AID

|                       |  |
|-----------------------|--|
| Swallowed:            | Do not induce vomiting. Give plenty of water and seek medical advice.  |
| Eye:                  | Flush eye with copious amounts of water for 15 minutes including under eyelid. If discomfort persists, obtain medical advice.  |
| Skin:                 | Remove contaminated clothing. Wash affected area with warm soapy water.  |
| Inhaled:              | Remove to fresh uncontaminated air, lay patient on back until breathing returns to normal.   |
| Contact Point:        | Victorian Poisons Information Centre Ph: 13 11 26.<br>New Zealand Ph: 0800 764 766 or a doctor at once.  |
| Advice To Doctor:     | Treat systematically. Note the nature of this product.   |
| <b>HEALTH EFFECTS</b> |  |
| Acute - Swallowed:    | May be harmful if large amounts are swallowed. Low hazard for usual industrial handling.   |
| Acute - Eye:          | Full strength material may be irritating to eyes.  |
| Acute - Skin:         | Not considered an irritant through normal use. Full strength material in repeated or prolonged contact with skin may be irritating and cause allergic reaction in sensitive individuals. |
| Acute - Inhaled:      | Full strength material should not cause any irritation to the mucous membrane and upper airways.   |
| Chronic:              | This material is not listed as a carcinogen by NTB, IARC OR OSHA.  |

## 5. FIRE FIGHTING MEASURES

|                                |   |
|--------------------------------|---|
| Flash Point:                   | > 70°C (closed cup)   |
| Extinguishing Media:           | Suitable extinguishing agents are Water, Dry Chemical, CO <sub>2</sub> , BCF or Alcohol Stable Foam.  |
| Fire Fighting:                 | Alert fire brigade, giving location and nature of hazard. Wear protective clothing. Prevent spillage from entering into drains or water course.   |
| Fire / Explosion Hazard:       | Liquid & vapour are flammable. Moderate fire hazard when exposed to heat or flame. Vapour may travel considerable distance to source of ignition.   |
| Fire Incompatibility:          | Avoid contamination with oxidizing agents as ignition may result.   |
| Hazchem:                       | None.   |
| Personal Protective Equipment: | Industrial spectacles and PVC gloves should be worn whilst manufacturing product. Adequate respiratory protection is provided by wearing an approved cartridge or canister respirator suitable for organic vapours. |
| Contact Point:                 | Dial 000 Emergency in case of fire (in Australia) or Local Emergency Authority (Out of Australia).  |

## 6. ACCIDENTAL RELEASE MEASURES

|                       |  |
|-----------------------|--|
| Emergency Procedures: | Not Applicable.  |
| Minor Spills:         | Slippery when spilt. Wipe with absorbent cloth. Flush area with water.   |
| Major Spills:         | If possible contain the spill. Use clean tools to collect the material and place into suitable labeled containers. Do not dilute material but contain. Mop up remaining material and place in same container. If large quantities of this material enter the waterways, contact the Environmental Protection Authority, or local Waste Management Authority. |

## 7. HANDLING AND STORAGE

|                               |   |
|-------------------------------|---|
| Procedure For Handling:       | None required when handling small quantities. Avoid contact with eyes. Good personal hygiene practices should be used ie. Wash hands after contact. Otherwise wear protective clothing. |
| Suitable Packaging Materials: | Packing as supplied by manufacturer. Check containers are clearly labelled and free from leaks.   |
| Special Procedures:           | Avoid strong bases, oxidizing agents, acids, acid chlorides, acid anhydrides and chlorformates.   |
| Storage:                      | Below 30°C if in original containers. Store in a cool dry place in airtight container. Store away from incompatible materials.  |

## 8. EXPOSURE CONTROL/PERSONAL PROTECTION

|                            |   |
|----------------------------|---|
| EXPOSURE CONTROLS:         | None established.   |
| EMERGENCY EXPOSURE LIMITS: | No exposure limits have been established for this material/product by Worksafe Australia. However, as a matter of course keep out of eyes. Do not ingest. |
| PERSONAL PROTECTION:       | No special equipment for minor exposure when handling small quantities. Otherwise use appropriate clothing, gloves and safety glasses.                    |

**AUSTRALIA:**  
1800 770 723

**ADELAIDE:**  
(613) 9764 9900  
SA@PARAMOUNTSAFETY.COM.AU

**MELBOURNE:**  
(613) 9764 9900  
VIC@PARAMOUNTSAFETY.COM.AU

**SYDNEY:**  
(612) 9601 3877  
NSW@PARAMOUNTSAFETY.COM.AU

**NEW ZEALAND:**  
0800 770 723  
NZ@PARAMOUNTSAFETY.CO.NZ

**BRISBANE:**  
(617) 3806 2699  
QLD@PARAMOUNTSAFETY.COM.AU

**PERTH:**  
(618) 9301 7888  
WA@PARAMOUNTSAFETY.COM.AU

**PROCHOICESAFETYGEAR.COM**



# SUN PROTECTION

# PROBLOC SUNSCREEN SPF50+

SAFETY DATA SHEET: SS75C-50 | SS125-50 | SS250-50 | SS500-50 | SS1-50 | SS25-50



## 9. PHYSICAL AND CHEMICAL PROPERTIES

|                                |                              |
|--------------------------------|------------------------------|
| Physical State:                | A white to off white lotion. |
| Specific Gravity:              | 0.98 - 1.00 g/ml.            |
| Solubility:                    | Soluble in water.            |
| Boiling Point / Melting Point: | Not Applicable.              |
| Vapour Pressure:               | Not Applicable.              |
| Flammability Limits:           | Non Flammable.               |
| Other Properties:              | Not Applicable.              |

## 10. STABILITY AND REACTION

|   |   |
|---|---|
| Conditions Contributing To Instability: | Product is stable under normal conditions. Avoid exposure to heat and direct sunlight. Hazardous polymerization will not occur. |
|---|---|

## 11. TOXICOLOGICAL INFORMATION

|                      |   |
|----------------------|---|
| Toxicology Tests:    | No toxicity data available for this material/product. |
| Carcinogenic Effect: | None established.                                     |

## 12. ECOLOGICAL INFORMATION

No environmental effects. Prevent this material from entering waterways, drains or sewers. Avoid pollution to soil.

## 13. DISPOSAL CONSIDERATION

Disposal of this material should be undertaken by a licensed Waste Disposal Contractor. Dispose of by burial in a land fill specifically licensed to accept chemical wastes.

## 14. TRANSPORT INFORMATION

|                                |                |   |                |
|--------------------------------|----------------|---|----------------|
| <b>TRANSPORTATION</b>          |                | Labels Required: NA.  |                |
|                                |                | Not classified as dangerous for transport according to the Australian Dangerous Goods Code (ADG) for transport by road & rail. No special transport required. |                |
| U/N Number                     |                | Not Applicable  |                |
| Proper Shipping Name           |                | Not Applicable  |                |
| Subsidiary Risk                |                | Not Applicable  |                |
| Packaging Group                |                | Not Applicable  |                |
| HAZCHEM Code                   |                | Not Applicable  |                |
| Special Provision              |                | Not Applicable  |                |
| <b>MARITIME TRANSPORTATION</b> |                | <b>AIR TRANSPORTATION</b>   |                |
| IMCD                           |                | IATA Dangerous Goods Regulation (DGR) 56th Edition 2015   |                |
| IMCD                           | Not Applicable | ICAO/IATA Class   | Not Applicable |
| Label                          | Not Applicable | Label   | Not Applicable |
| U/N Number                     | Not Applicable | U/N Number  | Not Applicable |
| Packaging Group                | Not Applicable | Packaging Group   | Not Applicable |
| EMS Number                     | Not Applicable |   |                |
| Marine Pollutant               | Not Applicable |   |                |
| Proper Shipping Name           | Not Applicable | Proper Shipping Name  | Not Applicable |
| Special Provisions             | Not Applicable | Special Provisions  | Not Applicable |

**AUSTRALIA:**  
1800 770 723

**ADELAIDE:**  
(613) 9764 9900  
SA@PARAMOUNTSAFETY.COM.AU

**MELBOURNE:**  
(613) 9764 9900  
VIC@PARAMOUNTSAFETY.COM.AU

**SYDNEY:**  
(612) 9601 3877  
NSW@PARAMOUNTSAFETY.COM.AU

**NEW ZEALAND:**  
0800 770 723  
NZ@PARAMOUNTSAFETY.CO.NZ

**BRISBANE:**  
(617) 3806 2699  
QLD@PARAMOUNTSAFETY.COM.AU

**PERTH:**  
(618) 9301 7888  
WA@PARAMOUNTSAFETY.COM.AU

**PROCHOICESAFETYGEAR.COM**



# SUN PROTECTION

# PROBLOC SUNSCREEN SPF50+

SAFETY DATA SHEET: SS75C-50 | SS125-50 | SS250-50 | SS500-50 | SS1-50 | SS25-50



## 15. REGULATORY INFORMATION

**Poisons Schedule:** Not subject to labelling.  
**AICS:** All ingredients in this product are compliant with NICNAS regulations.

---

## 16. OTHER INFORMATION

**AICS:** Australian Inventory of Chemical Substances.

The information contained herein is based on the present state of our knowledge and does not therefore guarantee certain properties. Since the conditions of handling and use are beyond our control, we make no guarantee of results and assume no liability for damage incurred by use of this material. It is the responsibility of the user to comply with all applicable laws and regulations.

---

END OF SDS

**AUSTRALIA:**  
1800 770 723

**ADELAIDE:**  
(613) 9764 9900  
SA@PARAMOUNTSAFETY.COM.AU

**MELBOURNE:**  
(613) 9764 9900  
VIC@PARAMOUNTSAFETY.COM.AU

**SYDNEY:**  
(612) 9601 3877  
NSW@PARAMOUNTSAFETY.COM.AU

**NEW ZEALAND:**  
0800 770 723  
NZ@PARAMOUNTSAFETY.CO.NZ

**BRISBANE:**  
(617) 3806 2699  
QLD@PARAMOUNTSAFETY.COM.AU

**PERTH:**  
(618) 9301 7888  
WA@PARAMOUNTSAFETY.COM.AU

**PROCHOICESAFETYGEAR.COM**

