

Section 1 - Identification of The Material and Supplier

| Product Name: | Transwash BIO HD |
|---------------|-----------------------|
| Product Use: | Multi purpose Cleaner |
| Supplier: | Lubricants NZ LTD |
| | 22 Marphona Crescent |
| Lubricants NZ | Takanini 2105 |
| | NEW ZEALAND |
| | Phone: (09) 640 0004 |
| | Fax: (09) 266 4004 |

EMERGENCY **TELEPHONE NUMBER:** This version issued:

0800 734 607 December 22 and is valid for 5 years from this date.

| Section 2 | - Hazards Identification |
|--------------------------------|--|
| NZ Regulatory Nature: | Not classified as hazardous under applicable New Zealand regulations. |
| Physical/Chemical Nature: | Not classified as hazardous. |
| Health Hazards: | S25. Avoid contact with eyes |
| Environmental Hazards: | Not classified as hazardous |
| Emergency Overview | |
| Physical Description & Colour: | Light to blue coloured liquid |
| Odour: | Light odour. |
| Major Health Hazards: | Not classified as hazardous. |
| Potential Health Effects | |
| Inhalation: | |
| Short Term Exposure: | Available data indicates that this product is not harmful. In addition product is unlikely to cause any discomfort or irritation. |
| Long Term Exposure: | No data for health effects associated with long term inhalation. |
| Skin Contact: | |
| Short Term Exposure: | Available data indicates that this product is not harmful. It should present no hazards in normal use. In addition product is unlikely to cause any discomfort in normal use. |
| Long Term Exposure: | Oil blisters may develop following prolonged and repeated exposure through contact with stained clothing. |



Section 3 - Composition/Information on Ingredients

Alkalis and additives in aqueous solution. No hazardous ingredients.

This is a commercial product whose exact ratio of components may vary slightly. Minor quantities of other non hazardous ingredients are also possible.

The TWA exposure value is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week. The STEL (Short Term Exposure Limit) is an exposure value that may be equalled (but should not be exceeded) for no longer than 15 minutes and should not be repeated more than 4 times per day. There should be at least 60 minutes between successive exposures at the STEL. The term "peak "is used when the TWA limit, because of the rapid action of the substance, should never be exceeded, even briefly.

Section 4 - First Aid Measures

| Eye Contact | |
|----------------------|---|
| Short Term Exposure: | This product may be mildly irritating to eyes, but is unlikely to cause anything more than mild discomfort which should disappear once product is removed |
| Long Term Exposure: | No data for health effects associated with long term eye exposure |
| Ingestion: | |
| Short Term Exposure: | Significant oral exposure is considered to be unlikely. However, this product may be irritating to mucous membranes but is unlikely to cause anything more than transient discomfort. |
| Long Term Exposure: | Significant oral exposure is considered to be unlikely. However, this product may be irritating to mucous membranes but is unlikely to cause anything more than transient discomfort. |
| Ingestion: | If product is swallowed or gets in mouth, do NOT induce vomiting; wash mouth with water and give some water to drink. If symptoms develop, or if in doubt contact a Poisons Information Centre or a doctor. |

| Section 5 - Fire Fighting Measures | |
|------------------------------------|--|
| Fire and Explosion Hazards: | In a fire or if heated, a pressure increase will |
| | occur and the container may burst. |



| Extinguishing Media: | In case of fire, use water fog, alcohol resistant foam, dry chemical or carbon dioxide extinguisher or spray. |
|---------------------------|---|
| Fire Fighting: | Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |
| Flash point: | >180°C. |
| Autoignition temperature: | >250°C. This temperature may be significantly lower under particular conditions (slow oxidation on finely divided materials) |
| Flammability Class: | C2 |

Section 6 - Accidental Release Measures

Accidental release:

Minor spills do not normally need any special cleanup measures. In the event of a major spill, prevent spillage from entering drains or water courses. As a minimum, wear overalls, goggles and gloves. Suitable materials for protective clothing include nitrile, neoprene. Eye/face protective equipment should comprise as a minimum, protective glasses and, preferably, goggles. If there is a significant chance that vapours or mists are likely to build up in the cleanup area, we recommend that you use a respirator. Usually, no respirator is necessary when using this product. However, if you have any doubts consult the NZ Standard mentioned below (section 8).

Stop leak if safe to do so, and contain spill. Absorb onto sand, vermiculite or other suitable absorbent material. If spill is too large or if absorbent material is not available, try to create a dike to stop material spreading or going into drains or waterways. Sweep up and shovel or collect recoverable product into labelled containers for recycling or salvage, and dispose of promptly.

Can be slippery on floors, especially when wet. Recycle containers wherever possible after careful cleaning. After spills, wash area preventing runoff from entering drains. If a significant quantity of material enters drains, advise emergency services. This material may be suitable for approved landfill.

Ensure legality of disposal by consulting regulations prior to disposal. Thoroughly launder protective clothing before storage or re-use. Advise laundry of nature of contamination when sending contaminated clothing to laundry.



Section 7 - Handling and Storage

| Handling: | Put on appropriate personal protective equipment. Do not breathe vapour or mist. Do not get in eyes, on skin or on clothing. Avoid contact of spilt material and runoff with soil and surface waterways. Use only with adequate ventilation. |
|-----------|---|
| Storage: | Store and use only in equipment/containers designed for use with this product. Keep away from heat and direct sunlight. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Store in accordance with local regulations. Store in a dry, cool and well ventilated area, away from incompatible materials. |

| Section 8 - Exposure Controls and Personal Protection | |
|---|----------|
| Respiratory equipment: | NZS 1715 |
| Protective Gloves: | NZS 2161 |
| Occupational Protective | |
| Clothing: | NZS 4501 |
| Industrial Eye Protection: | NZS 1337 |
| Occupational Protective | |
| Footwear: | NZS 2210 |

Other: No special equipment is usually needed when occasionally handling small quantities. The following instructions are for bulk handling or where regular exposure in an occupational setting occurs without proper containment systems.

Ventilation: This product should only be used in a well ventilated area. If natural ventilation is inadequate, use of a fan is suggested.

Eye Protection: Eye protection is not normally necessary when this product is being used.

However, if in doubt, wear suitable protective glasses or goggles.

Skin Protection: The information at hand indicates that this product is not harmful and that

normally no special skin protection is necessary. However, we suggest that

you routinely avoid contact with all chemical products and that you wear suitable gloves (preferably elbow-length) when skin contact is likely.

Protective Material Types: We suggest that protective clothing be made from the following materials:

nitrile, neoprene.

Respirator: Usually, no respirator is necessary when using this product. However, if you have any doubts consult the Standard mentioned above.



Section 9 - Physical and Chemical Properties:

| Physical Description & colour: | Light to blue coloured liquid |
|--------------------------------|--|
| Odour: | Light odour. |
| Boiling Point: | Not available. |
| Freezing/Melting Point: | No specific data. Liquid at normal temperatures. |
| Volatility: | < 75% (v/v) |
| Vapour Pressure: | Nil at normal ambient temperatures |
| Vapour Density: | No data. |
| Specific Gravity: | >1 at 15°C |
| Water Solubility: | Miscible in water. |
| pH: | 7.3 to 7.7 [Conc. (% w/w): 100%] |
| Odour Threshold: | No data. |
| Evaporation Rate: | No data. |
| Autoignition temp: | [Product does not sustain combustion.] |
| | |

| Section 10 - Stability and Reactivity | |
|---------------------------------------|---|
| Reactivity: | This product is unlikely to react or decompose under normal storage conditions. However, if you have any doubts, contact the supplier for advice on shelf life properties. |
| Conditions to Avoid: | Avoid excessive heat. |
| Incompatibilities: | Reactive or incompatible with the following materials: oxidising materials |
| Fire Decomposition: | May evolve toxic gases if strongly heated. |
| Polymerisation: | This product will not undergo polymerisation reactions. |

| Section 11 - Toxicological Information | |
|--|--|
| Local Effects | |
| Target Organs: | No significant health hazards identified |
| Sensitization | No significant health hazards identified |
| Classification of Hazardous | |
| Ingredients: | No ingredient mentioned in the HSNO Database is present in this product at hazardous concentrations. |

| MobilityAir:There is a slow loss by evaporation. | | Section 12 - Ecological Information |
|--|-----------------|--------------------------------------|
| Air: There is a slow loss by evaporation. | <u>Mobility</u> | |
| | Air: | There is a slow loss by evaporation. |
| Soil: Readily absorbed into soil. | Soil: | Readily absorbed into soil. |



Water:

The product is insoluble; it spreads on the surface of the water. Expected to be inherently biodegradable.

Persistence and degradability:

Expected to be inherently biodegradable

Section 13 - Disposal Considerations

Disposal:

This product may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use.

If it has been contaminated, it may be possible to reclaim the product by filtration, distillation or some other means. If neither of these options is suitable, consider controlled incineration, or landfill.

Section 14 - Transport Information

HSNO Code:

This product is not classified as a Dangerous Good. No special transport conditions are necessary unless required by other regulations.

Section 15 - Other Information

This MSDS contains only safety-related information. For other data see product literature.

MSDS SUMMARISES OUR BEST KNOWLEDGE OF THE HEALTH AND SAFETY HAZARD INFORMATION OF THE PRODUCT AND HOW TO SAFELY HANDLE AND USE THE PRODUCT IN THE WORKPLACE. EACH USER MUST REVIEW THIS MSDS IN THE CONTEXT OF HOW THE PRODUCT WILL BE HANDLED AND USED IN THE WORKPLACE.

IF CLARIFICATION OR FURTHER INFORMATION IS NEEDED TO ENSURE THAT AN APPROPRIATE RISK ASSESSMENT CAN BE MADE, THE USER SHOULD CONTACT THIS COMPANY SO WE CAN ATTEMPT TO OBTAIN ADDITIONAL INFORMATION FROM OUR SUPPLIERS OUR RESPONSIBILITY FOR PRODUCTS SOLD IS SUBJECT TO OUR STANDARD TERMS AND CONDITIONS, A COPY OF WHICH IS SENT TO OUR CUSTOMERS AND IS ALSO AVAILABLE ON REQUEST.