

Section 1 - Identification of The Material and Supplier

Product Name: Windscreen Wash PM50

Product Use: Liquid Glass and Surface Cleaner

Supplier: Lubricants NZ LTD

22 Marphona Crescent

Lubricants NZ NZs Independent Oil Company Takanini 2105 NEW ZEALAND

Phone: (09) 640 0004

Fax: (09) 266 4004

EMERGENCY

TELEPHONE NUMBER: 0800 734 607 **Creation Date:** July, 2017

This version issued: December 22 and is valid for 5 years from this date.

Section 2 - Hazards Identification

New Zealand Regulatory Information: Classified as non hazardous under current New Zealand regulations.

Physical/chemical hazards: Clear to blue fragrant liquid.

Health hazards: Harmful; may cause lung damage if swallowed. Irritating to skin.

Environmental hazards: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Subclass 6.3 Category B Substances that are mildly irritating to the skin.

Subclass 9.1 Category B Substances that are ecotoxic in the aquatic environment.

Hazard and Precautionary Information:

Causes mild skin irritation. May be harmful if inhaled. Toxic to aquatic life with long lasting effects. Keep out of reach of children. Read label before use. Read Safety Data Sheet before use.

Emergency Overview

Physical Description & Colour: Clear to blue liquid foam.

Odour: Characteristic odour.

Major Health Hazards: no significant risk factors have been found for this product.

Potential Health Effects

Effects and symptoms:

Eyes: Unlikely to cause more than transient stinging or redness if accidental eye contact occurs.

Skin: Causes skin irritation.

Inhalation: May cause irritation to eyes, nose and throat due to exposure to vapour, mists or fumes.

Ingestion: Swallowing can result in nausea, vomiting and central nervous system depression..

Carcinogen Status:

SWA: No significant ingredient is classified as carcinogenic by SWA. **NTP:** No significant ingredient is classified as carcinogenic by NTP. **IARC:** No significant ingredient is classified as carcinogenic by IARC.

Poisons Information Centre: 0800 764 766



Section 3 – Composition/Information on Ingredients Overview

Ingredients	CAS No	Conc %	TWA (mg/m ³)	STEL (mg/m ³)
Ethanol	64-17-5	15-20	2.0 mg/m ³	Not Established
Propylene glycol monopropyl ether	1569-01-3	>4	Not Established	Not Established
Ammonia	7664-41-7	>2	17	Not Established
Limonene	5989-27-5	>1	Not Established	Not Established
Non hazardous ingredients	-	to 100	-	Not Established

This is a commercial product whose exact ratio of components may vary slightly. Minor quantities of other non hazardous ingredients are also possible.

The SWA TWA exposure value is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week. The STEL (Short Term Exposure Limit) is an exposure value that may be equalled (but should not be exceeded) for no longer than 15 minutes and should not be repeated more than 4 times per day. There should be at least 60 minutes between successive exposures at the STEL. The term "peak "is used when the TWA limit, because of the rapid action of the substance, should never be exceeded, even briefly.

Section 4 – General Information

You should call The Poisons Information Centre if you feel that you may have been poisoned, burned or irritated by this product. The number is 0800 764 766 and is available at all times. Have this MSDS with you when you call.

Inhalation: First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

Skin Contact: Gently blot away excess liquid. Irritation is unlikely. However, if irritation does occur, flush with lukewarm, gently flowing water for 5 minutes or until chemical is removed.

Eye Contact: Quickly and gently blot material from eyes. No effects expected. If irritation does occur, flush contaminated eye(s) with lukewarm, gently flowing water for 5 minutes or until the product is removed. Obtain medical advice if irritation becomes painful or lasts more than a few minutes. Take special care if exposed person is wearing contact lenses.

Ingestion: If product is swallowed or gets in mouth, do NOT induce vomiting; wash mouth with water and give some water to drink. If symptoms develop, or if in doubt contact a Poisons Information Centre or a doctor.

Section 5 – Fire Fighting Measures

Hazards from combustion products: None

Precautions for fire fighters and special protective equipment: Heating can cause expansion or decomposition of the material, which can lead to the containers exploding. If safe to do so, remove containers from the path of fire. Keep containers cool with water spray. Fire fighters to wear self contained breathing apparatus and suitable protective clothing if risk of exposure to vapour or products of combustion. Suitable Extinguishing Media: Fine water spray, normal foam, dry agent (carbon dioxide, dry chemical powder).

Hazchem Code: none

Section 6 – Accidental Release Measures

Emergency procedures: Clear area of all unprotected personnel. **Methods and materials for containment and clean up:** Lay down spill sorb, or



absorbent sponge of some description. Dispose of in an approved manner.

Section 7 - Handling and Storage

Precautions for safe handling: Avoid skin and eye contact and breathing in vapour andmists. Ensure spray nozzle is always directed away from the user.

Conditions for safe storage: Store in cool place and out of direct sunlight. Store away from oxidising agents. Keep containers closed when not in use check regularly for leaks.

Section 8 – Exposure Controls and Personal Protection

Occupational Exposure Limits: No value assigned for this specific material by the New Zealand Occupational Safety and Health Service (OSH).

However, Workplace Exposure Standard(s) for constituent(s): None

Engineering controls: Ensure ventilation is adequate and that air concentrations of components are controlled below quoted Exposure Standards. Use in well ventilated areas. Keep containers closed when not in use.

Personal Protective Equipment: The selection of PPE is dependant on a detailed risk assessment. The risk assessment should consider the work situation, the physical form of the chemical, the handling methods, and environmental factors.

Wear clean overalls, safety boots, general purpose gloves (PVC) and safety spectacles. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or reuse. For leaking aerosol cans: Wear clean overalls, safety boots, general purpose gloves (PVC) and full face visor. If risk of inhalation exists, wear organic vapour/particulate respirator meeting the requirements of AS/NZS 1715 and AS/NZS 1716.

FOR CONSUMER USE: Wear rubber gloves and eye protection while handling the product. Wash hands after use.

Section 9 – Physical and Chemical Properties

Physical Description & colour: Clear viscous liquid spray. **Odour:** Characteristic odour.

Boiling Point: No specific data. Liquid at normal temperature. **Freezing/Melting Point:** No specific data. Liquid at normal temperatures.

Can Pressure, kPa: 300–600

Vapour Pressure: Nil at normal ambient temperatures.

Vapour Density: > 1

Flash Point: Non established

Water Solubility: Soluble

Section 10 - Exposure Controls and Personal Protection

Chemical stability: Stable under normal conditions of use.

Conditions to avoid: Avoid exposure to heat, sources of ignition, and open flame.

Poisons Information Centre: 0800 764 766

Incompatible materials: Incompatible with oxidising agents. **Hazardous decomposition products:** Oxides of carbon.

Hazardous reactions: Hazardous polymerisation will not occur.



Section 11 - Physical and Chemical Properties:

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

Ingestion: Swallowing can result in nausea, vomiting and central nervous system depression. If the victim is showing signs of central system depression (like those of drunkeness) there is greater likelihood of the patient breathing in vomit and causing damage to the lungs.

Breathing in vomit may lead to aspiration pneumonia (inflammation of the lung).

Eye contact: May be an eye irritant.

Skin contact: Contact with skin may result in irritation. Will have a degreasing action on the skin. Repeated or prolonged skin contact may lead to irritant contact dermatitis.

Inhalation: Breathing in vapour can result in headaches, dizziness, drowsiness, and possible nausea. Breathing in high concentrations can produce central nervous system depression, which can lead to loss of coordination, impaired judgement and if exposure is prolonged, unconsciousness. Intentional misuse by deliberately concentrating and breathing the contents can be harmful or fatal.

Long Term Effects: No information available for the product.

Toxicological Data: No LD50 data available for the product.

No ingredient mentioned in the HSIS Database is present in this product at hazardous concentrations.

Ecotoxicity Avoid contaminating waterways.

Disposal: This product may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use. If it has been contaminated, it may be possible to reclaim the product by filtration, distillation or some other means. If neither of these options is suitable, consider controlled incineration, or landfill.

Section 12 – Transport Information

Road and Rail Transport: None established None established Air Transport: None established None established

Section 13 - Regulatory Information

Subclass 6.3 Category B Substances that are mildly irritating to the skin.

Subclass 9.1 Category B Substances that are ecotoxic in the aquatic environment.

Section 14 – Other Information

 $This \ MSDS \ contains \ only \ safety-related \ information. \ For \ other \ data \ see \ product \ literature.$

This MSDS summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user must review this msds in the context of how the product will be handled and used in the workplace. If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company so we can attempt to obtain additional information from our suppliers. Our responsibility for products sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available on request.